Index to volume 56

Author index*

A

Abel EA (*see* Jacobson and Abel). 2007;56:1026-43 (Periodic synopsis)
Abeni D (*see* Annessi et al). 2007;56:759-67 (Report)
Aber C (*see* Burk et al). 2007;56:S53-4 (Case letter)
Abraham JL (*see* Boyd et al). 2007;56:27-30 (Report)
Accoceberry I (*see* Ezzedine et al). 2007;56:871-3 (Case rep.)
Acuña-Alonzo V (*see* Correa et al). 2007;56:617-20 (Report)
Adams BB (*see* Kockentiet and Adams). 2007;56:1048-55 (Review)
Adams BB, Gloster HM. Institutional review board use among dermatology researchers. 2007;56:346 (Notes & comments)
Adams BB. Not just sunscreen: Caps. 2007;56:161 (Notes & comments)
Adler DJ (*see* Clarke et al). 2007;56:686-90 (Case rep.)
Aguilera P, Mascaró JM, Martinez A, Esteve J, Puig S, Campo E, Estrach T. Cutaneous γ/δ T-cell lymphoma: A histopathologic mimicker of lupus erythematosus profundus (lupus panniculitis). 2007;56:643-7 (Dermatopathology)
Ahmed AM, Orengo I. Surgical Pearl: Alternate method of loading needle to facilitate subcuticular suturing. 2007;56:S105-6 (Pearls)
Alam M, Yoo SS. Technique for calcium hydroxylapatite injection for correction of nasolabial fold depressions. 2007;56:285-9 (Derm. surgery)
Alexandre M (*see* Grosber et al). 2007;56:S118-9 (Case letter)
Alibrandi B (*see* Parodi et al). 2007;56:974-8 (Report)
Allez M (*see* Fardet et al). 2007;56:624-8 (Report)
Almeida FL (*see* Carpinella et al). 2007;56:250-6 (Report)
Almeida P (*see* Hernandez-Machin et al). 2007;56:S49-50 (Case letter)
Almirón WR (*see* Carpinella et al). 2007;56:250-6 (Report)
Alonso V (*see* Martín et al). 2007;56:S10-4 (Case rep.)
Alsina M (*see* Segura et al). 2007;56:960-7 (Report)
Alston JL (*see* Hu et al). 2007;56:S54-5 (Case letter)
Altmeyer P (*see* Gambichler et al). 2007;56:956-9 (Report)
Altmeyer P (*see* Reich et al). 2007;56:348-9 (Notes & comments)
Andersen F, Hedegaard K, Petersen TK, Bindslev-Jensen C, Fullerton A, Andersen KE. Comparison of the effect of glycerol and triamcinolone acetonide on cumulative skin irritation in a randomized trial. 2007;56:228-35 (Report)
Andersen KE (*see* Andersen et al). 2007;56:228-35 (Report)
Anderson HF (*see* Wyatt et al). 2007;56:S45-7 (Case rep.)
Anhalt GJ (*see* Cummins et al). 2007;56:153-9 (Case rep.)
Annessi G, Bono R, Sampogna F, Faraggiana T, Abeni D. Sensitivity, specificity, and diagnostic accuracy of three dermoscopic algorithmic methods in the diagnosis of doubtful melanocytic lesions. 2007;56:759-67 (Report)
Annest NM, VanBeek MJ, Arpey CJ, Whitaker DC. Intralesional methotrexate treatment for keratoacanthoma tumors: A retrospective study and review of the literature. 2007;56:989-93 (Derm. surgery)
Anstey AV (*see* Holme et al). 2007;56:1070-2 (Case letter)
Antoniou C (*see* Nicolaidou et al). 2007;56:274-8 (Report)
Antoniou C (*see* Stefanaki et al). 2007;56:815-24 (Dermatopathology)
Argenziano G, Zalaudek I, Ferrara G, Johr R, Langford D, Puig S, Soyer HP, Malvehy J. Dermoscopy features of melanoma incognito: Indications for biopsy. 2007;56:508-13 (Case rep.)
Argyrakos T (*see* Stefanaki et al). 2007;56:815-24 (Dermatopathology)
Armstrong DG (*see* Scher et al). 2007;56:939-44 (Report)
Arnold C (*see* Menter et al). 2007;56:31-44 (Report)
Arpey CJ (*see* Annest et al). 2007;56:989-93 (Derm. surgery)
Asashima N (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Askari SK, Schram SE, Wenner RA, Bowers S, Liu A, Bangerter AK, Warshaw EM. Evaluation of prospectively collected presenting signs/symptoms of biopsy-proven melanoma, basal cell carcinoma, squamous cell carcinoma, and seborrheic keratosis in an elderly male population. 2007;56:739-47 (Report)
Atienza A (*see* Stryker et al). 2007;56:387-90 (Report)
Auquier P (*see* Wolkenstein et al). 2007;56:621-3 (Report)
Avram AS (*see* Avram et al). 2007;56:472-92 (On fat)
Avram MM, Avram AS, James WD. Subcutaneous fat in normal and diseased states. 3. Adipogenesis. From stem cell to fat cell. 2007;56:472-92 (On fat)
Ayers RA (*see* High et al). 2007;56:21-6 (Report)
Ayers RA (*see* High et al). 2007;56:710-2 (Research letter)
Azad NS (*see* Kong et al). 2007;56:171-2 (Case letter)
Azzarello LM, Jacobsen PB. Factors influencing participation in cutaneous screening among individuals with a family history of melanoma. 2007;56:398-406 (Report)

B

Bachelez H (*see* Fardet et al). 2007;56:624-8 (Report)
Bachmeyer C, Thiolière B, Khosrotehrani K, Cattan E. Acute myelogenous leukemia in a patient receiving etanercept for psoriasis. 2007;56:169-70 (Case letter)
Badgwell C, Rosen T. Cutaneous sarcoidosis therapy updated. 2007;56:69-83 (Report)
Badminton MN (*see* Holme et al). 2007;56:1070-2 (Case letter)
Bae JM, Kim M-Y, Kim HO, Park YM. Schwannoma coexisting with giant congenital melanocytic nevus: Is it coincidence? 2007;56:S111-2 (Case letter)
Balbi P (*see* Parodi et al). 2007;56:974-8 (Report)
Balkrishnan R (*see* Faulk et al). 2007;56:165-7 (Research letter)
Balkrishnan R (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Bandelloni R (*see* Parodi et al). 2007;56:974-8 (Report)
Bangerter AK (*see* Askari et al). 2007;56:739-47 (Report)
Barabino G (*see* Parodi et al). 2007;56:974-8 (Report)
Barahmani N (*see* Baykal et al). 2007;56:S33-7 (Case rep.)
Baran R (*see* Braun et al). 2007;56:835-47 (Review)
Barbarot S (*see* Safa et al). 2007;56:S19-20 (Case rep.)
Barnette DJ (*see* Hancox et al). 2007;56:530-1 (Case letter)
Barrau K (*see* Wolkenstein et al). 2007;56:621-3 (Report)
Bartralot R (*see* Bodet et al). 2007;56:S41-4 (Case rep.)
Barzilai A (*see* Solomon et al). 2007;56:612-6 (Report)
Bassas P (*see* Bodet et al). 2007;56:S41-4 (Case rep.)
Basset-Seguin N (*see* Braathen et al). 2007;56:125-43 (Special article)
Bastarrika G, Redondo P, Sierra A, Cano D, Martínez-Cuesta A, López-Gutiérrez JC, Cabrera J. New techniques for the evaluation and therapeutic planning of patients with Klippel–Trénaunay syndrome. 2007;56:242-9 (Report)
Bauer JH, Miller OF, Peckham SJ. Medical Pearl: Confirming the diagnosis of molluscum contagiosum using 10% potassium hydroxide. 2007;56:S104-5 (Pearls)
Bauer R (*see* Proelss et al). 2007;56:453-7 (Report)
Baum S (*see* Solomon et al). 2007;56:612-6 (Report)
Baykal C, Buyukbabani N, Boztepe H, Barahmani N, Yazganoglu KD. Multiple cutaneous neuromas and macular amyloidosis

*January, pp. 1-180; February, part 1, pp. 181-352; February, part 2, pp. S1-S64; March, pp. 353-540; April, pp. 541-718; May, part 1, pp. 719-900; May, part 2, pp. S65-S128; June, pp. 901-1112.

associated with medullary thyroid carcinoma. 2007;56:S33-7 (Case rep.)
Beattie PE, Wilkie MJV, Smith G, Ferguson J, Ibbotson SH. Can dietary furanocoumarin ingestion enhance the erythemal response during high-dose UVA1 therapy? 2007;56:84-7 (Report)
Begon E (*see* Fardet et al). 2007;56:624-8 (Report)
Bekhor PS, Ditchfield MR. Acquired digital arteriovenous malformation: Ultrasound imaging and response to long-pulsed neodymium:yttrium-aluminum-garnet treatment. 2007;56:S122-4 (Case letter)
Belsito D. Reply. 2007;56:520 (Notes & comments)
Bendeck S (*see* Lucero et al). 2007;56:268-73 (Report)
Benderdouche M (*see* Dupuy et al). 2007;56:53-62 (Report)
Bentley DP (*see* Holme et al). 2007;56:1070-2 (Case letter)
Bercovitch L, Long TP. Dermatoethics: A curriculum in bioethics and professionalism for dermatology residents at Brown Medical School. 2007;56:679-82 (Beneath the surface)
Bergfeld WF (*see* Trost and Bergfeld). 2007;56:519 (Notes & comments)
Bergman W (*see* de Snoo et al). 2007;56:748-52 (Report)
Bernhard JD. Editor's note. 2007;56:706 (Notes & comments)
Bernhard JD. Ten or twelve ways to abuse the peer review process: We saw what you did and we know who you are. 2007;56:887-8 (The blue journal)
Berthelot C, Dickerson MC, Rady P, He Q, Niroomand F, Tyring SK, Pandya AG. Treatment of a patient with epidermodysplasia verruciformis carrying a novel EVER2 mutation with imiquimod. 2007;56:882-6 (Case rep.)
Beutner KA (*see* Strauss et al). 2007;56:651-63 (From the academy)
Bhawan J (*see* Brightman et al). 2007;56:S62-4 (Case letter)
Bhosle M (*see* Faulk et al). 2007;56:165-7 (Research letter)
Bhushan R (*see* Strauss et al). 2007;56:651-63 (From the academy)
Bieber T (*see* Proelss et al). 2007;56:453-7 (Report)
Bieber T (*see* Wenzel et al). 2007;56:648-50 (Dermatopathology)
Bigliardi PL, Stammer H, Jost G, Rufli T, Büchner S, Bigliardi-Qi M. Treatment of pruritus with topically applied opiate receptor antagonist. 2007;56:979-88 (Report)
Bigliardi-Qi M (*see* Bigliardi et al). 2007;56:979-88 (Report)
Billingsley EM (*see* Fulchiero et al). 2007;56:S65-7 (Case rep.)
Bindslev-Jensen C (*see* Andersen et al). 2007;56:228-35 (Report)
Bird LM (*see* Izadpanah et al). 2007;56:S6-9 (Case rep.)
Bissonnette R (*see* Braathen et al). 2007;56:125-43 (Special article)
Blauvelt A (*see* Takiguchi et al). 2007;56:222-7 (Report)
Böckelmann R (*see* Bonnekoh and Böckelmann). 2007;56:162 (Notes & comments)
Bodet D, Rodríguez-Cano L, Bartralot R, Mollet J, Medina A, Heras C, Bassas P, Huguet P, García-Patos V. Benign lymphangiomatous papules of the skin associated with ovarian fibroma. 2007;56:S41-4 (Case rep.)
Böhm M, Luger TA. Lichen planus responding to efalizumab. 2007;56:S92-3 (Case rep.)
Boldrick JC, Layton CJ, Nguyen J, Swetter SM. Evaluation of digital dermoscopy in a pigmented lesion clinic: Clinician versus computer assessment of malignancy risk. 2007;56:417-21 (Report)
Bonnekoh B, Böckelmann R. Keratin 17/interferon-γ autoimmune loop as a vicious circle driving psoriasis pathogenesis. 2007;56:162 (Notes & comments)
Bono R (*see* Annessi et al). 2007;56:759-67 (Report)
Bonsmann G (*see* Schneider et al). 2007;56:S120-2 (Case letter)
Bordeaux J (*see* Pattee et al). 2007;56:506-7 (Case rep.)
Borrego L (*see* Hernandez-Machin et al). 2007;56:S49-50 (Case letter)
Bos JD. Psoriasis, innate immunity, and gene pools. 2007;56:468-71 (Ideas)
Bourdon-Lanoy E (*see* Toulon et al). 2007;56:S50-1 (Case letter)
Bourrat E (*see* Dupuy et al). 2007;56:53-62 (Report)
Bousser A-M (*see* Safa et al). 2007;56:S19-20 (Case rep.)
Bowers JW, Morgan MB. Reply. 2007;56:892-3 (Notes & comments)
Bowers S (*see* Askari et al). 2007;56:739-47 (Report)
Boyd AS (*see* Teng et al). 2007;56:S61-2 (Case letter)
Boyd AS, Zic JA, Abraham JL. Gadolinium deposition in nephrogenic fibrosing dermopathy. 2007;56:27-30 (Report)
Boztepe H (*see* Baykal et al). 2007;56:S33-7 (Case rep.)
Braathen LR (*see* Hassan et al). 2007;56:217-21 (Report)
Braathen LR, Szeimies R-M, Basset-Seguin N, Bissonnette R, Foley P, Pariser D, Roelandts R, Wennberg A-M, Morton CA. Guidelines on the use of photodynamic therapy for nonmelanoma skin cancer: An international consensus. 2007;56:125-43 (Special article)
Bradshaw M (*see* Del Rosso et al). 2007;56:791-802 (Report)
Brahim JS (*see* Sparling et al). 2007;56:786-90 (Report)
Braun RP (*see* Scope et al). 2007;56:413-6 (Report)
Braun RP, Baran R, Le Gal FA, Dalle S, Ronger S, Pandolfi R, Gaide O, French LE, Laugier P, Saurat JH, Marghoob AA, Thomas L. Diagnosis and management of nail pigmentations. 2007;56:835-47 (Review)
Breuning MH (*see* de Snoo et al). 2007;56:748-52 (Report)
Brightman L, Stefanato CM, Bhawan J, Phillips TJ. Third-trimester impetigo herpetiformis treated with cyclosporine. 2007;56:S62-4 (Case letter)
Brooke RCC (*see* Richards et al). 2007;56:426-31 (Report)
Brown L (*see* Leonard et al). 2007;56:S38-40 (Case rep.)
Bruce AJ (*see* Castro et al). 2007;56:S126-7 (Case letter)
Bruch-Gerharz D, Gerharz C-D, Stege H, Krutmann J, Pohl M, Koester R, Ruzicka T. Cutaneous lymphatic malformations in disappearing bone (Gorham-Stout) disease: A novel clue to the pathogenesis of a rare syndrome. 2007;56:S21-5 (Case rep.)
Bruckner-Tuderman L (*see* Hofmann et al). 2007;56:S68-72 (Case rep.)
Büchner S (*see* Bigliardi et al). 2007;56:979-88 (Report)
Buka RL (*see* Izadpanah et al). 2007;56:S6-9 (Case rep.)
Burk CJ, Aber C, Connelly EA. Ehlers-Danlos syndrome type IV: Keloidal plaques of the lower extremities, amniotic band limb deformity, and a new mutation. 2007;56:S53-4 (Case letter)
Burkhart CG (*see* Burkhart and Burkhart). 2007;56:1044-7 (Review)
Burkhart CN, Burkhart CG. Fomite transmission in head lice. 2007;56:1044-7 (Review)
Busam KJ (*see* Scope et al). 2007;56:413-6 (Report)
Buyukbabani N (*see* Baykal et al). 2007;56:S33-7 (Case rep.)
Bystryn J-C, Grando SA. Reply. 2007;56:891-2 (Notes & comments)

C

Cabrera J (*see* Bastarrika et al). 2007;56:242-9 (Report)
Cabrera R (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Camacho F (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Camouse M (*see* Ferenczi et al). 2007;56:701-4 (Case rep.)
Camp WL (*see* Zhang et al). 2007;56:675-6 (Above the surface)
Campbell R (*see* Jagdeo et al). 2007;56:690-3 (Case rep.)
Campo E (*see* Aguilera et al). 2007;56:643-7 (Dermatopathology)
Cannata G (*see* Parodi et al). 2007;56:974-8 (Report)
Cano D (*see* Bastarrika et al). 2007;56:242-9 (Report)
Canonica WG (*see* Guerra et al). 2007;56:88-90 (Report)
Capella GL. [Latin] dermatology as she is spoke[n]. 2007;56:520-1 (Notes & comments)
Carder KR (*see* Kapur et al). 2007;56:290-4 (Dermatopathology)
Carnerero A (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Carnerero-Rodríguez A (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Carpinella MC, Miranda M, Almirón WR, Ferrayoli CG, Almeida FL, Palacios SM. In vitro pediculicidal and ovicidal activity of an extract and oil from fruits of *Melia azedarach* L. 2007;56:250-6 (Report)

Carr D (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Carrasco JL (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Carroll C (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Carter E (*see* Draelos et al). 2007;56:439-47 (Report)
Castro LA, Davis DMR, Davis MDP, Bruce AJ, Pittelkow MR. Facial edema and crusted patches: A precursor to life-threatening acute systemic lupus erythematosus. 2007;56:S126-7 (Case letter)
Cattan E (*see* Bachmeyer et al). 2007;56:169-70 (Case letter)
Cestari R (*see* Parodi et al). 2007;56:974-8 (Report)
Chandler J (*see* High et al). 2007;56:21-6 (Report)
Chang MW (*see* Schaffer et al). 2007;56:862-8 (Case rep.)
Chang T (*see* Ferenczi et al). 2007;56:701-4 (Case rep.)
Chen C-H (*see* Chiu et al). 2007;56:448-52 (Report)
Chen L (*see* Shen et al). 2007;56:162-4 (Notes & comments)
Chen M-J (*see* Chiu et al). 2007;56:448-52 (Report)
Chen SC (*see* Lucero et al). 2007;56:268-73 (Report)
Chen X (*see* Ng et al). 2007;56:858-61 (Case & review)
Chiu C-S, Lin C-Y, Kuo T-T, Kuan Y-Z, Chen M-J, Ho H-C, Yang L-C, Chen C-H, Shih I-H, Hong H-S, Chuang Y-H. Malignant cutaneous tumors of the scalp: A study of demographic characteristics and histologic distributions of 398 Taiwanese patients. 2007;56:448-52 (Report)
Chiu MW (*see* Hu et al). 2007;56:317-26 (Review)
Chodik G (*see* Shapiro et al). 2007;56:629-34 (Report)
Choi JM (*see* Perkins et al). 2007;56:279-84 (Report)
Choi JM, Salter SA, Kimball AB. Innovative care, medical research, and the ethics of informed consent. 2007;56:330-2 (Current issues & opinion)
Chong S-J, Kim S-Y, Kim H-S, Kim GM, Kim SY, Jung J-H. Cutaneous ciliated cyst in a 16-year-old girl. 2007;56:159-60 (Case rep.)
Chuang Y-H (*see* Chiu et al). 2007;56:448-52 (Report)
Ciaccio M (*see* Parodi et al). 2007;56:974-8 (Report)
Cintra ML (*see* de Souza et al). 2007;56:881-2 (Case rep.)
Clark LN, Shin DB, Troxel AB, Khan S, Sober AJ, Ming ME. Association between the anatomic distribution of melanoma and sex. 2007;56:768-73 (Report)
Clarke L (*see* Westhafer et al). 2007;56:825-7 (Dermatopathology)
Clarke LE (*see* Goldfeder et al). 2007;56:494-9 (Case & review)
Clarke LE, Junkins-Hopkins J, Seykora JT, Adler DJ, Elenitsas R. Methotrexate-associated lymphoproliferative disorder in a patient with rheumatoid arthritis presenting in the skin. 2007;56:686-90 (Case rep.)
Coenraads PJ (*see* Jungbauer and Coenraads). 2007;56:519-20 (Notes & comments)
Cohen AD (*see* Shapiro et al). 2007;56:629-34 (Report)
Cohen LM, Kroumpouzos G. Pruritic dermatoses of pregnancy: To lump or to split? 2007;56:708-9 (Notes & comments)
Compalati E (*see* Guerra et al). 2007;56:88-90 (Report)
Connelly EA (*see* Burk et al). 2007;56:S53-4 (Case letter)
Connelly T, Dixon A. Surgical Pearl: Use of digital Vernier calipers for measurement of lesional and excisional dimensions. 2007;56:146 (Pearls)
Cooper KD (*see* Ferenczi et al). 2007;56:701-4 (Case rep.)
Cooper KD (*see* Ismail et al). 2007;56:635-42 (Dermatopathology)
Cordoro KM (*see* Wyatt et al). 2007;56:S45-7 (Case rep.)
Cornelison R (*see* Metcalf et al). 2007;56:422-5 (Report)
Correa MC, Memije EV, Vargas-Alarcón G, Guzmán RA, Rosetti F, Acuña-Alonzo V, Martínez-Rodríguez N, Granados J. HLA-DR association with the genetic susceptibility to develop ashy dermatosis in Mexican Mestizo patients. 2007;56:617-20 (Report)
Cowen EW (*see* Kong et al). 2007;56:171-2 (Case letter)
Cowen EW. Epidermal growth factor receptor inhibitors: A new era of drug reactions in a new era of cancer therapy. 2007;56:514-7 (Commentary)
Cowper SE (*see* High et al). 2007;56:21-6 (Report)
Cowper SE (*see* High et al). 2007;56:710-2 (Research letter)
Cox NH. A literally blinded trial of palpation in dermatologic diagnosis. 2007;56:949-51 (Report)
Cozzani E (*see* Parodi et al). 2007;56:974-8 (Report)
Criscione VD, Weinstock MA. Descriptive epidemiology of dermatofibrosarcoma protuberans in the United States, 1973 to 2002. 2007;56:968-73 (Report)
Crowson AN (*see* Metcalf et al). 2007;56:422-5 (Report)
Cummins DL, Mimouni D, Tzu J, Owens N, Anhalt GJ, Meyerle JH. Lichenoid paraneoplastic pemphigus in the absence of detectable antibodies. 2007;56:153-9 (Case rep.)

D

Daggett S (*see* Lowe et al). 2007;56:604-11 (Report)
Dahut W (*see* Kong et al). 2007;56:171-2 (Case letter)
Daldon PÉC (*see* de Souza et al). 2007;56:881-2 (Case rep.)
Dalle S (*see* Braun et al). 2007;56:835-47 (Review)
Damian DL, Thompson JF. Treatment of extensive cutaneous metastatic melanoma with topical diphencyprone. 2007;56:869-71 (Case rep.)
Danby FW. Acne and iodine: Reply. 2007;56:164-5 (Notes & comments)
Danby FW. Acne, breast cancer, and androgens. 2007;56:894-5 (Notes & comments)
Darling TN (*see* Sparling et al). 2007;56:786-90 (Report)
Darling TN (*see* Xia and Darling). 2007;56:877-80 (Case rep.)
David M (*see* Shapiro et al). 2007;56:629-34 (Report)
Davis DMR (*see* Castro et al). 2007;56:S126-7 (Case letter)
Davis M (*see* Neale et al). 2007;56:380-6 (Report)
Davis MDP (*see* Castro et al). 2007;56:S126-7 (Case letter)
Davis MDP (*see* Scalf et al). 2007;56:928-32 (Report)
Davis MDP (*see* Weenig et al). 2007;56:569-79 (Report)
Davis MDP, el-Azhary RA, Farmer SA. Results of patch testing to a corticosteroid series: A retrospective review of 1188 patients during 6 years at Mayo Clinic. 2007;56:921-7 (Report)
Dawn A (*see* Yosipovitch et al). 2007;56:901-16 (CME article)
Dawn G (*see* Madan and Dawn). 2007;56:S103-4 (Pearls)
de Paz RC (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
de Prost Y (*see* Toulon et al). 2007;56:S50-1 (Case letter)
de Snoo FA, Kroon MW, Bergman W, ter Huurne JAC, Houwing-Duistermaat JJ, van Mourik L, Snels DGCTM, Breuning MH, Willemze R, Frants RR, Gruis NA. From sporadic atypical nevi to familial melanoma: Risk analysis for melanoma in sporadic atypical nevus patients. 2007;56:748-52 (Report)
de Souza EM, Daldon PÉC, Cintra ML. Anetoderma associated with primary antiphospholipid syndrome. 2007;56:881-2 (Case rep.)
Dehen L (*see* Dupuy et al). 2007;56:53-62 (Report)
Del Rosso JQ, Webster GF, Jackson M, Rendon M, Rich P, Torok H, Bradshaw M. Two randomized phase III clinical trials evaluating anti-inflammatory dose doxycycline (40-mg doxycycline, USP capsules) administered once daily for treatment of rosacea. 2007;56:791-802 (Report)
Deng A (*see* Sterling et al). 2007;56:699-701 (Case rep.)
Derick A (*see* Laumann and Derick). 2007;56:349 (Letters)
Desirello G (*see* Parodi et al). 2007;56:974-8 (Report)
DeVore A (*see* Yosipovitch et al). 2007;56:901-16 (CME article)
DeWitt CA, Siroy AE, Stone SP. Acneiform eruptions associated with epidermal growth factor receptor–targeted chemotherapy. 2007;56:500-5 (Case rep.)
Díaz Melián D (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Dickerson MC (*see* Berthelot et al). 2007;56:882-6 (Case rep.)
Dinh HV, McCormack C, Hall S, Prince HM. Rituximab for the treatment of the skin manifestations of dermatomyositis: A report of 3 cases. 2007;56:148-53 (Case rep.)
Ditchfield MR (*see* Bekhor and Ditchfield). 2007;56:S122-4 (Case letter)

Dixon A (*see* Connelly and Dixon). 2007;56:146 (Pearls)
Do JE (*see* Kim et al). 2007;56:523-4 (Research letter)
Donohue K (*see* Ingraffea et al). 2007;56:S124-6 (Case letter)
Dooley LT (*see* Menter et al). 2007;56:31-44 (Report)
Doostan A (*see* Saadat et al). 2007;56:1021-5 (Dermatopathology)
Dorion RP (*see* Sewell et al). 2007;56:856 (Ideas)
Doshi DN, Firth K, Mintz M, Ehrlich A. Pilot study of a skin cancer education curriculum for medical students. 2007;56:167-9 (Research letter)
Dover R (*see* Rushton et al). 2007;56:518-9 (Notes & comments)
Drabick JJ (*see* Fulchiero et al). 2007;56:S65-7 (Case rep.)
Draelos ZD, Carter E, Maloney JM, Elewski B, Poulin Y, Lynde C, Garrett S. Two randomized studies demonstrate the efficacy and safety of dapsone gel, 5% for the treatment of acne vulgaris. 2007;56:439-47 (Report)
Drago F (*see* Parodi et al). 2007;56:974-8 (Report)
Draper BK (*see* Teng et al). 2007;56:S61-2 (Case letter)
Draznin M (*see* Maverakis et al). 2007;56:116-24 (Review)
Dubertret L (*see* Dupuy et al). 2007;56:53-62 (Report)
Dufresne RG (*see* Hunter-Yates et al). 2007;56:S107-9 (Case letter)
Dupuy A (*see* Fardet et al). 2007;56:624-8 (Report)
Dupuy A, Dehen L, Bourrat E, Lacroix C, Benderdouche M, Dubertret L, Morel P, Feuilhade de Chauvin M, Petit A. Accuracy of standard dermoscopy for diagnosing scabies. 2007;56:53-62 (Report)
Duran-McKinster C (*see* Ruiz-Maldonado et al). 2007;56:S1-5 (Case rep.)
Dusza SW (*see* Henning et al). 2007;56:45-52 (Report)
Duvic M (*see* Lozano and Duvic). 2007;56:521 (Notes & comments)

E

Eadie N (*see* Lowe et al). 2007;56:604-11 (Report)
Eaton JS (*see* Hancox et al). 2007;56:530-1 (Case letter)
Ee HL, Liu L, Goh CL, McGrath JA. Clinical and molecular dilemmas in the diagnosis of familial epidermolysis bullosa pruriginosa. 2007;56:S77-81 (Case rep.)
Ehrlich A (*see* Doshi et al). 2007;56:167-9 (Research letter)
Eichenfield LF (*see* Izadpanah et al). 2007;56:S6-9 (Case rep.)
Eichenfield LF (*see* Shaw et al). 2007;56:342-5 (Case rep.)
El Shabrawi-Caelen L, Rütten A, Kerl H. The expanding spectrum of Galli–Galli disease. 2007;56:S86-91 (Case rep.)
el-Azhary RA (*see* Davis et al). 2007;56:921-7 (Report)
El-Essawi D, Musial JL, Hammad A, Lim HW. A survey of skin disease and skin-related issues in Arab Americans. 2007;56:933-8 (Report)
Elenitsas R (*see* Clarke et al). 2007;56:686-90 (Case rep.)
Elewski B (*see* Draelos et al). 2007;56:439-47 (Report)
Elewski BE (*see* Scher et al). 2007;56:939-44 (Report)
Elewski BE (*see* Zhang et al). 2007;56:675-6 (Above the surface)
Ellis SS (*see* Mann et al). 2007;56:S15-8 (Case rep.)
Elmets CA (*see* Zhang et al). 2007;56:675-6 (Above the surface)
Elston DM (*see* Sewell et al). 2007;56:856 (Ideas)
Elston DM. Community-acquired methicillin-resistant *Staphylococcus aureus*. 2007;56:1-16 (CME article)
Enjolras O (*see* Garzon et al). 2007;56:353-70 (CME article)
Enjolras O (*see* Garzon et al). 2007;56:541-64 (CME article)
Epstein JH. William L. Epstein, 1925-2006. 2007;56:714-5 (In memoriam)
Erickson C (*see* Kapur et al). 2007;56:290-4 (Dermatopathology)
Ersoy-Evans S, Greco MF, Mancini AJ, Subaşı N, Paller AS. Pityriasis lichenoides in childhood: A retrospective review of 124 patients. 2007;56:205-10 (Report)
Esteve J (*see* Aguilera et al). 2007;56:643-7 (Dermatopathology)
Estrach T (*see* Aguilera et al). 2007;56:643-7 (Dermatopathology)
Evangelou G (*see* Richards et al). 2007;56:426-31 (Report)
Evans R (*see* Menter et al). 2007;56:31-44 (Report)
Ezzedine K, Accoceberry I, Malvy D. Oral histoplasmosis after radiation therapy for laryngeal squamous cell carcinoma. 2007;56:871-3 (Case rep.)

F

Fairley JA (*see* Robbins et al). 2007;56:S82-5 (Case rep.)
Falagas ME (*see* Papadavid and Falagas). 2007;56:e81-5 (eBlueprints)
Falanga V (*see* Ingraffea et al). 2007;56:S124-6 (Case letter)
Fan J-Y (*see* Shen et al). 2007;56:162-4 (Notes & comments)
Fan X-L (*see* Shen et al). 2007;56:162-4 (Notes & comments)
Faraggiana T (*see* Annessi et al). 2007;56:759-67 (Report)
Fardet L, Dupuy A, Kerob D, Levy A, Allez M, Begon E, Bachelez H, Morel P, Lebbé C. Infliximab for severe hidradenitis suppurativa: Transient clinical efficacy in 7 consecutive patients. 2007;56:624-8 (Report)
Farmer SA (*see* Davis et al). 2007;56:921-7 (Report)
Farmer SA (*see* Scalf et al). 2007;56:928-32 (Report)
Faulk LA, Khanna V, McMichael AJ, Feldman SR, Bhosle M, Balkrishnan R. An educational brochure helps improve patients' understanding of residents' role and level of training. 2007;56:165-7 (Research letter)
Fazel N (*see* Maverakis et al). 2007;56:116-24 (Review)
Feldman SR (*see* Faulk et al). 2007;56:165-7 (Research letter)
Feldman SR (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Feldman SR (*see* Menter et al). 2007;56:31-44 (Report)
Feldman SR (*see* Zedek et al). 2007;56:1013-20 (Dermatopathology)
Fenske NA (*see* Patrick et al). 2007;56:828-34 (Review)
Ferenczi K, Chang T, Camouse M, Han R, Stern R, Willis J, Cooper KD, Gilliam AC. A case of Churg–Strauss syndrome associated with antiphospholipid antibodies. 2007;56:701-4 (Case rep.)
Ferguson J (*see* Beattie et al). 2007;56:84-7 (Report)
Fernandez E (*see* McLucas et al). 2007;56:S48-9 (Case letter)
Ferrara G (*see* Argenziano et al). 2007;56:508-13 (Case rep.)
Ferrayoli CG (*see* Carpinella et al). 2007;56:250-6 (Report)
Ferringer TC (*see* Forman et al). 2007;56:811-4 (Derm. surgery)
Feuilhade de Chauvin M (*see* Dupuy et al). 2007;56:53-62 (Report)
Fimiani G (*see* Fusco et al). 2007;56:264-7 (Report)
Firth K (*see* Doshi et al). 2007;56:167-9 (Research letter)
Fischer R-J (*see* Hallermann et al). 2007;56:588-97 (Report)
Fleckman P (*see* Scher et al). 2007;56:939-44 (Report)
Fleischer AB (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Foley P (*see* Braathen et al). 2007;56:125-43 (Special article)
Forman SB, Ferringer TC, Garrett AB. Basal cell carcinoma of the nail unit. 2007;56:811-4 (Derm. surgery)
Forster JL (*see* Woodruff et al). 2007;56:774-80 (Report)
Fortea JM (*see* Pitarch et al). 2007;56:1072-3 (Case letter)
Fortune DG (*see* Richards et al). 2007;56:426-31 (Report)
Foss F (*see* Querfeld et al). 2007;56:580-3 (Report)
Foster J (*see* Lucero et al). 2007;56:268-73 (Report)
Fox LP. Nail toxicity associated with epidermal growth factor receptor inhibitor therapy. 2007;56:460-5 (Review)
Fraitag S (*see* Toulon et al). 2007;56:S50-1 (Case letter)
Frants RR (*see* de Snoo et al). 2007;56:748-52 (Report)
Franzblau M (*see* Rapaport and Franzblau). 2007;56:333-4 (Current issues & opinion)
French LE (*see* Braun et al). 2007;56:835-47 (Review)
Freundlich B (*see* Moore et al). 2007;56:598-603 (Report)
Frieden IJ (*see* Garzon et al). 2007;56:353-70 (CME article)
Frieden IJ (*see* Garzon et al). 2007;56:541-64 (CME article)
Fujimoto M (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Fulchiero GJ (*see* McLucas et al). 2007;56:S48-9 (Case letter)
Fulchiero GJ, Salvaggio H, Drabick JJ, Staveley-O'Carroll K, Billingsley EM, Marks JG, Helm KF. Eruptive latent metastatic melanomas after initiation of antitumor necrosis factor therapies. 2007;56:S65-7 (Case rep.)
Fullerton A (*see* Andersen et al). 2007;56:228-35 (Report)
Funayama E, Minakawa H, Oyama A. Forehead lipoma resection via a small remote incision using a surgical raspatory. 2007;56:458-9 (Derm. surgery)

Fung MA (*see* Maverakis et al). 2007;56:116-24 (Review)
Fusco F, Fimiani G, Tadini G, Michele DU, Ursini MV. Clinical diagnosis of incontinentia pigmenti in a cohort of male patients. 2007;56:264-7 (Report)

G

Gaide O (*see* Braun et al). 2007;56:835-47 (Review)
Galbraith SS (*see* Kos et al). 2007;56:S117-8 (Case letter)
Gamalero C (*see* Guerra et al). 2007;56:88-90 (Report)
Gambichler T (*see* Reich et al). 2007;56:348-9 (Notes & comments)
Gambichler T, Skrygan M, Tomi NS, Altmeyer P, Kreuter A. Differential expression of decorin in localized scleroderma following ultraviolet-A1 irradiation. 2007;56:956-9 (Report)
García Bustínduy M (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Garcia C, Poletti E. Sentinel lymph node biopsy for melanoma is still controversial. 2007;56:347-8 (Notes & comments)
García-Bustínduy M (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
García-Patos V (*see* Bodet et al). 2007;56:S41-4 (Case rep.)
Garrett AB (*see* Forman et al). 2007;56:811-4 (Derm. surgery)
Garrett S (*see* Draelos et al). 2007;56:439-47 (Report)
Garzon MC, Huang JT, Enjolras O, Frieden IJ. Vascular malformations. Part I. 2007;56:353-70 (CME article)
Garzon MC, Huang JT, Enjolras O, Frieden IJ. Vascular malformations. Part II: Associated syndromes. 2007;56:541-64 (CME article)
Gaspari A (*see* Sterling et al). 2007;56:699-701 (Case rep.)
Gaubitz M (*see* Schneider et al). 2007;56:S120-2 (Case letter)
Genebriera J (*see* Scalf et al). 2007;56:928-32 (Report)
Gerharz C-D (*see* Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)
Ghannoum M (*see* Scher et al). 2007;56:939-44 (Report)
Ghigliotti G (*see* Parodi et al). 2007;56:974-8 (Report)
Gibbs NK (*see* Richards et al). 2007;56:426-31 (Report)
Gildea J (*see* Westhafer et al). 2007;56:825-7 (Dermatopathology)
Gilkes JJH (*see* Rushton et al). 2007;56:518-9 (Notes & comments)
Gilliam AC (*see* Ferenczi et al). 2007;56:701-4 (Case rep.)
Gilliam AC (*see* Ismail et al). 2007;56:635-42 (Dermatopathology)
Gilliam AC (*see* Newman et al). 2007;56:302-16 (Review)
Gilmer T (*see* Woodruff et al). 2007;56:774-80 (Report)
Glanz K (*see* Stryker et al). 2007;56:387-90 (Report)
Glaser DA (*see* Lowe et al). 2007;56:604-11 (Report)
Gloster HM (*see* Adams and Gloster). 2007;56:346 (Notes & comments)
Goddard DS, Magee CC, Lazar AJF, Miller DM. Nephrogenic fibrosing dermopathy with recurrence after allograft failure. 2007;56:S109-11 (Case letter)
Goh CL (*see* Ee et al). 2007;56:S77-81 (Case rep.)
Goldberg LH (*see* Wang et al). 2007;56:1067-9 (Notes & comments)
Goldfeder KL, Levin JM, Katz KA, Clarke LE, Loren AW, James WD. Ultraviolet recall reaction after total body irradiation, etoposide, and methotrexate therapy. 2007;56:494-9 (Case & review)
Gordon KB (*see* Moore et al). 2007;56:598-603 (Report)
Gottlieb A (*see* Moore et al). 2007;56:598-603 (Report)
Gottlieb AB (*see* Menter et al). 2007;56:31-44 (Report)
Gover MD (*see* van Zuuren et al). 2007;56:107-15 (From the cochrane library)
Graber M (*see* van Zuuren et al). 2007;56:107-15 (From the cochrane library)
Granados J (*see* Correa et al). 2007;56:617-20 (Report)
Grando SA (*see* Bystryn and Grando). 2007;56:891-2 (Notes & comments)
Graves JE, Nunley K, Heffernan MP. Off-label uses of biologics in dermatology: Rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2). 2007;56:e55-79 (eBlueprints)
Greco MF (*see* Ersoy-Evans et al). 2007;56:205-10 (Report)
Green AC (*see* Neale et al). 2007;56:380-6 (Report)
Greenway HT (*see* Hancox et al). 2007;56:530-1 (Case letter)
Greer JP (*see* Sepmeyer et al). 2007;56:584-7 (Report)
Greer KE (*see* Wyatt et al). 2007;56:S45-7 (Case rep.)
Grosber M, Alexandre M, Poszepczynska-Guigné E, Revuz J, Roujeau J-C. Recurrent erythema multiforme in association with recurrent *Mycoplasma pneumoniae* infections. 2007;56:S118-9 (Case letter)
Grossman ME (*see* MacGregor et al). 2007;56:527-8 (Research letter)
Gruis NA (*see* de Snoo et al). 2007;56:748-52 (Report)
Gruson LM (*see* Henning et al). 2007;56:893-4 (Notes & comments)
Gruson LM, Heller P, Hemmerdinger SA, Latkowski J-AM. Mycosis fungoides involving the nasal mucosa. 2007;56:S112-4 (Case letter)
Guerra L, Rogkakou A, Massacane P, Gamalero C, Compalati E, Zanella C, Scordamaglia A, Canonica WG, Passalacqua G. Role of contact sensitization in chronic urticaria. 2007;56:88-90 (Report)
Guimerá F (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Guitart J (*see* Querfeld et al). 2007;56:580-3 (Report)
Gupta AK (*see* van Zuuren et al). 2007;56:107-15 (From the cochrane library)
Gupta R (*see* Querfeld et al). 2007;56:580-3 (Report)
Gutierrez M (*see* Kong et al). 2007;56:171-2 (Case letter)
Guzmán RA (*see* Correa et al). 2007;56:617-20 (Report)
Guzzo C (*see* Menter et al). 2007;56:31-44 (Report)

H

Hadj-Rabia S (*see* Toulon et al). 2007;56:S50-1 (Case letter)
Hall S (*see* Dinh et al). 2007;56:148-53 (Case rep.)
Hallermann C, Niermann C, Fischer R-J, Schulze H-J. New prognostic relevant factors in primary cutaneous diffuse large B-cell lymphomas. 2007;56:588-97 (Report)
Hamel D (*see* Toulon et al). 2007;56:S50-1 (Case letter)
Hamilton T (*see* Orringer et al). 2007;56:432-8 (Report)
Hammad A (*see* El-Essawi et al). 2007;56:933-8 (Report)
Han R (*see* Ferenczi et al). 2007;56:701-4 (Case rep.)
Han R (*see* Ismail et al). 2007;56:635-42 (Dermatopathology)
Hancox JG, Yount LS, Eaton JS, Barnette DJ, Greenway HT. Lymphangiosarcoma presenting as asymptomatic swelling of the cheek. 2007;56:530-1 (Case letter)
Hanifin J (*see* Takiguchi et al). 2007;56:222-7 (Report)
Haque R (*see* Metcalf et al). 2007;56:422-5 (Report)
Harper E (*see* Takiguchi et al). 2007;56:222-7 (Report)
Harvey WT. Morgellons disease. 2007;56:705-6 (Notes & comments)
Hashimoto T (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Hashimoto T (*see* Taintor et al). 2007;56:S73-6 (Case rep.)
Hassan AS, Kaelin U, Braathen LR, Yawalkar N. Clinical and immunopathologic findings during treatment of recalcitrant atopic eczema with efalizumab. 2007;56:217-21 (Report)
Hay RJ (*see* Scher et al). 2007;56:939-44 (Report)
He Q (*see* Berthelot et al). 2007;56:882-6 (Case rep.)
Hedegaard K (*see* Andersen et al). 2007;56:228-35 (Report)
Heffernan MP (*see* Graves et al). 2007;56:e55-79 (eBlueprints)
Heffernan MP (*see* Smith et al). 2007;56:e1-54 (eBlueprints)
Helfrich YR (*see* Orringer et al). 2007;56:432-8 (Report)
Heller P (*see* Gruson et al). 2007;56:S112-4 (Case letter)
Helm K (*see* Westhafer et al). 2007;56:825-7 (Dermatopathology)
Helm KF (*see* Fulchiero et al). 2007;56:S65-7 (Case rep.)
Hemmerdinger SA (*see* Gruson et al). 2007;56:S112-4 (Case letter)
Hemminger L (*see* Irwin et al). 2007;56:407-12 (Report)
Henning JS, Dusza SW, Wang SQ, Marghoob AA, Rabinovitz HS, Polsky D, Kopf AW. The CASH (color, architecture, symmetry, and homogeneity) algorithm for dermoscopy. 2007;56:45-52 (Report)
Henning JS, Gruson LM, Strober BE. Reconsidering liver biopsies during methotrexate therapy. 2007;56:893-4 (Notes & comments)
Heras C (*see* Bodet et al). 2007;56:S41-4 (Case rep.)

Hernandez-Machin B, Almeida P, Lujan D, Montenegro T, Borrego L. Infantile pyramidal protrusion localized at the vulva as a manifestation of lichen sclerosus et atrophicus. 2007;56:S49-50 (Case letter)
Herrero C (*see* Segura et al). 2007;56:960-7 (Report)
Herrero J (*see* Segura et al). 2007;56:960-7 (Report)
Heymann A (*see* Shapiro et al). 2007;56:629-34 (Report)
Heymann WR. Antipsoriatic biologic agents for the treatment of atopic dermatitis. 2007;56:854-5 (Dialogues in dermatology)
Heymann WR. Cosmetic versus medical dermatology patients. 2007;56:161-2 (Notes & comments)
Heymann WR. Intense pulsed light. 2007;56:466-7 (Dialogues in dermatology)
Heymann WR. Lichen sclerosus. 2007;56:683-4 (Dialogues in dermatology)
Heymann WR. Oral contraceptives for the treatment of acne vulgaris. 2007;56:1056-7 (Dialogues in dermatology)
Heymann WR. Screening for melanoma. 2007;56:144-5 (Dialogues in dermatology)
Heymann WR. Tumor necrosis factor inhibitor–induced pustular psoriasis? 2007;56:327-9 (Dialogues in dermatology)
High WA, Ayers RA, Chandler J, Zito G, Cowper SE. Gadolinium is detectable within the tissue of patients with nephrogenic systemic fibrosis. 2007;56:21-6 (Report)
High WA, Ayers RA, Cowper SE. Gadolinium is quantifiable within the tissue of patients with nephrogenic systemic fibrosis. 2007;56:710-2 (Research letter)
Hira K (*see* Ng et al). 2007;56:858-61 (Case & review)
Hitchcock MG (*see* Zedek et al). 2007;56:1013-20 (Dermatopathology)
Ho H-C (*see* Chiu et al). 2007;56:448-52 (Report)
Ho H-C (*see* Kuan et al). 2007;56:S29-32 (Case rep.)
Ho NTC, Lansang P, Pope E. Topical imiquimod in the treatment of infantile hemangiomas: A retrospective study. 2007;56:63-8 (Report)
Hoang MP (*see* Kapur et al). 2007;56:290-4 (Dermatopathology)
Hodak E (*see* Shapiro et al). 2007;56:629-34 (Report)
Hoerster KD (*see* Woodruff et al). 2007;56:774-80 (Report)
Hofmann SC, Technau K, Müller AMS, Lübbert M, Bruckner-Tuderman L. Bullous pemphigoid associated with hypereosinophilic syndrome: Simultaneous response to imatinib. 2007;56:S68-72 (Case rep.)
Hogeling M (*see* Izadpanah et al). 2007;56:S6-9 (Case rep.)
Hollis S (*see* van Zuuren et al). 2007;56:107-15 (From the cochrane library)
Holme SA, Thomas CL, Whatley SD, Bentley DP, Anstey AV, Badminton MN. Symptomatic response of erythropoietic protoporphyria to iron supplementation. 2007;56:1070-2 (Case letter)
Hong C-H (*see* Sparling et al). 2007;56:786-90 (Report)
Hong H-S (*see* Chiu et al). 2007;56:448-52 (Report)
Hong H-S (*see* Yang et al). 2007;56:S26-8 (Case rep.)
Honig PJ (*see* Shah et al). 2007;56:S51-3 (Case letter)
Horn R (*see* Saedi et al). 2007;56:712-3 (Case letter)
Hornung RL (*see* Poorsattar and Hornung). 2007;56:375-9 (Report)
Houwing-Duistermaat JJ (*see* de Snoo et al). 2007;56:748-52 (Report)
Hsu H-C (*see* Kuan et al). 2007;56:S29-32 (Case rep.)
Hu JC, Sadeghi P, Pinter-Brown LC, Yashar S, Chiu MW. Cutaneous side effects of epidermal growth factor receptor inhibitors: Clinical presentation, pathogenesis, and management. 2007;56:317-26 (Review)
Hu JY, Alston JL, Williams JV. An infant with extensive cutaneous nodular juvenile xanthogranuloma and hyperlipidemia. 2007;56:S54-5 (Case letter)
Hu W (*see* Newman et al). 2007;56:302-16 (Review)
Huang JT (*see* Garzon et al). 2007;56:353-70 (CME article)
Huang JT (*see* Garzon et al). 2007;56:541-64 (CME article)
Huang Y-H (*see* Kuan et al). 2007;56:S29-32 (Case rep.)
Huber K (*see* Richards et al). 2007;56:426-31 (Report)
Huguet P (*see* Bodet et al). 2007;56:S41-4 (Case rep.)
Hull CM (*see* Taintor et al). 2007;56:S73-6 (Case rep.)
Hunter-Yates J, Dufresne RG, Phillips KA. Tanning in body dysmorphic disorder. 2007;56:S107-9 (Case letter)
Hunziker T (*see* Müller et al). 2007;56:890-1 (Notes & comments)

I

Ibbotson SH (*see* Beattie et al). 2007;56:84-7 (Report)
Ikeda M (*see* Matsumoto et al). 2007;56:1006-12 (Dermatopathology)
Ikeda S (*see* Ng et al). 2007;56:858-61 (Case & review)
Ingraffea A, Donohue K, Wilkel C, Falanga V. Cutaneous vasculitis in two patients taking an herbal supplement containing black cohosh. 2007;56:S124-6 (Case letter)
Iranzo P (*see* Segura et al). 2007;56:960-7 (Report)
Irwin B, Mauriello D, Hemminger L, Pappert A, Kimball AB. Skin sun-acne tutorial evaluation among middle- and high-school students in central New Jersey. 2007;56:407-12 (Report)
Ishii N (*see* Taintor et al). 2007;56:S73-6 (Case rep.)
Ismail SA, Han R, Sanborn SL, Stevens SR, Cooper KD, Wood GS, Gilliam AC. Immunohistochemical staining for CD45R isoforms in paraffin sections to diagnose mycosis fungoides–type cutaneous T-cell lymphoma. 2007;56:635-42 (Dermatopathology)
Isola PM (*see* Parodi et al). 2007;56:974-8 (Report)
Izadpanah A, Hogeling M, Buka RL, Eichenfield LF, Bird LM. Digitocutaneous dysplasia. 2007;56:S6-9 (Case rep.)
Izumi R, Fujimoto M, Yazawa N, Nakashima H, Asashima N, Watanabe R, Kuwano Y, Kurokawa M, Hashimoto T, Tamaki K. Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease. 2007;56:S94-7 (Case rep.)

J

Jackson M (*see* Del Rosso et al). 2007;56:791-802 (Report)
Jacobsen PB (*see* Azzarello and Jacobsen). 2007;56:398-406 (Report)
Jacobson CC, Abel EA. Parasitic infestations. 2007;56:1026-43 (Periodic synopsis)
Jagdeo J, Campbell R, Long T, Muglia J, Telang G, Robinson-Bostom L. Sweet's syndrome–like neutrophilic lobular panniculitis associated with all-*trans*-retinoic acid chemotherapy in a patient with acute promyelocytic leukemia. 2007;56:690-3 (Case rep.)
James WD (*see* Avram et al). 2007;56:472-92 (On fat)
James WD (*see* Goldfeder et al). 2007;56:494-9 (Case & review)
Janson MM (*see* Robbins et al). 2007;56:S82-5 (Case rep.)
Jellinek N (*see* Telang and Jellinek). 2007;56:336-9 (Case rep.)
Jellinek N. Nail matrix biopsy of longitudinal melanonychia: Diagnostic algorithm including the matrix shave biopsy. 2007;56:803-10 (Derm. surgery)
Johnson TM (*see* Orringer et al). 2007;56:432-8 (Report)
Johr R (*see* Argenziano et al). 2007;56:508-13 (Case rep.)
Jordá E (*see* Martín et al). 2007;56:S10-4 (Case rep.)
Joseph WS (*see* Scher et al). 2007;56:939-44 (Report)
Jost G (*see* Bigliardi et al). 2007;56:979-88 (Report)
Jung J-H (*see* Chong et al). 2007;56:159-60 (Case rep.)
Jungbauer F, Coenraads PJ. Tacrolimus is not a preventive agent for occupational skin diseases. 2007;56:519-20 (Notes & comments)
Junkins-Hopkins J (*see* Clarke et al). 2007;56:686-90 (Case rep.)

K

Kaelin U (*see* Hassan et al). 2007;56:217-21 (Report)
Kamino H (*see* Schaffer et al). 2007;56:862-8 (Case rep.)
Kang H, Kim SE, Park K, Son SJ, Song KY. Nevus lipomatosus cutaneous superficialis with folliculosebaceous cystic hamartoma. 2007;56:S55-7 (Case letter)
Kang HY (*see* Kim et al). 2007;56:1069-70 (Case letter)
Kang HY (*see* Kim et al). 2007;56:523-4 (Research letter)

Kang S (*see* Moore et al). 2007;56:598-603 (Report)
Kang S (*see* Orringer et al). 2007;56:432-8 (Report)
Kapur P, Erickson C, Rakheja D, Carder KR, Hoang MP. Congenital self-healing reticulohistiocytosis (Hashimoto-Pritzker disease): Ten-year experience at Dallas Children's Medical Center. 2007;56:290-4 (Dermatopathology)
Karagas MR (*see* Rees et al). 2007;56:781-5 (Report)
Karimipour DJ (*see* Orringer et al). 2007;56:432-8 (Report)
Kato N (*see* Ujiie et al). 2007;56:S57-8 (Case letter)
Katsambas A (*see* Stefanaki et al). 2007;56:815-24 (Dermatopathology)
Katsambas AD (*see* Nicolaidou et al). 2007;56:274-8 (Report)
Katz KA (*see* Goldfeder et al). 2007;56:494-9 (Case & review)
Kaur M (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Kawachi Y (*see* Nakamura et al). 2007;56:873-7 (Case rep.)
Kerl H (*see* El Shabrawi-Caelen et al). 2007;56:S86-91 (Case rep.)
Kerob D (*see* Fardet et al). 2007;56:624-8 (Report)
Keyama A (*see* Matsumoto et al). 2007;56:1006-12 (Dermatopathology)
Khambalia A (*see* Kwinter et al). 2007;56:236-41 (Report)
Khan S (*see* Clark et al). 2007;56:768-73 (Report)
Khanna V (*see* Faulk et al). 2007;56:165-7 (Research letter)
Khosrotehrani K (*see* Bachmeyer et al). 2007;56:169-70 (Case letter)
Khumalo NP. Yes, let's abandon race—It does not accurately correlate with hair form. 2007;56:709-10 (Notes & comments)
Kikuchi Y (*see* Ng et al). 2007;56:858-61 (Case & review)
Kim GM (*see* Chong et al). 2007;56:159-60 (Case rep.)
Kim H-S (*see* Chong et al). 2007;56:159-60 (Case rep.)
Kim HO (*see* Bae et al). 2007;56:S111-2 (Case letter)
Kim M-Y (*see* Bae et al). 2007;56:S111-2 (Case letter)
Kim S-C (*see* Lee and Kim). 2007;56:S60-1 (Case letter)
Kim S-Y (*see* Chong et al). 2007;56:159-60 (Case rep.)
Kim SE (*see* Kang et al). 2007;56:S55-7 (Case letter)
Kim SK, Do JE, Kang HY, Lee ES, Kim YC. Combination of topical 5-aminolevulinic acid–photodynamic therapy with carbon dioxide laser for sebaceous hyperplasia. 2007;56:523-4 (Research letter)
Kim SY (*see* Chong et al). 2007;56:159-60 (Case rep.)
Kim YC (*see* Kim et al). 2007;56:1069-70 (Case letter)
Kim YC (*see* Kim et al). 2007;56:523-4 (Research letter)
Kim YJ, Kim YC, Kang HY. Is apoptosis involved in the development of balloon cell nevus? Suggestion from a case report. 2007;56:1069-70 (Case letter)
Kimball AB (*see* Choi et al). 2007;56:330-2 (Current issues & opinion)
Kimball AB (*see* Irwin et al). 2007;56:407-12 (Report)
Kimball AB (*see* Perkins et al). 2007;56:279-84 (Report)
Kimball AB (*see* Yoo et al). 2007;56:524-5 (Research letter)
Klepeiss S (*see* Westhafer et al). 2007;56:825-7 (Dermatopathology)
Ko Y (*see* Proelss et al). 2007;56:453-7 (Report)
Kockentiet B, Adams BB. Contact dermatitis in athletes. 2007;56:1048-55 (Review)
Kodama H (*see* Matsumoto et al). 2007;56:1006-12 (Dermatopathology)
Koester R (*see* Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)
Kong HH, Cowen EW, Azad NS, Dahut W, Gutierrez M, Turner ML. Keratoacanthomas associated with sorafenib therapy. 2007;56:171-2 (Case letter)
Kopf AW (*see* Henning et al). 2007;56:45-52 (Report)
Kos L, Galbraith SS, Lyon VB. Vaginal ulcerations with acute mycoplasma infection. 2007;56:S117-8 (Case letter)
Kovich OI (*see* Schaffer et al). 2007;56:862-8 (Case rep.)
Kowalski JW (*see* Lowe et al). 2007;56:604-11 (Report)
Koyama T (*see* Sepmeyer et al). 2007;56:584-7 (Report)
Krasowska D, Szymanek M, Schwartz RA, Myśliński W. Cutaneous effects of the most commonly used antidepressant medication, the selective serotonin reuptake inhibitors. 2007;56:848-53 (Review)
Krejci-Manwaring J, Tusa MG, Carroll C, Camacho F, Kaur M, Carr D, Fleischer AB, Balkrishnan R, Feldman SR. Stealth monitoring of adherence to topical medication: Adherence is very poor in children with atopic dermatitis. 2007;56:211-6 (Report)
Kremer E (*see* Shapiro et al). 2007;56:629-34 (Report)
Kreuter A (*see* Gambichler et al). 2007;56:956-9 (Report)
Kreuter A (*see* Reich et al). 2007;56:348-9 (Notes & comments)
Kroon MW (*see* de Snoo et al). 2007;56:748-52 (Report)
Kroumpouzos G (*see* Cohen and Kroumpouzos). 2007;56:708-9 (Notes & comments)
Krowchuk DP (*see* Strauss et al). 2007;56:651-63 (From the academy)
Krutmann J (*see* Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)
Kuan Y-Z (*see* Chiu et al). 2007;56:448-52 (Report)
Kuan Y-Z, Hsu H-C, Kuo T-T, Huang Y-H, Ho H-C. Multiple verrucous carcinomas treated with acitretin. 2007;56:S29-32 (Case rep.)
Kunimitsu S (*see* Matsumoto et al). 2007;56:1006-12 (Dermatopathology)
Kuo T-T (*see* Chiu et al). 2007;56:448-52 (Report)
Kuo T-T (*see* Kuan et al). 2007;56:S29-32 (Case rep.)
Kuo T-T (*see* Yang et al). 2007;56:S26-8 (Case rep.)
Kurokawa M (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Kuwano Y (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Kuzel TM (*see* Querfeld et al). 2007;56:580-3 (Report)
Kwinter J, Pelletier J, Khambalia A, Pope E. High-potency steroid use in children with vitiligo: A retrospective study. 2007;56:236-41 (Report)

L

Lack MD (*see* Weingold and Lack). 2007;56:706-7 (Notes & comments)
Lacroix C (*see* Dupuy et al). 2007;56:53-62 (Report)
Lai P-Y (*see* Lowe et al). 2007;56:604-11 (Report)
Langford D (*see* Argenziano et al). 2007;56:508-13 (Case rep.)
Lansang P (*see* Ho et al). 2007;56:63-8 (Report)
Latkowski J-AM (*see* Gruson et al). 2007;56:S112-4 (Case letter)
Laugier P (*see* Braun et al). 2007;56:835-47 (Review)
Laumann AE, Derick A. Reply: Tattoos and body piercing. 2007;56:349 (Letters)
Layton CJ (*see* Boldrick et al). 2007;56:417-21 (Report)
Lazar AJF (*see* Goddard et al). 2007;56:S109-11 (Case letter)
Lazarova Z (*see* Robbins et al). 2007;56:S82-5 (Case rep.)
Le Gal FA (*see* Braun et al). 2007;56:835-47 (Review)
Lebbé C (*see* Fardet et al). 2007;56:624-8 (Report)
Lee ES (*see* Kim et al). 2007;56:523-4 (Research letter)
Lee H (*see* Yoo et al). 2007;56:524-5 (Research letter)
Lee JE, Kim S-C. Eosinophilic, polymorphic, and pruritic eruption associated with radiotherapy in a patient with breast cancer. 2007;56:S60-1 (Case letter)
Lee M-C (*see* Yang et al). 2007;56:S26-8 (Case rep.)
Leiferman KM (*see* Taintor et al). 2007;56:S73-6 (Case rep.)
Leonard AL, Meehan SA, Ramsey D, Brown L, Sen F. Cutaneous and systemic plasmacytosis. 2007;56:S38-40 (Case rep.)
Leruez-Ville M (*see* Toulon et al). 2007;56:S50-1 (Case letter)
Levin JM (*see* Goldfeder et al). 2007;56:494-9 (Case & review)
Levy A (*see* Fardet et al). 2007;56:624-8 (Report)
Leyden JJ (*see* Strauss et al). 2007;56:651-63 (From the academy)
Li C-X (*see* Shen et al). 2007;56:162-4 (Notes & comments)
Li S (*see* Menter et al). 2007;56:31-44 (Report)
Lim HW (*see* El-Essawi et al). 2007;56:933-8 (Report)
Lin C-Y (*see* Chiu et al). 2007;56:448-52 (Report)
Ling TC (*see* Richards et al). 2007;56:426-31 (Report)
Liu A (*see* Askari et al). 2007;56:739-47 (Report)

Liu L (*see* Ee et al). 2007;56:S77-81 (Case rep.)
Liu Y-F (*see* Shen et al). 2007;56:162-4 (Notes & comments)
Loh TH (*see* See Lee et al). 2007;56:994-1005 (Dermatopathology)
Long T (*see* Jagdeo et al). 2007;56:690-3 (Case rep.)
Long TP (*see* Bercovitch and Long). 2007;56:679-82 (Beneath the surface)
López-Gutiérrez JC (*see* Bastarrika et al). 2007;56:242-9 (Report)
Loppin M (*see* Safa et al). 2007;56:S19-20 (Case rep.)
Loren AW (*see* Goldfeder et al). 2007;56:494-9 (Case & review)
Loundou A (*see* Wolkenstein et al). 2007;56:621-3 (Report)
Lowe NJ, Glaser DA, Eadie N, Daggett S, Kowalski JW, Lai P-Y. Botulinum toxin type A in the treatment of primary axillary hyperhidrosis: A 52-week multicenter double-blind, randomized, placebo-controlled study of efficacy and safety. 2007;56:604-11 (Report)
Lozano A, Duvic M. Cutaneous T-cell lymphoma in non-blood-related family members: Report of an additional case. 2007;56:521 (Notes & comments)
Lübbert M (*see* Hofmann et al). 2007;56:S68-72 (Case rep.)
Lucero M, Bendeck S, Ramos-Ceballos F, Foster J, Chen SC. Language disparities between patients and dermatologists in describing acne lesions. 2007;56:268-73 (Report)
Lucky AW (*see* Strauss et al). 2007;56:651-63 (From the academy)
Luger TA (*see* Böhm and Luger). 2007;56:S92-3 (Case rep.)
Luger TA (*see* Schneider et al). 2007;56:S120-2 (Case letter)
Lujan D (*see* Hernandez-Machin et al). 2007;56:S49-50 (Case letter)
Lynch PJ (*see* Maverakis et al). 2007;56:116-24 (Review)
Lynde C (*see* Draelos et al). 2007;56:439-47 (Report)
Lyon CC (*see* Williams et al). 2007;56:S116-7 (Case letter)
Lyon VB (*see* Kos et al). 2007;56:S117-8 (Case letter)

M

MacGregor JL, Silvers DN, Grossman ME, Sherman WH. Sorafenib-induced erythema multiforme. 2007;56:527-8 (Research letter)
Madan V, Dawn G. Surgical Pearl: Obtaining a clean histopathologic specimen using a ring curette. 2007;56:S103-4 (Pearls)
Magaña M, Magaña ML. Congenital melanocytic nevus is a disease with two clinicopathologic forms of presentation. 2007;56:521-2 (Notes & comments)
Magaña ML (*see* Magaña and Magaña). 2007;56:521-2 (Notes & comments)
Magee CC (*see* Goddard et al). 2007;56:S109-11 (Case letter)
Magro CM (*see* Vasil and Magro). 2007;56:96-104 (Dermatopathology)
Mahalingam M (*see* Pattee et al). 2007;56:506-7 (Case rep.)
Maibach HI (*see* Shaw et al). 2007;56:342-5 (Case rep.)
Maier L (*see* Orringer et al). 2007;56:432-8 (Report)
Mallory SB (*see* Mann et al). 2007;56:S15-8 (Case rep.)
Maloney JM (*see* Draelos et al). 2007;56:439-47 (Report)
Maloney ME (*see* Pattee et al). 2007;56:506-7 (Case rep.)
Malvehy J (*see* Argenziano et al). 2007;56:508-13 (Case rep.)
Malvy D (*see* Ezzedine et al). 2007;56:871-3 (Case rep.)
Mancini AJ (*see* Ersoy-Evans et al). 2007;56:205-10 (Report)
Mann MW-Y, Ellis SS, Mallory SB. Infantile acne as the initial sign of an adrenocortical tumor. 2007;56:S15-8 (Case rep.)
Manriquez JJ, Villouta MF, Williams HC. Evidence-based dermatology: Number needed to treat and its relation to other risk measures. 2007;56:664-71 (Review)
Marghoob AA (*see* Braun et al). 2007;56:835-47 (Review)
Marghoob AA (*see* Henning et al). 2007;56:45-52 (Report)
Marghoob AA (*see* Scope et al). 2007;56:413-6 (Report)
Markinson BC (*see* Scher et al). 2007;56:939-44 (Report)
Marks JG (*see* Fulchiero et al). 2007;56:S65-7 (Case rep.)
Martín JM, Jordá E, Monteagudo C, Alonso V, Villalón G, Ramón D. Desmoplastic giant congenital nevus with progressive depigmentation. 2007;56:S10-4 (Case rep.)
Martinez A (*see* Aguilera et al). 2007;56:643-7 (Dermatopathology)
Martínez-Aparicio A (*see* Pitarch et al). 2007;56:1072-3 (Case letter)
Martínez-Cuesta A (*see* Bastarrika et al). 2007;56:242-9 (Report)
Martínez-Menchón T (*see* Pitarch et al). 2007;56:1072-3 (Case letter)
Martínez-Rodríguez N (*see* Correa et al). 2007;56:617-20 (Report)
Mascaró JM (*see* Aguilera et al). 2007;56:643-7 (Dermatopathology)
Mascaró JM (*see* Segura et al). 2007;56:960-7 (Report)
Massacane P (*see* Guerra et al). 2007;56:88-90 (Report)
Massone C (*see* Parodi et al). 2007;56:974-8 (Report)
Matsumoto M, Kunimitsu S, Wada K, Ikeda M, Keyama A, Kodama H. Mast cell distribution, activation, and phenotype in xanthoma. 2007;56:1006-12 (Dermatopathology)
Matsumura T (*see* Yanagi et al). 2007;56:S58-60 (Case letter)
Mauriello D (*see* Irwin et al). 2007;56:407-12 (Report)
Maverakis E, Fung MA, Lynch PJ, Draznin M, Michael DJ, Ruben B, Fazel N. Acrodermatitis enteropathica and an overview of zinc metabolism. 2007;56:116-24 (Review)
Mayer JA (*see* Woodruff et al). 2007;56:774-80 (Report)
McCarthy JT (*see* Weenig et al). 2007;56:569-79 (Report)
McCarthy SW (*see* Murali et al). 2007;56:889-90 (Notes & comments)
McCormack C (*see* Dinh et al). 2007;56:148-53 (Case rep.)
McGrath JA (*see* Ee et al). 2007;56:S77-81 (Case rep.)
McLucas P, Fulchiero GJ, Fernandez E, Miller JJ, Zaenglein AL. Norwegian scabies mimicking onychomycosis and scalp dermatitis in a child with IPEX syndrome. 2007;56:S48-9 (Case letter)
McMichael AJ (*see* Faulk et al). 2007;56:165-7 (Research letter)
Medina A (*see* Bodet et al). 2007;56:S41-4 (Case rep.)
Meehan SA (*see* Leonard et al). 2007;56:S38-40 (Case rep.)
Meehan SA (*see* Srivastava et al). 2007;56:693-6 (Case rep.)
Memije EV (*see* Correa et al). 2007;56:617-20 (Report)
Menter A, Feldman SR, Weinstein GD, Papp K, Evans R, Guzzo C, Li S, Dooley LT, Arnold C, Gottlieb AB. A randomized comparison of continuous vs. intermittent infliximab maintenance regimens over 1 year in the treatment of moderate-to-severe plaque psoriasis. 2007;56:31-44 (Report)
Messina JL (*see* Patrick et al). 2007;56:828-34 (Review)
Metcalf S, Crowson AN, Naylor M, Haque R, Cornelison R. Imiquimod as an antiaging agent. 2007;56:422-5 (Report)
Meyerle JH (*see* Cummins et al). 2007;56:153-9 (Case rep.)
Micalizzi C (*see* Parodi et al). 2007;56:974-8 (Report)
Michael DJ (*see* Maverakis et al). 2007;56:116-24 (Review)
Michele DU (*see* Fusco et al). 2007;56:264-7 (Report)
Miller DM (*see* Goddard et al). 2007;56:S109-11 (Case letter)
Miller JJ (*see* McLucas et al). 2007;56:S48-9 (Case letter)
Miller OF (*see* Bauer et al). 2007;56:S104-5 (Pearls)
Mimouni D (*see* Cummins et al). 2007;56:153-9 (Case rep.)
Minakawa H (*see* Funayama et al). 2007;56:458-9 (Derm. surgery)
Ming ME (*see* Clark et al). 2007;56:768-73 (Report)
Mintz M (*see* Doshi et al). 2007;56:167-9 (Research letter)
Miranda M (*see* Carpinella et al). 2007;56:250-6 (Report)
Mollet J (*see* Bodet et al). 2007;56:S41-4 (Case rep.)
Monteagudo C (*see* Martín et al). 2007;56:S10-4 (Case rep.)
Montenegro T (*see* Hernandez-Machin et al). 2007;56:S49-50 (Case letter)
Moore A, Gordon KB, Kang S, Gottlieb A, Freundlich B, Xia HA, Stevens SR. A randomized, open-label trial of continuous versus interrupted etanercept therapy in the treatment of psoriasis. 2007;56:598-603 (Report)
Morel P (*see* Dupuy et al). 2007;56:53-62 (Report)
Morel P (*see* Fardet et al). 2007;56:624-8 (Report)
Moreno V (*see* Parodi et al). 2007;56:974-8 (Report)
Morgan MB (*see* Bowers and Morgan). 2007;56:892-3 (Notes & comments)
Morton CA (*see* Braathen et al). 2007;56:125-43 (Special article)
Moser RP (*see* Stryker et al). 2007;56:387-90 (Report)

Moss J (*see* Sparling et al). 2007;56:786-90 (Report)
Mudgil AV (*see* Pereira et al). 2007;56:181-200 (CME article)
Muffoletto B (*see* Saedi et al). 2007;56:712-3 (Case letter)
Muglia J (*see* Jagdeo et al). 2007;56:690-3 (Case rep.)
Müller AMS (*see* Hofmann et al). 2007;56:S68-72 (Case rep.)
Müller EJ, Hunziker T, Suter MM. Keratin intermediate filament retraction is linked to plakoglobin-dependent signaling in pemphigus vulgaris. 2007;56:890-1 (Notes & comments)
Muñoz D (*see* Pitarch et al). 2007;56:1072-3 (Case letter)
Murali R, McCarthy SW, Thompson JF, Scolyer RA. Melanocytic nevus with focal atypical epithelioid components (clonal nevus) is a combined nevus. 2007;56:889-90 (Notes & comments)
Musial JL (*see* El-Essawi et al). 2007;56:933-8 (Report)
Muzio G (*see* Parodi et al). 2007;56:974-8 (Report)
Myśliński W (*see* Krasowska et al). 2007;56:848-53 (Review)

N

Nakamura Y, Xu X, Saito Y, Tateishi T, Takahashi T, Kawachi Y, Otsuka F. Deep cutaneous infection by *Fusarium solani* in a healthy child: Successful treatment with local heat therapy. 2007;56:873-7 (Case rep.)
Nakashima H (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Nast A (*see* Rzany and Nast). 2007;56:1066-7 (Notes & comments)
Natsuga K (*see* Ujiie et al). 2007;56:S57-8 (Case letter)
Naylor M (*see* Metcalf et al). 2007;56:422-5 (Report)
Neale RE, Davis M, Pandeya N, Whiteman DC, Green AC. Basal cell carcinoma on the trunk is associated with excessive sun exposure. 2007;56:380-6 (Report)
Nedorost ST. Medical Pearl: The evaluation of perioral dermatitis: Use of an extended patch test series. 2007;56:S100-2 (Pearls)
Nemeth A (*see* Wang et al). 2007;56:1067-9 (Notes & comments)
Newman B, Hu W, Nigro K, Gilliam AC. Aggressive histiocytic disorders that can involve the skin. 2007;56:302-16 (Review)
Ng W, Kikuchi Y, Chen X, Hira K, Ogawa H, Ikeda S. Pseudocysts of the auricle in a young adult with facial and ear atopic dermatitis. 2007;56:858-61 (Case & review)
Nguyen J (*see* Boldrick et al). 2007;56:417-21 (Report)
Nicolaidou E, Antoniou C, Stratigos AJ, Stefanaki C, Katsambas AD. Efficacy, predictors of response, and long-term follow-up in patients with vitiligo treated with narrowband UVB phototherapy. 2007;56:274-8 (Report)
Niermann C (*see* Hallermann et al). 2007;56:588-97 (Report)
Nigro K (*see* Newman et al). 2007;56:302-16 (Review)
Niroomand F (*see* Berthelot et al). 2007;56:882-6 (Case rep.)
Nitzan YB (*see* Pattee et al). 2007;56:506-7 (Case rep.)
Noda A (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Noda-Cabrera A (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Norris MJ (*see* Rushton et al). 2007;56:518-9 (Notes & comments)
Nunley K (*see* Graves et al). 2007;56:e55-79 (eBlueprints)

O

Ogawa H (*see* Ng et al). 2007;56:858-61 (Case & review)
Orengo I (*see* Ahmed and Orengo). 2007;56:S105-6 (Pearls)
Orlow SJ (*see* Schaffer et al). 2007;56:862-8 (Case rep.)
Orozco-Covarrubias L (*see* Ruiz-Maldonado et al). 2007;56:S1-5 (Case rep.)
Orringer JS, Kang S, Maier L, Johnson TM, Sachs DL, Karimipour DJ, Helfrich YR, Hamilton T, Voorhees JJ. A randomized, controlled, split-face clinical trial of 1320-nm Nd:YAG laser therapy in the treatment of acne vulgaris. 2007;56:432-8 (Report)
Otsuka F (*see* Nakamura et al). 2007;56:873-7 (Case rep.)
Ottoboni S (*see* Parodi et al). 2007;56:974-8 (Report)
Owens N (*see* Cummins et al). 2007;56:153-9 (Case rep.)
Oyama A (*see* Funayama et al). 2007;56:458-9 (Derm. surgery)

P

Pablo IM-D (*see* Segura et al). 2007;56:960-7 (Report)
Palacios SM (*see* Carpinella et al). 2007;56:250-6 (Report)
Palacios-Lopez C (*see* Ruiz-Maldonado et al). 2007;56:S1-5 (Case rep.)
Paller AS (*see* Ersoy-Evans et al). 2007;56:205-10 (Report)
Pandeya N (*see* Neale et al). 2007;56:380-6 (Report)
Pandolfi R (*see* Braun et al). 2007;56:835-47 (Review)
Pandya AG (*see* Berthelot et al). 2007;56:882-6 (Case rep.)
Pandya AG (*see* Saxton-Daniels and Pandya). 2007;56:672-4 (Above the surface)
Papadavid E, Falagas ME. World Wide Web resources of open access, educational dermatology clinical image quizzes and databases. 2007;56:e81-5 (eBlueprints)
Papp K (*see* Menter et al). 2007;56:31-44 (Report)
Pappert A (*see* Irwin et al). 2007;56:407-12 (Report)
Pariser D (*see* Braathen et al). 2007;56:125-43 (Special article)
Park K (*see* Kang et al). 2007;56:S55-7 (Case letter)
Park YM (*see* Bae et al). 2007;56:S111-2 (Case letter)
Parkinson G (*see* Tallon et al). 2007;56:696-9 (Case rep.)
Parodi A, Cozzani E, Massone C, Rebora A, Priano L, Ghigliotti G, Balbi P, Rongioletti F, Micalizzi C, Cestari R, Varaldo G, Barabino G, Cannata G, Drago F, Moreno V, Schiazza L, Muzio G, Scaparro E, Alibrandi B, Bandelloni R, Ciaccio M, Desirello G, Isola PM, Ottoboni S, Rampini P, Santoro G, Sorbara S, Virno G. Prevalence of stratified epithelium-specific antinuclear antibodies in 138 patients with lichen planus. 2007;56:974-8 (Report)
Passalacqua G (*see* Guerra et al). 2007;56:88-90 (Report)
Patereli A (*see* Stefanaki et al). 2007;56:815-24 (Dermatopathology)
Patrick RJ, Fenske NA, Messina JL. Primary mucosal melanoma. 2007;56:828-34 (Review)
Pattee SF, Bordeaux J, Mahalingam M, Nitzan YB, Maloney ME. Verrucous carcinoma of the scalp. 2007;56:506-7 (Case rep.)
Pavel S (*see* Vos et al). 2007;56:339-42 (Case rep.)
Peckham SJ (*see* Bauer et al). 2007;56:S104-5 (Pearls)
Pelletier J (*see* Kwinter et al). 2007;56:236-41 (Report)
Pereira FA, Mudgil AV, Rosmarin DM. Toxic epidermal necrolysis. 2007;56:181-200 (CME article)
Perez-Oliva N (*see* Rodriguez-Vigil et al). 2007;56:91-5 (Derm. surgery)
Pérez-Robayna N (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Perkins AC, Choi JM, Kimball AB. Reporting of ethical review of clinical research submitted to the *Journal of the American Academy of Dermatology*. 2007;56:279-84 (Report)
Perry AE (*see* Rees et al). 2007;56:781-5 (Report)
Petersen TK (*see* Andersen et al). 2007;56:228-35 (Report)
Petit A (*see* Dupuy et al). 2007;56:53-62 (Report)
Phillips KA (*see* Hunter-Yates et al). 2007;56:S107-9 (Case letter)
Phillips TJ (*see* Brightman et al). 2007;56:S62-4 (Case letter)
Pichon LC (*see* Woodruff et al). 2007;56:774-80 (Report)
Pinter-Brown LC (*see* Hu et al). 2007;56:317-26 (Review)
Pitarch G, Martínez-Menchón T, Martínez-Aparicio A, Sánchez-Carazo JL, Muñoz D, Fortea JM. Squamous cell carcinoma over tattoos. 2007;56:1072-3 (Case letter)
Pittelkow MR (*see* Castro et al). 2007;56:S126-7 (Case letter)
Pittelkow MR (*see* Weenig et al). 2007;56:569-79 (Report)
Pohl M (*see* Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)
Poletti E (*see* Garcia and Poletti). 2007;56:347-8 (Notes & comments)
Polsky D (*see* Henning et al). 2007;56:45-52 (Report)
Polsky D (*see* Srivastava et al). 2007;56:693-6 (Case rep.)
Poorsattar SP, Hornung RL. UV light abuse and high-risk tanning behavior among undergraduate college students. 2007;56:375-9 (Report)
Pope E (*see* Ho et al). 2007;56:63-8 (Report)
Pope E (*see* Kwinter et al). 2007;56:236-41 (Report)

Poszepczynska-Guigné E (*see* Grosber et al). 2007;56:S118-9 (Case letter)
Poulin Y (*see* Draelos et al). 2007;56:439-47 (Report)
Priano L (*see* Parodi et al). 2007;56:974-8 (Report)
Prince HM (*see* Dinh et al). 2007;56:148-53 (Case rep.)
Proelss J (*see* Wenzel et al). 2007;56:648-50 (Dermatopathology)
Proelss J, Wenzel J, Ko Y, Bieber T, Bauer R. Tryptase detection in bone-marrow blood: A new diagnostic tool in systemic mastocytosis. 2007;56:453-7 (Report)
Puig S (*see* Aguilera et al). 2007;56:643-7 (Dermatopathology)
Puig S (*see* Argenziano et al). 2007;56:508-13 (Case rep.)

Q

Querfeld C, Rosen ST, Guitart J, Rademaker A, Foss F, Gupta R, Kuzel TM. Phase II trial of subcutaneous injections of human recombinant interleukin-2 for the treatment of mycosis fungoides and Sézary syndrome. 2007;56:580-3 (Report)

R

Rabinovitz H (*see* Scope et al). 2007;56:413-6 (Report)
Rabinovitz HS (*see* Henning et al). 2007;56:45-52 (Report)
Rademaker A (*see* Querfeld et al). 2007;56:580-3 (Report)
Rademaker M (*see* Tallon et al). 2007;56:696-9 (Case rep.)
Rady P (*see* Berthelot et al). 2007;56:882-6 (Case rep.)
Rakheja D (*see* Kapur et al). 2007;56:290-4 (Dermatopathology)
Ramón D (*see* Martín et al). 2007;56:S10-4 (Case rep.)
Ramos-Ceballos F (*see* Lucero et al). 2007;56:268-73 (Report)
Rampini P (*see* Parodi et al). 2007;56:974-8 (Report)
Ramsey D (*see* Leonard et al). 2007;56:S38-40 (Case rep.)
Rapaport MJ, Franzblau M. Drug companies, dermatologists, and the patient. 2007;56:333-4 (Current issues & opinion)
Rebora A (*see* Parodi et al). 2007;56:974-8 (Report)
Redd JT, Voorhees RE, Török TJ. Outbreak of lepidopterism at a Boy Scout camp. 2007;56:952-5 (Report)
Reddy KK (*see* Reddy and Reddy). 2007;56:677-8 (Beneath the surface)
Reddy KK, Reddy KK. Camp Discovery: Fifteen magical years. 2007;56:677-8 (Beneath the surface)
Redondo P (*see* Bastarrika et al). 2007;56:242-9 (Report)
Rees JR, Stukel TA, Perry AE, Zens MS, Spencer SK, Karagas MR. Tea consumption and basal cell and squamous cell skin cancer: Results of a case-control study. 2007;56:781-5 (Report)
Reich S, Gambichler T, Altmeyer P, Kreuter A. Extracorporeal photopheresis in systemic sclerosis: Effects on organ involvement? 2007;56:348-9 (Notes & comments)
Rendon M (*see* Del Rosso et al). 2007;56:791-802 (Report)
Resneck JS. Reply. 2007;56:707 (Notes & comments)
Revuz J (*see* Grosber et al). 2007;56:S118-9 (Case letter)
Revuz J (*see* Wolkenstein et al). 2007;56:621-3 (Report)
Rhodes LE (*see* Richards et al). 2007;56:426-31 (Report)
Rich P (*see* Del Rosso et al). 2007;56:791-802 (Report)
Richards HL, Ling TC, Evangelou G, Brooke RCC, Huber K, Gibbs NK, Fortune DG, Rhodes LE. Psychologic distress in polymorphous light eruption and its relationship to patients' beliefs about their condition. 2007;56:426-31 (Report)
Robbins AC, Lazarova Z, Janson MM, Fairley JA. Pemphigus vulgaris presenting in a radiation portal. 2007;56:S82-5 (Case rep.)
Robinson JK, Turrisi R, Stapleton J. Examination of mediating variables in a partner assistance intervention designed to increase performance of skin self-examination. 2007;56:391-7 (Report)
Robinson-Bostom L (*see* Jagdeo et al). 2007;56:690-3 (Case rep.)
Rodríguez-Cano L (*see* Bodet et al). 2007;56:S41-4 (Case rep.)
Rodríguez-García F (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Rodríguez-Martín M, Sáez-Rodríguez M, Carnerero-Rodríguez A, Rodríguez-García F, de Paz RC, Sidro-Sarto M, Guimerá F, Sánchez R, García-Bustínduy M, Noda-Cabrera A. Treatment of perioral dermatitis with topical pimecrolimus. 2007;56:529-30 (Case letter)
Rodríguez-Martín M, Sáez-Rodríguez M, Carrasco JL, Carnerero A, Cabrera R, Pérez-Robayna N, Díaz Melián D, Sánchez R, García Bustínduy M, Noda A. Self-induced paraffinoma in a schizophrenic patient. 2007;56:S127-8 (Case letter)
Rodriguez-Vigil T, Vázquez-López F, Perez-Oliva N. Recurrence rates of primary basal cell carcinoma in facial risk areas treated with curettage and electrodesiccation. 2007;56:91-5 (Derm. surgery)
Roelandts R (*see* Braathen et al). 2007;56:125-43 (Special article)
Rogkakou A (*see* Guerra et al). 2007;56:88-90 (Report)
Ronger S (*see* Braun et al). 2007;56:835-47 (Review)
Rongioletti F (*see* Parodi et al). 2007;56:974-8 (Report)
Rosen ST (*see* Querfeld et al). 2007;56:580-3 (Report)
Rosen T (*see* Badgwell and Rosen). 2007;56:69-83 (Report)
Rosetti F (*see* Correa et al). 2007;56:617-20 (Report)
Rosmarin DM (*see* Pereira et al). 2007;56:181-200 (CME article)
Rothstein MS. Patient adherence with treatment. 2007;56:892 (Notes & comments)
Roujeau J-C (*see* Grosber et al). 2007;56:S118-9 (Case letter)
Ruben B (*see* Maverakis et al). 2007;56:116-24 (Review)
Rudolph RI. Bazex syndrome or dermatomyositis? 2007;56:1065 (Notes & comments)
Rufli T (*see* Bigliardi et al). 2007;56:979-88 (Report)
Ruijs MWG (*see* van Meurs et al). 2007;56:170-1 (Case letter)
Ruiz-Maldonado R, Duran-McKinster C, Orozco-Covarrubias L, Saez-de-Ocariz M, Palacios-Lopez C. Keratosis lichenoides chronica in pediatric patients: A different disease? 2007;56:S1-5 (Case rep.)
Rushton DH, Dover R, Norris MJ, Gilkes JJH. Iron and hair loss in women; what is deficiency? This is the real question! 2007;56:518-9 (Notes & comments)
Rütten A (*see* El Shabrawi-Caelen et al). 2007;56:S86-91 (Case rep.)
Ruzicka T (*see* Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)
Rzany B, Nast A. Head-to-head studies of botulinum toxin A in aesthetic medicine: Which evidence is good enough? 2007;56:1066-7 (Notes & comments)

S

Saadat P, Doostan A, Vadmal MS. Folliculosebaceous smooth muscle hamartoma. 2007;56:1021-5 (Dermatopathology)
Sachs DL (*see* Orringer et al). 2007;56:432-8 (Report)
Sadeghi P (*see* Hu et al). 2007;56:317-26 (Review)
Saedi N, Horn R, Muffoletto B, Wood A. Death of a dog caused by calcipotriene toxicity. 2007;56:712-3 (Case letter)
Saez-de-Ocariz M (*see* Ruiz-Maldonado et al). 2007;56:S1-5 (Case rep.)
Sáez-Rodríguez M (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Sáez-Rodríguez M (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Safa G, Loppin M, Bousser A-M, Barbarot S. Etanercept in a 7-year-old boy with severe and recalcitrant psoriasis. 2007;56:S19-20 (Case rep.)
Saito Y (*see* Nakamura et al). 2007;56:873-7 (Case rep.)
Salter SA (*see* Choi et al). 2007;56:330-2 (Current issues & opinion)
Salvaggio H (*see* Fulchiero et al). 2007;56:S65-7 (Case rep.)
Sampogna F (*see* Annessi et al). 2007;56:759-67 (Report)
Sanborn SL (*see* Ismail et al). 2007;56:635-42 (Dermatopathology)
Sánchez R (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Sánchez R (*see* Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)
Sánchez-Carazo JL (*see* Pitarch et al). 2007;56:1072-3 (Case letter)
Santoro G (*see* Parodi et al). 2007;56:974-8 (Report)
Saurat JH (*see* Braun et al). 2007;56:835-47 (Review)
Saxton-Daniels S, Pandya AG. Impact of short-term dermatology medical trips in the developing world. 2007;56:672-4 (Above the surface)

Scalf LA, Genebriera J, Davis MDP, Farmer SA, Yiannias JA. Patients' perceptions of the usefulness and outcome of patch testing. 2007;56:928-32 (Report)
Scaparro E (*see* Parodi et al). 2007;56:974-8 (Report)
Schäfer T (*see* Schmoeckel et al). 2007;56:753-8 (Report)
Schaffer JV, Chang MW, Kovich OI, Kamino H, Orlow SJ. Pigmented plexiform neurofibroma: Distinction from a large congenital melanocytic nevus. 2007;56:862-8 (Case rep.)
Scharf S (*see* Srivastava et al). 2007;56:693-6 (Case rep.)
Scher RK, Tavakkol A, Sigurgeirsson B, Hay RJ, Joseph WS, Tosti A, Fleckman P, Ghannoum M, Armstrong DG, Markinson BC, Elewski BE. Onychomycosis: Diagnosis and definition of cure. 2007;56:939-44 (Report)
Schiazza L (*see* Parodi et al). 2007;56:974-8 (Report)
Schmoeckel C, Wildi G, Schäfer T. Spitz nevus versus malignant melanoma: Spitz nevi predominate on the thighs in patients younger than 40 years of age, melanomas on the trunk in patients 40 years of age or older. 2007;56:753-8 (Report)
Schneider SW, Gaubitz M, Luger TA, Bonsmann G. Prompt response of refractory Schnitzler syndrome to treatment with anakinra. 2007;56:S120-2 (Case letter)
Schram SE (*see* Askari et al). 2007;56:739-47 (Report)
Schram SE, Warshaw EM. Costs of pulse versus continuous terbinafine for onychomycosis. 2007;56:525-7 (Research letter)
Schulze H-J (*see* Hallermann et al). 2007;56:588-97 (Report)
Schwartz E (*see* Solomon et al). 2007;56:612-6 (Report)
Schwartz RA (*see* Krasowska et al). 2007;56:848-53 (Review)
Schwartz RA. Acral acanthosis nigricans (acral acanthotic anomaly). 2007;56:349-50 (Notes & comments)
Scolyer RA (*see* Murali et al). 2007;56:889-90 (Notes & comments)
Scope A (*see* Solomon et al). 2007;56:612-6 (Report)
Scope A, Tabanelli M, Busam KJ, Rabinovitz H, Braun RP, Marghoob AA. Dispelling the myth of the "benign hair sign" for melanoma. 2007;56:413-6 (Report)
Scordamaglia A (*see* Guerra et al). 2007;56:88-90 (Report)
See Lee JS, Loh TH, Seow SC, Tan SH. Prolonged urticaria with purpura: The spectrum of clinical and histopathologic features in a prospective series of 22 patients exhibiting the clinical features of urticarial vasculitis. 2007;56:994-1005 (Dermatopathology)
Segura S, Iranzo P, Pablo IM-D, Mascaró JM, Alsina M, Herrero J, Herrero C. High-dose intravenous immunoglobulins for the treatment of autoimmune mucocutaneous blistering diseases: Evaluation of its use in 19 cases. 2007;56:960-7 (Report)
Sen F (*see* Leonard et al). 2007;56:S38-40 (Case rep.)
Seow SC (*see* See Lee et al). 2007;56:994-1005 (Dermatopathology)
Sepmeyer JA, Greer JP, Koyama T, Zic JA. Open-label pilot study of combination therapy with rosiglitazone and bexarotene in the treatment of cutaneous T-cell lymphoma. 2007;56:584-7 (Report)
Sergay A, Silverberg NB. Divided café-au-lait macule of the mouth. 2007;56:S98-9 (Case rep.)
Sewell LD (*see* Weenig et al). 2007;56:569-79 (Report)
Sewell LD, Elston DM, Dorion RP. "Anisotrichosis": A novel term to describe pattern alopecia. 2007;56:856 (Ideas)
Seykora JT (*see* Clarke et al). 2007;56:686-90 (Case rep.)
Shah KN, Honig PJ, Yan AC. Bilateral symmetric facial epidermal nevus. 2007;56:S51-3 (Case letter)
Shalita AR (*see* Strauss et al). 2007;56:651-63 (From the academy)
Shapiro J, Cohen AD, David M, Hodak E, Chodik G, Viner A, Kremer E, Heymann A. The association between psoriasis, diabetes mellitus, and atherosclerosis in Israel: A case-control study. 2007;56:629-34 (Report)
Shaw DW, Maibach HI, Eichenfield LF. Allergic contact dermatitis from pimecrolimus in a patient with tacrolimus allergy. 2007;56:342-5 (Case rep.)
Shelton BJ (*see* Zedek et al). 2007;56:1013-20 (Dermatopathology)
Shen Z, Chen L, Wang G, Fan J-Y, Fan X-L, Li C-X, Liu Y-F. Reply. 2007;56:162-4 (Notes & comments)
Sherman WH (*see* MacGregor et al). 2007;56:527-8 (Research letter)
Shih I-H (*see* Chiu et al). 2007;56:448-52 (Report)
Shin DB (*see* Clark et al). 2007;56:768-73 (Report)
Sidro-Sarto M (*see* Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Sieck CK (*see* Strauss et al). 2007;56:651-63 (From the academy)
Siegfried EC (*see* Strauss et al). 2007;56:651-63 (From the academy)
Sierra A (*see* Bastarrika et al). 2007;56:242-9 (Report)
Sigurgeirsson B (*see* Scher et al). 2007;56:939-44 (Report)
Silverberg NB (*see* Sergay and Silverberg). 2007;56:S98-9 (Case rep.)
Silvers DN (*see* MacGregor et al). 2007;56:527-8 (Research letter)
Simpson B (*see* Takiguchi et al). 2007;56:222-7 (Report)
Simpson E (*see* Takiguchi et al). 2007;56:222-7 (Report)
Sina B (*see* Sterling et al). 2007;56:699-701 (Case rep.)
Siroy AE (*see* DeWitt et al). 2007;56:500-5 (Case rep.)
Skrygan M (*see* Gambichler et al). 2007;56:956-9 (Report)
Smith AJ (*see* Williams et al). 2007;56:S116-7 (Case letter)
Smith DI, Swamy PM, Heffernan MP. Off-label uses of biologics in dermatology: Interferon and intravenous immunoglobulin (Part 1 of 2). 2007;56:e1-54 (eBlueprints)
Smith ET (*see* Zedek et al). 2007;56:1013-20 (Dermatopathology)
Smith G (*see* Beattie et al). 2007;56:84-7 (Report)
Smith JG. Burden of skin disease. 2007;56:706 (Notes & comments)
Snels DGCTM (*see* de Snoo et al). 2007;56:748-52 (Report)
Sniezek PJ (*see* Spillane et al). 2007;56:S114-6 (Case letter)
Sniezek PJ (*see* Walling and Sniezek). 2007;56:945-8 (Report)
Sober AJ (*see* Clark et al). 2007;56:768-73 (Report)
Solomon M, Baum S, Barzilai A, Scope A, Trau H, Schwartz E. Liposomal amphotericin B in comparison to sodium stibogluconate for cutaneous infection due to *Leishmania braziliensis*. 2007;56:612-6 (Report)
Son SJ (*see* Kang et al). 2007;56:S55-7 (Case letter)
Song KY (*see* Kang et al). 2007;56:S55-7 (Case letter)
Sorbara S (*see* Parodi et al). 2007;56:974-8 (Report)
Soyer HP (*see* Argenziano et al). 2007;56:508-13 (Case rep.)
Sparling JD, Hong C-H, Brahim JS, Moss J, Darling TN. Oral findings in 58 adults with tuberous sclerosis complex. 2007;56:786-90 (Report)
Spencer SK (*see* Rees et al). 2007;56:781-5 (Report)
Spillane AP, Xia Y, Sniezek PJ. Drug-induced lupus erythematosus in a patient treated with adalumimab. 2007;56:S114-6 (Case letter)
Srivastava M, Scharf S, Meehan SA, Polsky D. Neutrophilic eccrine hidradenitis masquerading as facial cellulitis. 2007;56:693-6 (Case rep.)
Stammer H (*see* Bigliardi et al). 2007;56:979-88 (Report)
Stapleton J (*see* Robinson et al). 2007;56:391-7 (Report)
Starink TM (*see* van Meurs et al). 2007;56:170-1 (Case letter)
Staveley-O'Carroll K (*see* Fulchiero et al). 2007;56:S65-7 (Case rep.)
Stefanaki C (*see* Nicolaidou et al). 2007;56:274-8 (Report)
Stefanaki C, Stefanaki K, Antoniou C, Argyrakos T, Patereli A, Stratigos A, Katsambas A. Cell cycle and apoptosis regulators in Spitz nevi: Comparison with melanomas and common nevi. 2007;56:815-24 (Dermatopathology)
Stefanaki K (*see* Stefanaki et al). 2007;56:815-24 (Dermatopathology)
Stefanato CM (*see* Brightman et al). 2007;56:S62-4 (Case letter)
Stege H (*see* Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)
Sterling JB, Sina B, Gaspari A, Deng A. Acne keloidalis: A novel presentation for tinea capitis. 2007;56:699-701 (Case rep.)
Stern R (*see* Ferenczi et al). 2007;56:701-4 (Case rep.)
Stevens SR (*see* Ismail et al). 2007;56:635-42 (Dermatopathology)
Stevens SR (*see* Moore et al). 2007;56:598-603 (Report)
Stone SP (*see* DeWitt et al). 2007;56:500-5 (Case rep.)

Stratigos A (*see* Stefanaki et al). 2007;56:815-24 (Dermatopathology)
Stratigos AJ (*see* Nicolaidou et al). 2007;56:274-8 (Report)
Strauss JS, Krowchuk DP, Leyden JJ, Lucky AW, Shalita AR, Siegfried EC, Thiboutot DM, Van Voorhees AS, Beutner KA, Sieck CK, Bhushan R. Guidelines of care for acne vulgaris management. 2007;56:651-63 (From the academy)
Strober BE (*see* Henning et al). 2007;56:893-4 (Notes & comments)
Stryker JE, Yaroch AL, Moser RP, Atienza A, Glanz K. Prevalence of sunless tanning product use and related behaviors among adults in the United States: Results from a national survey. 2007;56:387-90 (Report)
Stukel TA (*see* Rees et al). 2007;56:781-5 (Report)
Subaşı N (*see* Ersoy-Evans et al). 2007;56:205-10 (Report)
Suter MM (*see* Müller et al). 2007;56:890-1 (Notes & comments)
Swamy PM (*see* Smith et al). 2007;56:e1-54 (eBlueprints)
Swanson DL (*see* Vetter and Swanson). 2007;56:1063-4 (Commentary)
Swarbrick MJ (*see* Tallon et al). 2007;56:696-9 (Case rep.)
Swetter SM (*see* Boldrick et al). 2007;56:417-21 (Report)
Szeimies R-M (*see* Braathen et al). 2007;56:125-43 (Special article)
Szymanek M (*see* Krasowska et al). 2007;56:848-53 (Review)

T

Tabanelli M (*see* Scope et al). 2007;56:413-6 (Report)
Tadini G (*see* Fusco et al). 2007;56:264-7 (Report)
Taïeb A (*see* Tilles et al). 2007;56:295-301 (Review)
Taintor AR, Leiferman KM, Hashimoto T, Ishii N, Zone JJ, Hull CM. A novel case of IgA paraneoplastic pemphigus associated with chronic lymphocytic leukemia. 2007;56:S73-6 (Case rep.)
Takahashi T (*see* Nakamura et al). 2007;56:873-7 (Case rep.)
Takiguchi R, Tofte S, Simpson B, Harper E, Blauvelt A, Hanifin J, Simpson E. Efalizumab for severe atopic dermatitis: A pilot study in adults. 2007;56:222-7 (Report)
Tallon B, Rademaker M, Parkinson G, Whitley B, Swarbrick MJ. Cavitary pyoderma gangrenosum treated with local infusion of corticosteroid. 2007;56:696-9 (Case rep.)
Tamaki K (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Tamuno P (*see* Williams et al). 2007;56:S116-7 (Case letter)
Tan SH (*see* See Lee et al). 2007;56:994-1005 (Dermatopathology)
Tateishi T (*see* Nakamura et al). 2007;56:873-7 (Case rep.)
Tavakkol A (*see* Scher et al). 2007;56:939-44 (Report)
Technau K (*see* Hofmann et al). 2007;56:S68-72 (Case rep.)
Telang G (*see* Jagdeo et al). 2007;56:690-3 (Case rep.)
Telang GH, Jellinek N. Multiple calcified subungual epidermoid inclusions. 2007;56:336-9 (Case rep.)
Teng JMC, Draper BK, Boyd AS. Sweet's panniculitis associated with metastatic breast cancer. 2007;56:S61-2 (Case letter)
ter Huurne JAC (*see* de Snoo et al). 2007;56:748-52 (Report)
Thiboutot DM (*see* Strauss et al). 2007;56:651-63 (From the academy)
Thiolière B (*see* Bachmeyer et al). 2007;56:169-70 (Case letter)
Thomas CL (*see* Holme et al). 2007;56:1070-2 (Case letter)
Thomas L (*see* Braun et al). 2007;56:835-47 (Review)
Thompson JF (*see* Damian and Thompson). 2007;56:869-71 (Case rep.)
Thompson JF (*see* Murali et al). 2007;56:889-90 (Notes & comments)
Tilles G, Wallach D, Taïeb A. Topical therapy of atopic dermatitis: Controversies from Hippocrates to topical immunomodulators. 2007;56:295-301 (Review)
Tofte S (*see* Takiguchi et al). 2007;56:222-7 (Report)
Tollefson MM, Witman PM. *En coup de sabre* morphea and Parry-Romberg syndrome: A retrospective review of 54 patients. 2007;56:257-63 (Report)
Tomi NS (*see* Gambichler et al). 2007;56:956-9 (Report)
Tomita Y (*see* Ujiie et al). 2007;56:S57-8 (Case letter)
Torok H (*see* Del Rosso et al). 2007;56:791-802 (Report)
Török TJ (*see* Redd et al). 2007;56:952-5 (Report)
Tosti A (*see* Scher et al). 2007;56:939-44 (Report)
Toulon A, Bourdon-Lanoy E, Hamel D, Fraitag S, Leruez-Ville M, de Prost Y, Hadj-Rabia S. Wells' syndrome after primoinfection by parvovirus B19 in a child. 2007;56:S50-1 (Case letter)
Trau H (*see* Solomon et al). 2007;56:612-6 (Report)
Trost LB, Bergfeld WF. Reply. 2007;56:519 (Notes & comments)
Troxel AB (*see* Clark et al). 2007;56:768-73 (Report)
Tsai KY, Tsao H. Primer on the human genome. 2007;56:719-35 (CME article)
Tsao H (*see* Tsai and Tsao). 2007;56:719-35 (CME article)
Turner ML (*see* Kong et al). 2007;56:171-2 (Case letter)
Turrisi R (*see* Robinson et al). 2007;56:391-7 (Report)
Tusa MG (*see* Krejci-Manwaring et al). 2007;56:211-6 (Report)
Tüting T (*see* Wenzel et al). 2007;56:648-50 (Dermatopathology)
Tyring SK (*see* Berthelot et al). 2007;56:882-6 (Case rep.)
Tzu J (*see* Cummins et al). 2007;56:153-9 (Case rep.)

U

Ujiie H, Kato N, Natsuga K, Tomita Y. Keratoacanthoma developing on nevus sebaceous in a child. 2007;56:S57-8 (Case letter)
Ursini MV (*see* Fusco et al). 2007;56:264-7 (Report)

V

Vadmal MS (*see* Saadat et al). 2007;56:1021-5 (Dermatopathology)
van de Scheur MR (*see* van Meurs et al). 2007;56:170-1 (Case letter)
van den Hoogenband HM (*see* van Meurs et al). 2007;56:170-1 (Case letter)
van Hagen JM (*see* van Meurs et al). 2007;56:170-1 (Case letter)
van Meurs T, van Hagen JM, van de Scheur MR, Vermaat H, Ruijs MWG, van den Hoogenband HM, Starink TM. Classic pseudoxanthoma elasticum in a patient with sickle cell disease. 2007;56:170-1 (Case letter)
van Mourik L (*see* de Snoo et al). 2007;56:748-52 (Report)
Van Voorhees AS (*see* Strauss et al). 2007;56:651-63 (From the academy)
van Zuuren EJ, Gupta AK, Gover MD, Graber M, Hollis S. Systematic review of rosacea treatments. 2007;56:107-15 (From the cochrane library)
VanBeek MJ (*see* Annest et al). 2007;56:989-93 (Derm. surgery)
Varaldo G (*see* Parodi et al). 2007;56:974-8 (Report)
Vargas-Alarcón G (*see* Correa et al). 2007;56:617-20 (Report)
Vasil KE, Magro CM. Cutaneous vascular deposition of C5b-9 and its role as a diagnostic adjunct in the setting of diabetes mellitus and porphyria cutanea tarda. 2007;56:96-104 (Dermatopathology)
Vázquez-López F (*see* Rodriguez-Vigil et al). 2007;56:91-5 (Derm. surgery)
Vermaat H (*see* van Meurs et al). 2007;56:170-1 (Case letter)
Vermeer MH (*see* Vos et al). 2007;56:339-42 (Case rep.)
Vetter RS, Swanson DL. Of spiders and zebras: Publication of inadequately documented loxoscelism case reports. 2007;56:1063-4 (Commentary)
Villalón G (*see* Martín et al). 2007;56:S10-4 (Case rep.)
Villouta MF (*see* Manriquez et al). 2007;56:664-71 (Review)
Viner A (*see* Shapiro et al). 2007;56:629-34 (Report)
Virno G (*see* Parodi et al). 2007;56:974-8 (Report)
Voorhees JJ (*see* Orringer et al). 2007;56:432-8 (Report)
Voorhees RE (*see* Redd et al). 2007;56:952-5 (Report)
Vos LE, Vermeer MH, Pavel S. Acitretin induces capillary leak syndrome in a patient with pustular psoriasis. 2007;56:339-42 (Case rep.)

W

Wada K (*see* Matsumoto et al). 2007;56:1006-12 (Dermatopathology)
Walker SL (*see* Williams et al). 2007;56:S116-7 (Case letter)

Wallach D (*see* Tilles et al). 2007;56:295-301 (Review)
Walling HW, Sniezek PJ. Distribution of toenail dystrophy predicts histologic diagnosis of onychomycosis. 2007;56:945-8 (Report)
Wang G (*see* Shen et al). 2007;56:162-4 (Notes & comments)
Wang SQ (*see* Henning et al). 2007;56:45-52 (Report)
Wang SQ, Goldberg LH, Nemeth A. The merits of adding toluidine blue–stained slides in Mohs surgery in the treatment of a microcystic adnexal carcinoma. 2007;56:1067-9 (Notes & comments)
Warshaw EM (*see* Askari et al). 2007;56:739-47 (Report)
Warshaw EM (*see* Schram and Warshaw). 2007;56:525-7 (Research letter)
Watanabe R (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Webster GF (*see* Del Rosso et al). 2007;56:791-802 (Report)
Weenig RH, Sewell LD, Davis MDP, McCarthy JT, Pittelkow MR. Calciphylaxis: Natural history, risk factor analysis, and outcome. 2007;56:569-79 (Report)
Weingold DH, Lack MD. Appointment wait times for patients with changing moles. 2007;56:706-7 (Notes & comments)
Weinstein GD (*see* Menter et al). 2007;56:31-44 (Report)
Weinstock MA (*see* Criscione and Weinstock). 2007;56:968-73 (Report)
Weinstock MA, Williams HC. JAAD commentary on "From the Cochrane Library". 2007;56:105-6 (From the cochrane library)
Wennberg A-M (*see* Braathen et al). 2007;56:125-43 (Special article)
Wenner RA (*see* Askari et al). 2007;56:739-47 (Report)
Wenzel J (*see* Proelss et al). 2007;56:453-7 (Report)
Wenzel J, Proelss J, Wiechert A, Zahn S, Bieber T, Tüting T. CXCR3-mediated recruitment of cytotoxic lymphocytes in lupus erythematosus profundus. 2007;56:648-50 (Dermatopathology)
Westhafer J, Gildea J, Klepeiss S, Clarke L, Helm K. Age distribution of biopsied junctional nevi. 2007;56:825-7 (Dermatopathology)
Whatley SD (*see* Holme et al). 2007;56:1070-2 (Case letter)
Whitaker DC (*see* Annest et al). 2007;56:989-93 (Derm. surgery)
White WL (*see* Zedek et al). 2007;56:1013-20 (Dermatopathology)
Whiteman DC (*see* Neale et al). 2007;56:380-6 (Report)
Whitley B (*see* Tallon et al). 2007;56:696-9 (Case rep.)
Wiechert A (*see* Wenzel et al). 2007;56:648-50 (Dermatopathology)
Wildi G (*see* Schmoeckel et al). 2007;56:753-8 (Report)
Wilkel C (*see* Ingraffea et al). 2007;56:S124-6 (Case letter)
Wilkie MJV (*see* Beattie et al). 2007;56:84-7 (Report)
Willemze R (*see* de Snoo et al). 2007;56:748-52 (Report)
Williams C, Tamuno P, Smith AJ, Walker SL, Lyon CC. Perianal ulceration and other cutaneous ulcerations complicating nicorandil therapy. 2007;56:S116-7 (Case letter)
Williams HC (*see* Manriquez et al). 2007;56:664-71 (Review)
Williams HC (*see* Weinstock and Williams). 2007;56:105-6 (From the cochrane library)
Williams JV (*see* Hu et al). 2007;56:S54-5 (Case letter)
Willis J (*see* Ferenczi et al). 2007;56:701-4 (Case rep.)
Witman PM (*see* Tollefson and Witman). 2007;56:257-63 (Report)
Wolkenstein P, Loundou A, Barrau K, Auquier P, Revuz J. Quality of life impairment in hidradenitis suppurativa: A study of 61 cases. 2007;56:621-3 (Report)
Wood A (*see* Saedi et al). 2007;56:712-3 (Case letter)
Wood GS (*see* Ismail et al). 2007;56:635-42 (Dermatopathology)
Woodruff SI, Pichon LC, Hoerster KD, Forster JL, Gilmer T, Mayer JA. Measuring the stringency of states' indoor tanning regulations: Instrument development and outcomes. 2007;56:774-80 (Report)
Wu JJ. Current strategies to address the ongoing shortage of academic dermatologists. 2007;56:1065-6 (Notes & comments)
Wyatt JP, Anderson HF, Greer KE, Cordoro KM. Acquired hypertrichosis lanuginosa as a presenting sign of metastatic prostate cancer with rapid resolution after treatment. 2007;56:S45-7 (Case rep.)

X

Xia Y (*see* Spillane et al). 2007;56:S114-6 (Case letter)
Xia Y, Darling TN. Rapidly growing collagenomas in multiple endocrine neoplasia type I. 2007;56:877-80 (Case rep.)
Xia HA (*see* Moore et al). 2007;56:598-603 (Report)
Xu X (*see* Nakamura et al). 2007;56:873-7 (Case rep.)

Y

Yan AC (*see* Shah et al). 2007;56:S51-3 (Case letter)
Yanagi T, Mayumura T, Yoshizaki N. Cholangiocarcinoma with skin metastases. 2007;56:S58-60 (Case letter)
Yang H-I, Lee M-C, Kuo T-T, Hong H-S. Cellulitis-like cutaneous metastasis of uterine cervical carcinoma. 2007;56:S26-8 (Case rep.)
Yang L-C (*see* Chiu et al). 2007;56:448-52 (Report)
Yaroch AL (*see* Stryker et al). 2007;56:387-90 (Report)
Yashar S (*see* Hu et al). 2007;56:317-26 (Review)
Yawalkar N (*see* Hassan et al). 2007;56:217-21 (Report)
Yazawa N (*see* Izumi et al). 2007;56:S94-7 (Case rep.)
Yazganoglu KD (*see* Baykal et al). 2007;56:S33-7 (Case rep.)
Yiannias JA (*see* Scalf et al). 2007;56:928-32 (Report)
Yoo JY, Lee H, Kimball AB. Practice patterns among osteopathic dermatologists in the United States. 2007;56:524-5 (Research letter)
Yoo SS (*see* Alam and Yoo). 2007;56:285-9 (Derm. surgery)
Yoshizaki N (*see* Yanagi et al). 2007;56:S58-60 (Case letter)
Yosipovitch G, DeVore A, Dawn A. Obesity and the skin: Skin physiology and skin manifestations of obesity. 2007;56:901-16 (CME article)
Yount LS (*see* Hancox et al). 2007;56:530-1 (Case letter)

Z

Zaenglein AL (*see* McLucas et al). 2007;56:S48-9 (Case letter)
Zahn S (*see* Wenzel et al). 2007;56:648-50 (Dermatopathology)
Zalaudek I (*see* Argenziano et al). 2007;56:508-13 (Case rep.)
Zanella C (*see* Guerra et al). 2007;56:88-90 (Report)
Zedek DC, Smith ET, Hitchcock MG, Feldman SR, Shelton BJ, White WL. Cutaneous lupus erythematosus simulating squamous neoplasia: The clinicopathologic conundrum and histopathologic pitfalls. 2007;56:1013-20 (Dermatopathology)
Zens MS (*see* Rees et al). 2007;56:781-5 (Report)
Zhang AY, Elmets CA, Camp WL, Elewski BE. New opportunities in preventative dermatology: How far should we go? 2007;56:675-6 (Above the surface)
Zic JA (*see* Boyd et al). 2007;56:27-30 (Report)
Zic JA (*see* Sepmeyer et al). 2007;56:584-7 (Report)
Zito G (*see* High et al). 2007;56:21-6 (Report)
Zone JJ (*see* Taintor et al). 2007;56:S73-6 (Case rep.)

Subject index

A

Above the surface
Above the surface. 2007;56:672-6

Acanthosis nigricans
Acral acanthosis nigricans (acral acanthotic anomaly) (Schwartz). 2007;56:349-50 (Notes & comments)

Acitretin
Acitretin induces capillary leak syndrome in a patient with pustular psoriasis (Vos et al). 2007;56:339-42 (Case rep.)
Multiple verrucous carcinomas treated with acitretin (Kuan et al). 2007;56:S29-32 (Case rep.)

Acne
Acne, breast cancer, and androgens (Danby). 2007;56:894-5 (Notes & comments)
Acne and iodine: reply (Danby). 2007;56:164-5 (Notes & comments)
Acne keloidalis: a novel presentation for tinea capitis (Sterling et al). 2007;56:699-701 (Case rep.)
Guidelines of care for acne vulgaris management (Strauss et al). 2007;56:651-63 (From the Academy)
Infantile acne as a the initial sign of an adrenocortical tumor (Mann et al). 2007;56:S15-8 (Case rep.)
Language disparities between patients and dermatologists in describing acne lesions (Lucero et al). 2007;56:268-73 (Report)
Oral contraceptives for the treatment of acne vulgaris (Heymann et al). 2007;56:1056-7 (Dialogues in dermatology)
A randomized, controlled, split-face clinical trial of 1320-nm Nd:YAG laser therapy in the treatment of acne vulgaris (Orringer et al). 2007;56:432-8 (Report)
Skin sun-acne tutorial evaluation among middle- and high-school students in central New Jersey (Irwin et al). 2007;56:407-12 (Report)
Two randomized studies demonstrate the efficacy and safety of dapsone gel, 5% for the treatment of acne vulgaris (Draelos et al). 2007;56:439-47 (Report)

Acrodermatitis enteropathica
Acrodermatitis enteropathica and an overview of zinc metabolism (Maverakis et al). 2007;56:116-24 (Review)

Actinic keratosis
Guidelines on the use of photodynamic therapy for nonmelanoma skin cancer: an international consensus (Braathen et al). 2007;56:125-43 (Special article)

Adalimumab
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)
Drug-induced lupus erythematosus in a patient treated with adalumimab (Spillane et al). 2007;56:S114-6 (Case letter)

Adipogenesis
Subcutaneous fat in normal and diseased states. 3. Adipogenesis: from stem cell to fat cell (Avram et al). 2007;56:472-92 (On fat)

Adolescents
Skin sun-acne tutorial evaluation among middle- and high-school students in central New Jersey (Irwin et al). 2007;56:407-12 (Report)

Adults
Efalizumab for severe atopic dermatitis: a pilot study in adults (Takiguchi et al). 2007;56:222-7 (Report)

Age factors
Age distribution of biopsied junctional nevi (Westhafer et al). 2007;56:825-7 (Dermatopathology)

Alefacept
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)

Allergens
Contact dermatitis in athletes (Kockentiet and Adams). 2007;56:1048-55 (Review)
Patients' perceptions of the usefulness and outcomes of patch testing (Scalf et al). 2007;56:928-32 (Report)

Alopecia
"Anisotrichosis": a novel term to describe pattern alopecia (Sewell et al). 2007;56:856 (Ideas)

5-Aminolevulinic acid
Combination of topical 5-aminolevulinic acid–photodynamic therapy with carbon dioxide laser for sebaceous hyperplasia (Kim et al). 2007;56:523-4 (Research letter)

Amphotericin B, lipid-based
Liposomal amphotericin B in comparison to sodium stibogluconate for cutaneous infection due to *Leishmania braziliensis* (Solomon et al). 2007;56:612-6 (Report)

Amyloidosis, macular
Multiple cutaneous neuromas and macular amyloidosis associated with medullary thyroid carcinoma (Baykal et al). 2007;56:533-7 (Case rep.)

Anakinra
Prompt response of refractory Schnitzler syndrome to treatment with anakinra (Schneider et al). 2007;56:S120-2 (Case letter)

Androgens
Acne, breast cancer, and androgens (Danby). 2007;56:894-5 (Notes & comments)
Oral contraceptives for the treatment of acne vulgaris (Heymann et al). 2007;56:1056-7 (Dialogues in dermatology)

Anetoderma
Anetoderma associated with primary antiphospholipid syndrome (de Souza et al). 2007;56:881-2 (Case rep.)

Anisotrichosis
"Anisotrichosis": a novel term to describe pattern alopecia (Sewell et al). 2007;56:856 (Ideas)

Antibiotics
Guidelines of care for acne vulgaris management (Strauss et al). 2007;56:651-63 (From the Academy)

Antibodies
A case of Churg–Strauss syndrome associated with antiphospholipid antibodies. 2007;56:701-4 (Case rep.)
New prognostic relevant factors in primary cutaneous diffuse large B-cell lymphomas (Hallermann et al). 2007;56:588-97 (Report)
Prevalence of stratified epithelium-specific antinuclear antibodies in 138 patients with lichen planus (Parodi et al). 2007;56:974-8 (Report)

Antidepressants
Cutaneous effects of the most commonly used antidepressant medication, the selective serotonin reuptake inhibitors (Krasowska et al). 2007;56:848-53 (Review)

Antiphospholipid syndrome
Anetoderma associated with primary antiphospholipid syndrome (de Souza et al). 2007;56:881-2 (Case rep.)

Apoptosis
Is apoptosis involved in the development of balloon cell nevus? suggestion from a case report (Kim et al). 2007;56:1069-70 (Case letter)

Arab Americans
A survey of skin disease and skin-related issues in Arab Americans (El-Essawi). 2007;56:933-8 (Report)
Arteriovenous malformations
Acquired digital arteriovenous malformation: ultrasound imaging and response to long-pulsed neodymium:yttrium-aluminum-garnet treatment (Bekhor and Ditchfield). 2007;56:S122-4 (Case letter)
Vascular malformations, part I (Garzon et al). 2007;56:353-70 (CME article)
Atherosclerosis
The association between psoriasis, diabetes mellitus, and atherosclerosis in Israel: a case-control study. 2007;56:629-34 (Report)
Athletes
Contact dermatitis in athletes (Kockentiet and Adams). 2007;56:1048-55 (Review)
Autoantibodies
Lichenoid paraneoplastic pemphigus in the absence of detectable antibodies (Cummins et al). 2007;56:153-9 (Case rep.)
Autoimmune diseases
High-dose intravenous immunoglobulins for the treatment of autoimmune mucocutaneous blistering diseases: evaluation of its use in 19 cases (Segura et al). 2007;56:960-7 (Report)
Rituximab for the treatment of the skin manifestations of dermatomyositis: a report of 3 case (Dinh et al). 2007;56:148-53 (Case rep.)
Azelaic acid
Systematic review of rosacea treatments (van Zuuren et al). 2007;56:107-15 (From the Cochrane Library)

B

Basal cell carcinoma
Basal cell carcinoma of the nail unit (Forman et al). 2007;56:811-4 (Derm. surgery)
Basal cell carcinoma on the trunk is associated with excessive sun exposure (Neale et al). 2007;56:380-6 (Report)
Evaluation of prospectively collected presenting signs/symptoms of biopsy-proven melanoma, basal cell carcinoma, squamous cell carcinoma, and seborrheic keratitis in an elderly male population (Askari et al). 2007;56:739-47 (Report)
Guidelines on the use of photodynamic therapy for nonmelanoma skin cancer: an international consensus (Braathen et al). 2007;56:125-43 (Special article)
Recurrence rates of primary basal cell carcinoma in facial risk areas treated with curettage and electrodesiccation. 2007;56:91-5 (Derm. surgery)
Tea consumption and basal cell and squamous cell skin cancer: results of a case-control study (Rees et al). 2007;56:781-5 (Report)
Baseball
Not just sunscreen: caps. (Adams). 2007;56:161 (Notes & comments)
Bazex
Bazex or amyopathic dermatomyositis? (Rudolph). 2007;56:1065 (Notes & comments)
Beneath the surface
Beneath the surface. 2007;56:677-82
Benign hair sign
Dispelling the myth of the "benign hair sign" for melanoma (Scope et al). 2007;56:413-6 (Report)
Bexarotene
Open-label pilot study of combination therapy with rosiglitazone and bexarotene in the treatment of cutaneous T-cell lymphoma (Sepmeyer et al). 2007;56:584-7 (Report)
Biologics
Antipsoriatic biologic agents for the treatment of atopic dermatitis (Heymann et al). 2007;56:854-5 (Dialogues in dermatology)
Off-label uses of biologics in dermatology: interferon and intravenous immunoglobulin (part 1 of 2) (Smith et al). 2007;56:e1-54 (eBlueprints)
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)
Biopsy
Dermoscopy features of melanoma incognito: indications for biopsy (Argenziano et al). 2007;56:508-13 (Case rep.)
Nail matrix biopsy of longitudinal melanonychia: diagnostic algorithm including the matrix shave biopsy (Jellinek). 2007;56:803-10 (Derm. surgery)
Reconsidering liver biopsies during methotrexate therapy (Henning et al). 2007;56:893-4 (Notes & comments)
Sentinel lymph node biopsy for melanoma is still controversial (Garcia and Poletti). 2007;56:347-8 (Notes & comments)
Black cohosh
Cutaneous vasculitis in two patients taking an herbal supplement containing black cohosh (Ingraffea et al). 2007;56:S124-6 (Case letter)
The Blue Journal
The Blue Journal. 2007;56:887-8
Blue Notes
Fotoiotaderma. 2007;56:493
Iotaderma. 2007;56:147, 335, 685, 857, 1058
Body dysmorphic disorder
Tanning in body dysmorphic disorder (Hunter-Yates et al). 2007;56:S107-9 (Case letter)
Body piercing
Reply: tattoos and body piercing (Laumann and Derick). 2007;56:349 (Notes & comments)
Bone marrow
Tryptase detection in bone-marrow blood: a new diagnostic tool in systemic mastocytosis (Proelss et al). 2007;56:453-7 (Report)
Book reviews. *see also* **Media reviews**
Book reviews. 2007;56:173-5, 351-2, 532-3, 716-7
Botulinum toxin type A
Botulinum toxin type A in the treatment of primary axillary hyperhidrosis: a 52-week multicenter double-blind, randomized, placebo-controlled study of efficacy and safety (Lowe et al). 2007;56:604-11 (Report)
Head-to-head studies of botulinum toxin A in aesthetic medicine: which evidence is good enough? (Rzany and Nast). 2007;56:1066-7 (Notes & comments)
Bowen's disease
Guidelines on the use of photodynamic therapy for nonmelanoma skin cancer: an international consensus (Braathen et al). 2007;56:125-43 (Special article)
BP180
Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease (Izumi et al). 2007;56:S94-7 (Case rep.)
Breast cancer
Acne, breast cancer, and androgens (Danby). 2007;56:894-5 (Notes & comments)
Eosinophilic, polymorphic, and pruritic eruption associated with radiotherapy in a patient with breast cancer (Lee and Kim). 2007;56:S60-1 (Case letter)
Sweet's panniculitis associated with metastatic breast cancer (Teng et al). 2007;56:S61-2 (Case letter)

C

C5b-9
Cutaneous vascular deposition of C5b-9 and its role as a diagnostic adjunct in the setting of diabetes mellitus and porphyria cutanea tarda (Vasil and Magro). 2007;56:96-104 (Dermatopathology)

Café-au-lait spots
Divided café-au-lait macule of the mouth (Sergay and Silverberg). 2007;56:S98-9 (Case rep.)
Calciphylaxis
Calciphylaxis: natural history, risk factor analysis, and outcome (Weenig et al). 2007;56:565-79 (Report)
Calcipotriene
Death of a dog caused by calcipotriene toxicity (Saedi et al). 2007; 56:712-3 (Case letter)
Calcium hydroxylapatite
Technique for calcium hydroxylapatite injection for correction of nasolabial fold depressions (Alam and Yoo). 2007;56:285-9 (Derm. surgery)
Camp Discovery
Camp Discovery: fifteen magical years (Reddy and Reddy). 2007; 56:677-8 (Beneath the surface)
Capillary leak syndrome
Acitretin induces capillary leak syndrome in a patient with pustular psoriasis (Vos et al). 2007;56:339-42 (Case rep.)
Capillary malformations
Vascular malformations, part I (Garzon et al). 2007;56:353-70 (CME article)
Case & review
Case & review. 2007;56:494-9, 858-61
Case letters
Acquired digital arteriovenous malformation: ultrasound imaging and response to long-pulsed neodymium:yttrium-aluminum-garnet treatment (Bekhor and Ditchfield). 2007;56: S122-4
Acute myelogenous leukemia in a patient receiving etanercept for psoriasis (Bachmeyer et al). 2007;56:169-70
An infant with extensive cutaneous nodular juvenile xanthogranuloma and hyperlipidemia (Hu et al). 2007;56:S54-5
Bilateral symmetric facial epidermal nevus (Shah et al). 2007;56: S51-3
Cholangiocarcinoma with skin metastases (Yanagi et al). 2007;56: S58-60
Classic pseudoxanthoma elasticum in a patient with sickle cell disease (van Meurs et al). 2007;56:170-1
Cutaneous vasculitis in two patients taking an herbal supplement containing black cohosh (Ingraffea et al). 2007;56:S124-6
Death of a dog caused by calcipotriene toxicity (Saedi et al). 2007; 56:712-3
Drug-induced lupus erythematosus in a patient treated with adalumimab (Spillane et al). 2007;56:S114-6
Ehlers-Danlos syndrome type IV: keloidal plaques of the lower extremities, amniotic band limb deformity, and a new mutation (Burk et al). 2007;56:S53-4
Eosinophilic, polymorphic, and pruritic eruption associated with radiotherapy in a patient with breast cancer (Lee and Kim). 2007;56:S60-1
Facial edema and crusted patches: a precursor to life-threatening acute systemic lupus erythematosus (Castro et al). 2007;56: S126-7
Infantile pyramidal protrusion localized at the vulva as a manifestation of lichen sclerosus et atrophicus (Hernandez-Machin et al). 2007;56:S49-50
Is apoptosis involved in the development of balloon cell nevus? suggestion from a case report (Kim et al). 2007;56:1069-70
Keratoacanthoma developing on nevus sebaceous in a child (Ujiie et al). 2007;56:S57-8
Lymphangiosarcoma presenting as asymptomatic swelling of the cheek (Hancox et al). 2007;56:530-1
Mycosis fungoides involving the nasal mucosa (Gruson et al). 2007;56:S112-4
Nephrogenic fibrosing dermopathy with recurrence after allograft failure (Goddard et al). 2007;56:S109-11
Nevus lipomatosus cutaneous superficialis with folliculosebaceous cystic hamartoma (Kang et al). 2007;56:S55-7
Norwegian scabies mimicking onychomycosis and scalp dermatitis in a child with IPEX syndrome (McLucas et al). 2007;56: S48-9
Perianal ulceration and other cutaneous ulcerations complicating nicorandil therapy (Williams et al). 2007;56:S116-7
Prompt response of refractory Schnitzler syndrome to treatment with anakinra (Schneider et al). 2007;56:S120-2
Recurrent erythema multiforme in association with recurrent *Mycoplasma pneumoniae* infections (Grosber et al). 2007;56: S118-9
Schwannoma coexisting with giant congenital melanocytic nevus: is it coincidence? (Bae et al). 2007;56:S111-2
Self-induced paraffinoma in a schizophrenic patient (Rodríguez-Martín et al). 2007;56:S127-8
Squamous cell carcinoma over tattoos (Pitarch et al). 2007;56: 1072-3
Sweet's panniculitis associated with metastatic breast cancer (Teng et al). 2007;56:S61-2
Symptomatic response of erythropoietic protoporphyria to iron supplementation (Holme et al). 2007;56:1070-2
Tanning in body dysmorphic disorder (Hunter-Yates et al). 2007; 56:S107-9
Third-trimester impetigo herpetiformis treated with cyclosporine (Brightman et al). 2007;56:S62-4
Treatment of perioral dermatitis with topical pimecrolimus (Rodríguez-Martín et al). 2007;56:529-30
Vaginal ulcerations with acute mycoplasma infection (Kos et al). 2007;56:S117-8
Wells' syndrome after primoinfection by parvovirus B19 in a child (Toulon et al). 2007;56:S50-1
Case reports
Case reports. 2007;56:148-60, 336-45, S1-47, 500-13, 686-704, 862-86, S65-99
CASH algorithm
The CASH (color, architecture, symmetry, and homogeneity) algorithm for dermoscopy (Henning et al). 2007;56:45-52 (Report)
CD45R
Immunohistochemical staining for CD45R isoforms in paraffin sections to diagnose mycosis fungoides—type cutaneous T-cell lymphoma (Ismail et al). 2007;56:635-42 (Dermatopathology)
Cellulitis
Cellulitis-like cutaneous metastasis of uterine cervical carcinoma (Yang et al). 2007;56:S26-8 (Case rep.)
Neutrophilic eccrine hidradenitis masquerading as facial cellulitis (Srivastava et al). 2007;56:693-6 (Case rep.)
Cervical carcinoma
Cellulitis-like cutaneous metastasis of uterine cervical carcinoma (Yang et al). 2007;56:S26-8 (Case rep.)
Chemotherapy
Acneiform eruptions associated with epidermal growth factor receptor—targeted chemotherapy (DeWitt et al). 2007;56:500-5 (Case rep.)
Children
Camp Discovery: fifteen magical years (Reddy and Reddy). 2007; 56:677-8 (Beneath the surface)
Congenital self-healing reticulohistiocytosis (Hashimoto-Pritzker disease): ten-year experience at Dallas Children's Medical Center (Kapur et al). 2007;56:290-4 (Dermatopathology)
Deep cutaneous infection by *Fusarium solani* in a healthy child: successful treatment with local heat therapy. 2007;56:873-7 (Case rep.)

Desmoplastic giant congenital nevus with progressive depigmentation (Martin et al). 2007;56:S10-4 (Case rep.)
Etanercept in a 7-year-old boy with severe and recalcitrant psoriasis (Safa et al). 2007;56:S19-20 (Case rep.)
High-potency steroid use in children with vitiligo: a retrospective study (Kwinter et al). 2007;56:236–41 (Report)
Keratoacanthoma developing on nevus sebaceous in a child (Ujiie et al). 2007;56:S57-8 (Case letter)
Keratosis lichenoides chronica in pediatric patients: a different disease? (Ruiz-Maldonado et al). 2007;56:S1-5 (Case rep.)
Pityriasis lichenoides in childhood: a retrospective of 124 patients (Ersoy-Evans). 2007;56:205-10 (Report)
Stealth monitoring of adherence to topical medication: adherence is very poor in children with atopic dermatitis (Krejci-Manwaring et al). 2007;56:211-6 (Report)
Wells' syndrome after primoinfection by parvovirus B19 in a child (Toulon et al). 2007;56:S50-1 (Case letter)

Chinese ancestry

Cutaneous and systemic plasmacytosis (Leonard et al). 2007;56:S38-40 (Case rep.)

Cholangiocarcinoma

Cholangiocarcinoma with skin metastases (Yanagi et al). 2007;56:S58-60 (Case letter)

Churg-Strauss syndrome

A case of Churg–Strauss syndrome associated with antiphospholipid antibodies. 2007;56:701-4 (Case rep.)

Clinical medicine

Innovative care, medical research, and the ethics of informed consent (Choi et al). 2007;56:330-2 (Current issues and opinion)

Clinical trials

Botulinum toxin type A in the treatment of primary axillary hyperhidrosis: a 52-week multicenter double-blind, randomized, placebo-controlled study of efficacy and safety (Lowe et al). 2007;56:604-11 (Report)
Innovative care, medical research, and the ethics of informed consent (Choi et al). 2007;56:330-2 (Current issues and opinion)
A randomized, controlled, split-face clinical trial of 1320-nm Nd:YAG laser therapy in the treatment of acne vulgaris (Orringer et al). 2007;56:432-8 (Report)
A randomized, open-label trial of continuous versus interrupted etanercept therapy in the treatment of psoriasis (Moore et al). 2007;56:598-603 (Report)
Reporting of ethical review of clinical research submitted to the *Journal of the American Academy of Dermatology* (Perkins et al). 2007;56:279-84 (Report)
Two randomized phase III clinical trials evaluating anti-inflammatory dose doxycycline (40-mg doxycycline, USP capsules) administered once daily for treatment of rosacea (Del Rosso et al). 2007;56:791-802 (Report)
Two randomized studies demonstrate the efficacy and safety of dapsone gel, 5% for the treatment of acne vulgaris (Draelos et al). 2007;56:439–47 (Report)

Cochrane Collaboration

JAAD commentary on "From the Cochrane Library." 2007;56:105-6 (From the Cochrane Library)

College students

UV light abuse and high-risk tanning behavior among undergraduate college students (Poorsattar and Hornung). 2007;56:375-9 (Report)

Commentary

Commentary. 2007;56:514-7, 1063-4

Computed tomography, multidetector

New techniques for the evaluation and therapeutic planning of patients with Klippel–Trénaunay syndrome (Bastarrika et al). 2007;56:242-9 (Report)

Congenital melanocytic nevus

Congenital melanocytic nevus is a disease with two clinicopathologic forms of presentation (Magaña and Magaña). 2007;56:521-2 (Notes & comments)

Continuing medical education

Articles. 2007;56:1-16, 181-200, 353-70, 541-64, 719-35, 901-16
Examination. 2007;56:17-9, 201-3, 371, 565-7, 736-8, 917-9
Examination answers. 2007;56:20, 204, 373, 568, 735, 920

Contraceptives, oral

Oral contraceptives for the treatment of acne vulgaris (Heymann et al). 2007;56:1056-7 (Dialogues in dermatology)

Corrections

Subcutaneous sarcoidosis histopathologically manifested as fibrosing granulomatous panniculitis (Resnik). 2006;55:918-9. Correction 2007;56:90

Correspondence. *see* **Case letters; Notes & comments; Research letters**

Corticosteroids

Cavitary pyoderma gangrenosum treated with local infusion of corticosteroid (Tallon et al). 2007;56:696-9 (Case rep.)
High-potency steroid use in children with vitiligo: a retrospective study (Kwinter et al). 2007;56:236–41 (Report)
Results of patch testing to a corticosteroid series: a retrospective review of 1188 patients during 6 years at Mayo Clinic (Davis et al). 2007;56:921-7 (Report)

Cosmetic dermatology patients

Cosmetic versus medical dermatology patients (Heymann). 2007;56:161-2 (Notes & comments)

Cosmetic techniques

Head-to-head studies of botulinum toxin A in aesthetic medicine: which evidence is good enough? (Rzany and Nast). 2007;56:1066-7 (Notes & comments)
Technique for calcium hydroxylapatite injection for correction of nasolabial fold depressions (Alam and Yoo). 2007;56:285-9 (Derm. surgery)

Cosmetics

Comparison of the effect of glycerol and triamcinolone acetonide on cumulative skin irritation in a randomized trial (Andersen et al). 2007;56:228-35 (Report)

Curettage

Recurrence rates of primary basal cell carcinoma in facial risk areas treated with curettage and electrodesiccation. 2007;56:91-5 (Derm. surgery)

Current issues and opinion

Current issues and opinion. 2007;56:330-4

Cutis marmorata telangiectatica congenita

Vascular malformations, part II: associated syndromes (Garzon et al). 2007;56:541-64 (CME article)

CXCR3

CXCR3-mediated recruitment of cytotoxic lymphocytes in lupus erythematosus profundus (Wenzel et al). 2007;56:648-50 (Dermatopathology)

Cyclosporine

Third-trimester impetigo herpetiformis treated with cyclosporine (Brightman et al). 2007;56:S62-4 (Case letter)

Cysts

Cutaneous ciliated cyst in a 16-year-old girl (Chong et al). 2007;56:159-60 (Case rep.)
Multiple calcified subungual epidermoid inclusions (Teland and Jellinek). 2007;56:336-9 (Case rep.)

D

Dapsone gel

Two randomized studies demonstrate the efficacy and safety of dapsone gel, 5% for the treatment of acne vulgaris (Draelos et al). 2007;56:439-47 (Report)

Decorin
Differential expression of decorin in localized scleroderma following ultraviolet-A1 irradiation (Gambichler et al). 2007;56:956-9 (Report)
Dermatitis, atopic
Antipsoriatic biologic agents for the treatment of atopic dermatitis (Heymann et al). 2007;56:854-5 (Dialogues in dermatology)
Efalizumab for severe atopic dermatitis: a pilot study in adults (Takiguchi et al). 2007;56:222-7 (Report)
A literally blinded trial of palpation in dermatologic diagnosis (Cox). 2007;56:949-51 (Report)
Pseudocysts of the auricle in a young adult with facial and ear atopic dermatitis (Ng et al). 2007;56:858-61 (Case & review)
Stealth monitoring of adherence to topical medication: adherence is very poor in children with atopic dermatitis (Krejci-Manwaring et al). 2007;56:211-6 (Report)
Topical therapy of atopic dermatitis: controversies from Hippocrates to topical immunomodulators (Tilles et al). 2007;56:295-301 (Review)
Dermatitis, contact
Allergic contact dermatitis from pimecrolimus in a patient with tacrolimus allergy (Shaw et al). 2007;56:342-5 (Case rep.)
Contact dermatitis in athletes (Kockentiet and Adams). 2007;56:1048-55 (Review)
Outbreak of lepidopterism at a Boy Scout camp (Redd et al). 2007;56:952-5 (Report)
Patients' perceptions of the usefulness and outcomes of patch testing (Scalf et al). 2007;56:928-32 (Report)
Role of contact sensitization in chronic urticaria (Guerra et al). 2007;56:88-90 (Report)
Dermatitis, perioral
Medical pearl: the evaluation of perioral dermatitis: use of an extended patch test series (Nedorost). 2007;56:S100-2 (Pearls)
Treatment of perioral dermatitis with topical pimecrolimus (Rodríguez-Martín et al). 2007;56:529-30 (Case letter)
Dermatitis herpetiformis
Third-trimester impetigo herpetiformis treated with cyclosporine (Brightman et al). 2007;56:S62-4 (Case letter)
Dermatofibrosarcoma protuberans
Descriptive epidemiology of dermatofibrosarcoma protuberans in the United States, 1973 to 2002 (Criscione and Weinstock). 2007;56:968-73 (Report)
Dermatologic surgery
Dermatologic surgery. 2007;56:91-5, 285-9, 458-9, 803-14, 989-93
Dermatologists
Appointment wait times for patients with changing moles (Weingold and Lack) (Letter) (Resneck) (Reply). 2007;56:706-7 (Notes & comments)
Current strategies to address the ongoing shortage of academic dermatologists (Wu). 2007;56:1065-6 (Notes & comments)
Drug companies, dermatologists, and the patient (Rapaport and Franzblau). 2007;56:333-4 (Current issues and opinion)
Language disparities between patients and dermatologists in describing acne lesions (Lucero et al). 2007;56:268-73 (Report)
Practice patterns among osteopathic dermatologists in the United States (Yoo et al). 2007;56:524-5 (Research letter)
Dermatology
Impact of short-term dermatology medical trips in the developing world (Saxton-Daniels and Pandya). 2007;56:672-4 (Above the surface)
[Latin] dermatology as she is spoke[n] (Capella). 2007;56:520-1 (Notes & comments)
New opportunities in preventive dermatology: how far should we go? (Zhang et al). 2007;56:675-6 (Above the surface)
World Wide Web resources of open access, educational dermatology clinical image quizzes and databases (Papadavid and Falagas). 2007;56:e81-5 (eBlueprints)
Dermatomyositis
Bazex or amyopathic dermatomyositis? (Rudolph). 2007;56:1065 (Notes & comments)
Rituximab for the treatment of the skin manifestations of dermatomyositis: a report of 3 case (Dinh et al). 2007;56:148-53 (Case rep.)
Dermatopathology
Dermatopathology. 2007;56:96-104, 290-4, 635-50, 815-27, 994-1025
Dermoscopy
Accuracy of standard dermoscopy for diagnosing scabies (Dupuy et al). 2007;56:53-62 (Report)
The CASH (color, architecture, symmetry, and homogeneity) algorithm for dermoscopy (Henning et al). 2007;56:45-52 (Report)
Dermoscopy features of melanoma incognito: indications for biopsy (Argenziano et al). 2007;56:508-13 (Case rep.)
Diagnosis and management of nail pigmentations (Braun et al). 2007;56:835-47 (Review)
Evaluation of digital dermoscopy in a pigmented lesion clinic: clinician versus computer assessment of malignancy risk (Boldrick et al). 2007;56:417-21 (Report)
Developing countries
Impact of short-term dermatology medical trips in the developing world (Saxton-Daniels and Pandya). 2007;56:672-4 (Above the surface)
Diabetes mellitus
The association between psoriasis, diabetes mellitus, and atherosclerosis in Israel: a case-control study. 2007;56:629-34 (Report)
Cutaneous vascular deposition of C5b-9 and its role as a diagnostic adjunct in the setting of diabetes mellitus and porphyria cutanea tarda (Vasil and Magro). 2007;56:96-104 (Dermatopathology)
Diagnosis
Dispelling the myth of the "benign hair sign" for melanoma (Scope et al). 2007;56:413-6 (Report)
Onychomycosis: diagnosis and definition of cure (Scher et al). 2007;56:939-44 (Report)
Dialogues in dermatology
Dialogues in dermatology. 2007;56:144-5, 327-9, 466-7, 683-4, 854-5, 1056-7
Digitocutaneous dysplasia
Digitocutaneous dysplasia (Izadpanah et al). 2007;56:S6-9 (Case rep.)
Diphencyprone
Treatment of extensive cutaneous metastatic melanoma with topical diphencyprone (Damian and Thompson). 2007;56:869-71 (Case rep.)
Disease transmission
Fomite transmission in head lice (Burkhart and Burkhart). 2007;56:1044-7 (Review)
Dogs
Death of a dog caused by calcipotriene toxicity (Saedi et al). 2007;56:712-3 (Case letter)
Doxycycline
Two randomized phase III clinical trials evaluating anti-inflammatory dose doxycycline (40-mg doxycycline, USP capsules) administered once daily for treatment of rosacea (Del Rosso et al). 2007;56:791-802 (Report)
Drug reactions
Acneiform eruptions associated with epidermal growth factor receptor–targeted chemotherapy (DeWitt et al). 2007;56:500-5 (Case rep.)

Cutaneous effects of the most commonly used antidepressant medication, the selective serotonin reuptake inhibitors (Krasowska et al). 2007;56:848-53 (Review)
Death of a dog caused by calcipotriene toxicity (Saedi et al). 2007;56:712-3 (Case letter)
Drug-induced lupus erythematosus in a patient treated with adalumimab (Spillane et al). 2007;56:S114-6 (Case letter)
Epidermal growth factor receptor inhibitors: a new era of drug reactions in a new era of cancer therapy (Cowen). 2007;56:514-7 (Commentary)
Methotrexate-associated lymphoproliferative disorder in a patient with rheumatoid arthritis presenting in the skin (Clarke et al). 2007;56:686-90 (Case rep.)
Nail toxicity associated with epidermal growth factor receptor inhibitor therapy. 2007;56:460-5 (Review)
Results of patch testing to a corticosteroid series: a retrospective review of 1188 patients during 6 years at Mayo Clinic (Davis et al). 2007;56:921-7 (Report)
Toxic epidermal necrolysis (Pereira et al). 2007;56:181-200 (CME article)

E

Ear
Pseudocysts of the auricle in a young adult with facial and ear atopic dermatitis (Ng et al). 2007;56:858-61 (Case & review)
eBlueprints
Off-label uses of biologics in dermatology: interferon and intravenous immunoglobulin (part 1 of 2) (Smith et al). 2007;56:e1-54
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79
World Wide Web resources of open access, educational dermatology clinical image quizzes and databases (Papadavid and Falagas). 2007;56:e81-5
Eczema
Clinical and immunopathologic findings during treatment of recalcitrant atopic eczema with efalizumab (Hassan et al). 2007;56:217-21 (Report)
Efalizumab
Clinical and immunopathologic findings during treatment of recalcitrant atopic eczema with efalizumab (Hassan et al). 2007;56:217-21 (Report)
Efalizumab for severe atopic dermatitis: a pilot study in adults (Takiguchi et al). 2007;56:222-7 (Report)
Lichen planus responding to efalizumab (Böhm and Luger). 2007;56:S92-3 (Case rep.)
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)
Ehlers-Danlos syndrome
Ehlers-Danlos syndrome type IV: keloidal plaques of the lower extremities, amniotic band limb deformity, and a new mutation (Burk et al). 2007;56:S53-4 (Case letter)
Electrodesiccation
Recurrence rates of primary basal cell carcinoma in facial risk areas treated with curettage and electrodesiccation. 2007;56:91-5 (Derm. surgery)
End-stage kidney failure
Calciphylaxis: natural history, risk factor analysis, and outcome (Weenig et al). 2007;56:565-79 (Report)
Epidermal growth factor receptor inhibitors
Acneiform eruptions associated with epidermal growth factor receptor–targeted chemotherapy (DeWitt et al). 2007;56:500-5 (Case rep.)
Cutaneous side effects of epidermal growth factor receptor inhibitors: clinical presentation, pathogenesis, and management (Hu et al). 2007;56:317-26 (Review)
Epidermal growth factor receptor inhibitors: a new era of drug reactions in a new era of cancer therapy (Cowen). 2007;56:514-7 (Commentary)
Nail toxicity associated with epidermal growth factor receptor inhibitor therapy. 2007;56:460-5 (Review)
Epidermodysplasia verruciformis
Treatment of a patient with epidermodysplasia verruciformis carrying a novel EVER2 mutation with imiquimod (Berthelot et al). 2007;56:882-6 (Case rep.)
Epidermolysis bullosa pruriginosa
Clinical and molecular dilemmas in the diagnosis of familial epidermolysis bullosa pruriginosa (Ee et al). 2007;56:S77-81 (Case rep.)
Epstein, William L.
William L. Epstein, 1925-2006 (Epstein). 2007;56:714-5 (In memoriam)
Erythema
Can dietary furanocoumarin ingestion enhance the erythemal response during high-dose UVA1 therapy? (Beattie et al). 2007;56:84-7 (Report)
Reply (Bowers and Morgan). 2007;56:892-3 (Notes & comments)
Erythema dyschromicum perstans
HLA-DR association with the genetic susceptibility to develop ashy dermatosis in Mexican Mestizo patients (Carrillo Correa et al). 2007;56:617-20 (Report)
Erythema multiforme
Recurrent erythema multiforme in association with recurrent *Mycoplasma pneumoniae* infections (Grosber et al). 2007;56:S118-9 (Case letter)
Sorafenib-induced erythema multiforme (MacGregor et al). 2007;56:527-8 (Research letter)
Erythropoietic protoporphyria
Symptomatic response of erythropoietic protoporphyria to iron supplementation (Holme et al). 2007;56:1070-2 (Case letter)
Etanercept
Acute myelogenous leukemia in a patient receiving etanercept for psoriasis (Bachmeyer et al). 2007;56:169-70 (Case letter)
Etanercept in a 7-year-old boy with severe and recalcitrant psoriasis (Safa et al). 2007;56:S19-20 (Case rep.)
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)
A randomized, open-label trial of continuous versus interrupted etanercept therapy in the treatment of psoriasis (Moore et al). 2007;56:598-603 (Report)
Ethics
Dermatoethics: a curriculum in bioethics and professionalism for dermatology residents at Brown Medical School (Bercovitch and Long). 2007;56:679-82 (Beneath the surface)
Innovative care, medical research, and the ethics of informed consent (Choi et al). 2007;56:330-2 (Current issues and opinion)
Institutional review board among dermatology researchers (Adams and Gloster). 2007;56:346 (Notes & comments)
Reporting of ethical review of clinical research submitted to the *Journal of the American Academy of Dermatology* (Perkins et al). 2007;56:279-84 (Report)
Etoposide
Ultraviolet recall reaction after total body irradiation, etoposide, and methotrexate therapy (Goldfeder et al). 2007;56:494-9 (Case & review)

EVER2 mutation
Treatment of a patient with epidermodysplasia verruciformis carrying a novel EVER2 mutation with imiquimod (Berthelot et al). 2007;56:882-6 (Case rep.)
Evidence-based medicine
Evidence-based dermatology: number needed to treat and its relation to other risk measures. 2007;56:664-71 (Review)
JAAD commentary on "From the Cochrane Library." 2007;56:105-6 (From the Cochrane Library)

F

Face
Bilateral symmetric facial epidermal nevus (Shah et al). 2007;56:S51-3 (Case letter)
Facial edema and crusted patches: a precursor to life-threatening acute systemic lupus erythematosus (Castro et al). 2007;56:S126-7 (Case letter)
Lymphangiosarcoma presenting as asymptomatic swelling of the cheek (Hancox et al). 2007;56:530-1 (Case letter)
Neutrophilic eccrine hidradenitis masquerading as facial cellulitis (Srivastava et al). 2007;56:693-6 (Case rep.)
Recurrence rates of primary basal cell carcinoma in facial risk areas treated with curettage and electrodesiccation. 2007;56:91-5 (Derm. surgery)
Faculty, medical
Current strategies to address the ongoing shortage of academic dermatologists (Wu). 2007;56:1065-6 (Notes & comments)
Fat
Subcutaneous fat in normal and diseased states. 3. Adipogenesis: from stem cell to fat cell (Avram et al). 2007;56:472-92 (On fat)
Fingers
Acquired digital arteriovenous malformation: ultrasound imaging and response to long-pulsed neodymium:yttrium-aluminum-garnet treatment (Bekhor and Ditchfield). 2007;56:S122-4 (Case letter)
Fomites
Fomite transmission in head lice (Burkhart and Burkhart). 2007;56:1044-7 (Review)
From the Academy
From the Academy. 2007;56:651-63
From the Cochrane Library
From the Cochrane Library. 2007;56:105-15
Furanocoumarin
Can dietary furanocoumarin ingestion enhance the erythemal response during high-dose UVA1 therapy? (Beattie et al). 2007;56:84-7 (Report)
Fusarium solani
Deep cutaneous infection by *Fusarium solani* in a healthy child: successful treatment with local heat therapy. 2007;56:873-7 (Case rep.)

G

Gadolinium
Gadolinium deposition in nephrogenic fibrosing dermopathy (Boyd et al). 2007;56:27-30 (Report)
Gadolinium is detectable within the tissue of patients with nephrogenic systemic fibrosis (High et al). 2007;56:21-6 (Report)
Gadolinium is quantifiable within the tissue of patients with nephrogenic systemic fibrosis (High et al). 2007;56:710-2 (Research letter)
Galli–Galli disease
The expanding spectrum of Galli–Galli disease (El Shabrawi-Caelen et al). 2007;56:S86-91 (Case rep.)
Gene expression profiling
Digitocutaneous dysplasia (Izadpanah et al). 2007;56:S6-9 (Case rep.)
New prognostic relevant factors in primary cutaneous diffuse large B-cell lymphomas (Hallermann et al). 2007;56:588-97 (Report)
Primer on the human genome (Tsai and Tsao). 2007;56:719-35 (CME article)
Gene mutation
Ehlers-Danlos syndrome type IV: keloidal plaques of the lower extremities, amniotic band limb deformity, and a new mutation (Burk et al). 2007;56:S53-4 (Case letter)
Treatment of a patient with epidermodysplasia verruciformis carrying a novel EVER2 mutation with imiquimod (Berthelot et al). 2007;56:882-6 (Case rep.)
Genetic conditions, recessive
Acrodermatitis enteropathica and an overview of zinc metabolism (Maverakis et al). 2007;56:116-24 (Review)
Genetic predisposition to disease
Clinical and molecular dilemmas in the diagnosis of familial epidermolysis bullosa pruriginosa (Ee et al). 2007;56:S77-81 (Case rep.)
Congenital melanocytic nevus is a disease with two clinicopathologic forms of presentation (Magaña and Magaña). 2007;56:521-2 (Notes & comments)
The expanding spectrum of Galli–Galli disease (El Shabrawi-Caelen et al). 2007;56:S86-91 (Case rep.)
Factors influencing participation in cutaneous screening among individuals with a family history of melanoma (Azzarello and Jacobsen). 2007;56:398-406 (Report)
HLA-DR association with the genetic susceptibility to develop ashy dermatosis in Mexican Mestizo patients (Carrillo Correa et al). 2007;56:617-20 (Report)
Primer on the human genome (Tsai and Tsao). 2007;56:719-35 (CME article)
Psoriasis, innate immunity, and gene pools (Bos). 2007;56:468-71 (Ideas)
Vascular malformations, part II: associated syndromes (Garzon et al). 2007;56:541-64 (CME article)
Genome, human
Primer on the human genome (Tsai and Tsao). 2007;56:719-35 (CME article)
Germ-line mutation
From sporadic atypical nevi to familial melanoma: risk analysis for melanoma in sporadic atypical nevus patients (de Snoo et al). 2007;56:748-52 (Report)
Gingiva
Oral findings in 58 adults with tuberous sclerosis complex (Sparling et al). 2007;56:786-90 (Report)
Glomuvenous malformations
Vascular malformations, part I (Garzon et al). 2007;56:353-70 (CME article)
Glycerol
Comparison of the effect of glycerol and triamcinolone acetonide on cumulative skin irritation in a randomized trial (Andersen et al). 2007;56:228-35 (Report)
Gorham-Stout disease
Cutaneous lymphatic malformations in disappearing bone (Gorham-Stout) disease: a novel clue to the pathogenesis of a rare syndrome (Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)
Graft-vs-host disease
Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease (Izumi et al). 2007;56:S94-7 (Case rep.)

H

Hair
Yes, let's abandon race—it does not accurately correlate with hair form (Khumalo). 2007;56:709-10 (Notes & comments)

Hair loss
Iron and hair loss in women: what is deficiency? This is the real question! (Rushton et al) (Letter) (Trost and Bergfeld) (Reply). 2007;56:518-9 (Notes & comments)
Hamartoma
Folliculosebaceous smooth muscle hamartoma (Saadat et al). 2007;56:1021-5 (Dermatopathology)
Nevus lipomatosus cutaneous superficialis with folliculosebaceous cystic hamartoma (Kang et al). 2007;56:S55-7 (Case letter)
Hashimoto-Pritzker disease
Congenital self-healing reticulohistiocytosis (Hashimoto-Pritzker disease): ten-year experience at Dallas Children's Medical Center (Kapur et al). 2007;56:290-4 (Dermatopathology)
Health care costs
Burden of skin disease (Smith). 2007;56:706 (Notes & comments)
Health Information National Trends Survey
Prevalence of sunless tanning product use and related behaviors among adults in the United States: results from a national survey (Stryker et al). 2007;56:387-90 (Report)
Hemangiomas
Topical imiquimod in the treatment of infantile hemangiomas: a retrospective study (Ho et al). 2007;56:63-8 (Report)
Herbal medicine
Cutaneous vasculitis in two patients taking an herbal supplement containing black cohosh (Ingraffea et al). 2007;56:S124-6 (Case letter)
Hidradenitis, neutrophilic eccrine
Neutrophilic eccrine hidradenitis masquerading as facial cellulitis (Srivastava et al). 2007;56:693-6 (Case rep.)
Hidradenitis suppurativa
Infliximab for severe hidradenitis suppurativa: transient clinical efficacy in 7 consecutive patients (Fardet et al). 2007;56:624-8 (Report)
Quality of life impairment in hidradenitis suppurativa: a study of 61 cases (Wolkenstein et al). 2007;56:621-3 (Report)
Histiocytosis
Aggressive histiocytic disorders that can involve the skin (Newman et al). 2007;56:302-16 (Review)
Congenital self-healing reticulohistiocytosis (Hashimoto-Pritzker disease): ten-year experience at Dallas Children's Medical Center (Kapur et al). 2007;56:290-4 (Dermatopathology)
Histopathology
Cutaneous lupus erythematosus simulating squamous neoplasia: the clinicopathologic conundrum and histopathologic pitfalls (Zedek et al). 2007;56:1013-20 (Dermatopathology)
Surgical pearl: obtaining a clean histopathologic specimen using a ring curette (Madan and Dawn). 2007;56:S103-4 (Pearls)
Histoplasmosis
Oral histoplasmosis after radiation therapy for laryngeal squamous cell carcinoma (Ezzedine et al). 2007;56:871-3 (Case rep.)
HLA-DR
HLA-DR association with the genetic susceptibility to develop ashy dermatosis in Mexican Mestizo patients (Carrillo Correa et al). 2007;56:617-20 (Report)
Hormonal agents
Guidelines of care for acne vulgaris management (Strauss et al). 2007;56:651-63 (From the Academy)
Hygiene
Topical therapy of atopic dermatitis: controversies from Hippocrates to topical immunomodulators (Tilles et al). 2007;56:295-301 (Review)
Hypereosinophilic syndrome
Bullous pemphigoid associated with hypereosinophilic syndrome: simultaneous response to imatinib (Hofmann et al). 2007;56:S68-72 (Case rep.)
Hyperhidrosis
Botulinum toxin type A in the treatment of primary axillary hyperhidrosis: a 52-week multicenter double-blind, randomized, placebo-controlled study of efficacy and safety (Lowe et al). 2007;56:604-11 (Report)
Hyperlipidemia
An infant with extensive cutaneous nodular juvenile xanthogranuloma and hyperlipidemia (Hu et al). 2007;56:S54-5 (Case letter)
Hypertrichosis lanuginosa
Acquired hypertrichosis lanuginosa as a presenting sign of metastatic prostate cancer with rapid resolution after treatment (Wyatt et al). 2007;56:S45-7 (Case rep.)

I

Ideas
Ideas. 2007;56:468-71, 856
Imatinib
Bullous pemphigoid associated with hypereosinophilic syndrome: simultaneous response to imatinib (Hofmann et al). 2007;56:S68-72 (Case rep.)
Imiquimod
Imiquimod as an antiaging agent (Metcalf et al). 2007;56:422-5 (Report)
Topical imiquimod in the treatment of infantile hemangiomas: a retrospective study (Ho et al). 2007;56:63-8 (Report)
Treatment of a patient with epidermodysplasia verruciformis carrying a novel EVER2 mutation with imiquimod (Berthelot et al). 2007;56:882-6 (Case rep.)
Immunity
Psoriasis, innate immunity, and gene pools (Bos). 2007;56:468-71 (Ideas)
Immunoglobulins
High-dose intravenous immunoglobulins for the treatment of autoimmune mucocutaneous blistering diseases: evaluation of its use in 19 cases (Segura et al). 2007;56:960-7 (Report)
A novel case of IgA paraneoplastic pemphigus associated with chronic lymphocytic leukemia (Taintor et al). 2007;56:S73-6 (Case rep.)
Off-label uses of biologics in dermatology: interferon and intravenous immunoglobulin (part 1 of 2) (Smith et al). 2007;56:e1-54 (eBlueprints)
Immunotherapy
Clinical and immunopathologic findings during treatment of recalcitrant atopic eczema with efalizumab (Hassan et al). 2007;56:217-21 (Report)
Implanted devices
Reply (Bowers and Morgan). 2007;56:892-3 (Notes & comments)
In memoriam
William L. Epstein, 1925-2006 (Epstein). 2007;56:714-5
Incontinentia pigmenti
Clinical diagnosis of incontinentia pigmenti in a cohort of male patients (Fusco et al). 2007;56:264-7 (Report)
Infants
An infant with extensive cutaneous nodular juvenile xanthogranuloma and hyperlipidemia (Hu et al). 2007;56:S54-5 (Case letter)
Infantile acne as a the initial sign of an adrenocortical tumor (Mann et al). 2007;56:S15-8 (Case rep.)
Infantile pyramidal protrusion localized at the vulva as a manifestation of lichen sclerosus et atrophicus (Hernandez-Machin et al). 2007;56:S49-50 (Case letter)
Topical imiquimod in the treatment of infantile hemangiomas: a retrospective study (Ho et al). 2007;56:63-8 (Report)
Infection
Deep cutaneous infection by *Fusarium solani* in a healthy child: successful treatment with local heat therapy. 2007;56:873-7 (Case rep.)

Infliximab
Infliximab for severe hidradenitis suppurativa: transient clinical efficacy in 7 consecutive patients (Fardet et al). 2007;56:624-8 (Report)
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)
A randomized comparison of continuous vs. intermittent infliximab maintenance regimens over 1 year in the treatment of moderate-to-severe plaque psoriasis (Menter et al). 2007;56:31-44 (Report)
Informed consent
Innovative care, medical research, and the ethics of informed consent (Choi et al). 2007;56:330-2 (Current issues and opinion)
Institutional review board
Institutional review board among dermatology researchers (Adams and Gloster). 2007;56:346 (Notes & comments)
Interferon
Keratin 17/interferon-γ autoimmune loop as a vicious circle driving psoriasis pathogenesis (Bonnekoh and Böckelmann) (Letter) (Shen et al) (Reply). 2007;56:162 (Notes & comments)
Off-label uses of biologics in dermatology: interferon and intravenous immunoglobulin (part 1 of 2) (Smith et al). 2007;56:e1-54 (eBlueprints)
Interleukin-2
Phase II trial of subcutaneous injections of human recombinant interleukin-2 for the treatment of mycosis fungoides and Sézary syndrome (Querfeld et al). 2007;56:580-3 (Report)
Internet
World Wide Web resources of open access, educational dermatology clinical image quizzes and databases (Papadavid and Falagas). 2007;56:e81-5 (eBlueprints)
Iodine
Acne and iodine: reply (Danby). 2007;56:164-5 (Notes & comments)
Iotaderma. *see* **Blue Notes**
IPEX syndrome
Norwegian scabies mimicking onychomycosis and scalp dermatitis in a child with IPEX syndrome (McLucas et al). 2007;56:S48-9 (Case letter)
Iron
Iron and hair loss in women: what is deficiency? This is the real question! (Rushton et al) (Letter) (Trost and Bergfeld) (Reply). 2007;56:518-9 (Notes & comments)
Symptomatic response of erythropoietic protoporphyria to iron supplementation (Holme et al). 2007;56:1070-2 (Case letter)
Isotretinoin
Guidelines of care for acne vulgaris management (Strauss et al). 2007;56:651-63 (From the Academy)

J

Journal of the American Academy of Dermatology
JAAD commentary on "From the Cochrane Library." 2007;56:105-6 (From the Cochrane Library)
Reporting of ethical review of clinical research submitted to the *Journal of the American Academy of Dermatology* (Perkins et al). 2007;56:279-84 (Report)
Reviewers for volumes 54 and 55. 2007;56:1059-62
Ten or twelve ways to abuse the peer review process: we saw what you did and we know who you are (Bernhard). 2007;56:887-8 (The Blue Journal)

K

Keloids
Ehlers-Danlos syndrome type IV: keloidal plaques of the lower extremities, amniotic band limb deformity, and a new mutation (Burk et al). 2007;56:S53-4 (Case letter)
Keratin
Keratin 17/interferon-γ autoimmune loop as a vicious circle driving psoriasis pathogenesis (Bonnekoh and Böckelmann) (Letter) (Shen et al) (Reply). 2007;56:162 (Notes & comments)
Keratin intermediate filament retraction is linked to plakoglobin-dependent signaling in pemphigus vulgaris (Müller et al) (Letter) (Bystryn and Grando) (Reply). 2007;56:890-2 (Notes & comments)
Keratoacanthomas
Keratoacanthoma developing on nevus sebaceous in a child (Ujiie et al). 2007;56:S57-8 (Case letter)
Keratoacanthomas associated with sorafenib therapy (Kong et al). 2007;56:171-2 (Case letter)
Keratosis, seborrheic
Evaluation of prospectively collected presenting signs/symptoms of biopsy-proven melanoma, basal cell carcinoma, squamous cell carcinoma, and seborrheic keratitis in an elderly male population (Askari et al). 2007;56:739-47 (Report)
Keratosis lichenoides chronica
Keratosis lichenoides chronica in pediatric patients: a different disease? (Ruiz-Maldonado et al). 2007;56:S1-5 (Case rep.)
Kidney transplantation
Nephrogenic fibrosing dermopathy with recurrence after allograft failure (Goddard et al). 2007;56:S109-11 (Case letter)
Klippel–Trénaunay syndrome
New techniques for the evaluation and therapeutic planning of patients with Klippel–Trénaunay syndrome (Bastarrika et al). 2007;56:242-9 (Report)
Vascular malformations, part II: associated syndromes (Garzon et al). 2007;56:541-64 (CME article)

L

Laminin 5
Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease (Izumi et al). 2007;56:S94-7 (Case rep.)
Laser therapy
Acquired digital arteriovenous malformation: ultrasound imaging and response to long-pulsed neodymium:yttrium-aluminum-garnet treatment (Bekhor and Ditchfield). 2007;56:S122-4 (Case letter)
Combination of topical 5-aminolevulinic acid–photodynamic therapy with carbon dioxide laser for sebaceous hyperplasia (Kim et al). 2007;56:523-4 (Research letter)
A randomized, controlled, split-face clinical trial of 1320-nm Nd:YAG laser therapy in the treatment of acne vulgaris (Orringer et al). 2007;56:432-8 (Report)
Latin
[Latin] dermatology as she is spoke[n] (Capella). 2007;56:520-1 (Notes & comments)
Leishmania braziliensis
Liposomal amphotericin B in comparison to sodium stibogluconate for cutaneous infection due to *Leishmania braziliensis* (Solomon et al). 2007;56:612-6 (Report)
Lepidopterism
Outbreak of lepidopterism at a Boy Scout camp (Redd et al). 2007;56:952-5 (Report)
Letters. *see* **Case letters; Notes & comments; Research letters**
Leukemia
Acute myelogenous leukemia in a patient receiving etanercept for psoriasis (Bachmeyer et al). 2007;56:169-70 (Case letter)
A novel case of IgA paraneoplastic pemphigus associated with chronic lymphocytic leukemia (Taintor et al). 2007;56:S73-6 (Case rep.)
Sweet's syndrome–like neutrophilic lobular panniculitis associated with all-*trans*-retinoic acid chemotherapy in a patient with

acute promyelocytic leukemia (Jagdeo et al). 2007;56:690-3 (Case rep.)

Lice infestations

Fomite transmission in head lice (Burkhart and Burkhart). 2007;56:1044-7 (Review)

Parasitic infestations (Jacobson and Abel). 2007;56:1026-43 (Periodic synopsis)

In vitro pediculicidal and ovicidal activity of an extract and oil from fruits of *Melia azedarach* L. (Carpinella et al). 2007;56:250-6 (Report)

Lichen planus

Lichen planus responding to efalizumab (Böhm and Luger). 2007;56:S92-3 (Case rep.)

Prevalence of stratified epithelium-specific antinuclear antibodies in 138 patients with lichen planus (Parodi et al). 2007;56:974-8 (Report)

Lichen sclerosus

Lichen sclerosus (Heymann et al). 2007;56:683-4 (Dialogues in dermatology)

Lichen sclerosus et atrophicus

Infantile pyramidal protrusion localized at the vulva as a manifestation of lichen sclerosus et atrophicus (Hernandez-Machin et al). 2007;56:S49-50 (Case letter)

Lipoma

Forehead lipoma resection via a small remote incision using a surgical raspatory (Funayama et al). 2007;56:458-9 (Derm. surgery)

Loxoscelism

Of spiders and zebras: publication of inadequately documented loxoscelism case reports (Vetter and Swanson). 2007;56:1063-4 (Commentary)

Lupus erythematosus

Cutaneous lupus erythematosus simulating squamous neoplasia: the clinicopathologic conundrum and histopathologic pitfalls (Zedek et al). 2007;56:1013-20 (Dermatopathology)

Drug-induced lupus erythematosus in a patient treated with adalumimab (Spillane et al). 2007;56:S114-6 (Case letter)

Facial edema and crusted patches: a precursor to life-threatening acute systemic lupus erythematosus (Castro et al). 2007;56:S126-7 (Case letter)

Lupus erythematosus profundus

Cutaneous γ/δ T-cell lymphoma: a histopathologic mimicker of lupus erythematosus profundus (lupus panniculitis) (Aguilera et al). 2007;56:643-7 (Dermatopathology)

CXCR3-mediated recruitment of cytotoxic lymphocytes in lupus erythematosus profundus (Wenzel et al). 2007;56:648-50 (Dermatopathology)

Lymphatic malformations

Vascular malformations, part I (Garzon et al). 2007;56:353-70 (CME article)

Lymphoma, B-cell

New prognostic relevant factors in primary cutaneous diffuse large B-cell lymphomas (Hallermann et al). 2007;56:588-97 (Report)

Lymphoma, T-cell

Cutaneous γ/δ T-cell lymphoma: a histopathologic mimicker of lupus erythematosus profundus (lupus panniculitis) (Aguilera et al). 2007;56:643-7 (Dermatopathology)

Cutaneous T-cell lymphoma in non-blood-related family members: report of an additional case (Lozano and Duvic). 2007;56:521 (Notes & comments)

Immunohistochemical staining for CD45R isoforms in paraffin sections to diagnose mycosis fungoides—type cutaneous T-cell lymphoma (Ismail et al). 2007;56:635-42 (Dermatopathology)

Open-label pilot study of combination therapy with rosiglitazone and bexarotene in the treatment of cutaneous T-cell lymphoma (Sepmeyer et al). 2007;56:584-7 (Report)

M

Male patients

Clinical diagnosis of incontinentia pigmenti in a cohort of male patients (Fusco et al). 2007;56:264-7 (Report)

Mast cells

Mast cell distribution, activation, and phenotype in xanthoma (Matsumoto et al). 2007;56:1006-12 (Dermatopathology)

Mastocytosis

Tryptase detection in bone-marrow blood: a new diagnostic tool in systemic mastocytosis (Proelss et al). 2007;56:453-7 (Report)

Media reviews. *see also* **Book reviews**

Media reviews. 2007;56:1074-7

Medical dermatology patients

Cosmetic versus medical dermatology patients (Heymann). 2007;56:161-2 (Notes & comments)

Medical residents

An educational brochure helps improve patients' understanding of residents' role and level of training (Doshi et al). 2007;56:165-9 (Research letter)

Dermatoethics: a curriculum in bioethics and professionalism for dermatology residents at Brown Medical School (Bercovitch and Long). 2007;56:679-82 (Beneath the surface)

Medical schools

Current strategies to address the ongoing shortage of academic dermatologists (Wu). 2007;56:1065-6 (Notes & comments)

Dermatoethics: a curriculum in bioethics and professionalism for dermatology residents at Brown Medical School (Bercovitch and Long). 2007;56:679-82 (Beneath the surface)

Melanoma

Association between the anatomic distribution of melanoma and sex (Clark et al). 2007;56:768-73 (Report)

Cell cycle and apoptosis regulators in Spitz nevi: comparison with melanomas and common nevi (Stefanaki et al). 2007;56:815-24 (Dermatopathology)

Dermoscopy features of melanoma incognito: indications for biopsy (Argenziano et al). 2007;56:508-13 (Case rep.)

Dispelling the myth of the "benign hair sign" for melanoma (Scope et al). 2007;56:413-6 (Report)

Eruptive latent metastatic melanomas after initiation of antitumor necrosis factor therapies (Fulchiero et al). 2007;56:S65-7 (Case rep.)

Evaluation of prospectively collected presenting signs/symptoms of biopsy-proven melanoma, basal cell carcinoma, squamous cell carcinoma, and seborrheic keratitis in an elderly male population (Askari et al). 2007;56:739-47 (Report)

Examination of mediating variables in a partner assistance intervention designed to increase performance on skin self-examination (Robinson et al). 2007;56:391-7 (Report)

Factors influencing participation in cutaneous screening among individuals with a family history of melanoma (Azzarello and Jacobsen). 2007;56:398-406 (Report)

Primary mucosal melanoma (Patrick et al). 2007;56:828-34 (Review)

Screening for melanoma (Heymann et al). 2007;56:144-5 (Dialogues in dermatology)

Sensitivity, specificity, and diagnostic accuracy of three dermoscopic algorithmic methods in the diagnosis of doubtful melanocytic lesions: the importance of light brown structureless areas in differentiating atypical melanocytic nevi from thin melanomas (Annessi et al). 2007;56:759-67 (Report)

Sentinel lymph node biopsy for melanoma is still controversial (Garcia and Poletti). 2007;56:347-8 (Notes & comments)

Spitz nevus versus malignant melanoma: Spitz nevi predominate on the thighs in patients younger than 40 years of age, melanomas on the trunk in patients 40 years of age or older (Schmoeckel et al). 2007;56:753-8 (Report)

From sporadic atypical nevi to familial melanoma: risk analysis for melanoma in sporadic atypical nevus patients (de Snoo et al). 2007;56:748-52 (Report)

Treatment of extensive cutaneous metastatic melanoma with topical diphencyprone (Damian and Thompson). 2007;56:869-71 (Case rep.)

Melanonychia

Nail matrix biopsy of longitudinal melanonychia: diagnostic algorithm including the matrix shave biopsy (Jellinek). 2007;56:803-10 (Derm. surgery)

***Melia azedarach* L.**

In vitro pediculicidal and ovicidal activity of an extract and oil from fruits of *Melia azedarach* L. (Carpinella et al). 2007;56:250-6 (Report)

Metastases

Acquired hypertrichosis lanuginosa as a presenting sign of metastatic prostate cancer with rapid resolution after treatment (Wyatt et al). 2007;56:S45-7 (Case rep.)

Cellulitis-like cutaneous metastasis of uterine cervical carcinoma (Yang et al). 2007;56:S26-8 (Case rep.)

Cholangiocarcinoma with skin metastases (Yanagi et al). 2007;56:S58-60 (Case letter)

Eruptive latent metastatic melanomas after initiation of antitumor necrosis factor therapies (Fulchiero et al). 2007;56:S65-7 (Case rep.)

Sweet's panniculitis associated with metastatic breast cancer (Teng et al). 2007;56:S61-2 (Case letter)

Treatment of extensive cutaneous metastatic melanoma with topical diphencyprone (Damian and Thompson). 2007;56:869-71 (Case rep.)

Methicillin-resistant *Staphylococcus aureus*

Community-acquired methicillin-resistant *Staphylococcus aureus* (Elston). 2007;56:1-16 (CME article)

Methotrexate

Intralesional methotrexate treatment for keratoacanthoma tumors: a retrospective study and review of the literature (Annest et al). 2007;56:989-93 (Derm. surgery)

Methotrexate-associated lymphoproliferative disorder in a patient with rheumatoid arthritis presenting in the skin (Clarke et al). 2007;56:686-90 (Case rep.)

Reconsidering liver biopsies during methotrexate therapy (Henning et al). 2007;56:893-4 (Notes & comments)

Ultraviolet recall reaction after total body irradiation, etoposide, and methotrexate therapy (Goldfeder et al). 2007;56:494-9 (Case & review)

Metronidazole

Systematic review of rosacea treatments (van Zuuren et al). 2007;56:107-15 (From the Cochrane Library)

microDERM digital dermoscopy system

Evaluation of digital dermoscopy in a pigmented lesion clinic: clinician versus computer assessment of malignancy risk (Boldrick et al). 2007;56:417-21 (Report)

Microscopy, epiluminescence

Sensitivity, specificity, and diagnostic accuracy of three dermoscopic algorithmic methods in the diagnosis of doubtful melanocytic lesions: the importance of light brown structureless areas in differentiating atypical melanocytic nevi from thin melanomas (Annessi et al). 2007;56:759-67 (Report)

Mite infestations

Accuracy of standard dermoscopy for diagnosing scabies (Dupuy et al). 2007;56:53-62 (Report)

Mohs micrographic surgery

Basal cell carcinoma of the nail unit (Forman et al). 2007;56:811-4 (Derm. surgery)

The merits of adding toluidine blue–stained slides in Mohs surgery in the treatment of microcystic adnexal carcinoma (Wang et al). 2007;56:1067-9 (Notes & comments)

Molluscum contagiosum

Medical pearl: confirming the diagnosis of molluscum contagiosum using 10% potassium hydroxide (Bauer et al). 2007;56:S104-5 (Pearls)

Monoclonal antibodies

Cutaneous side effects of epidermal growth factor receptor inhibitors: clinical presentation, pathogenesis, and management (Hu et al). 2007;56:317-26 (Review)

Morgellons disease

Morgellons disease (Harvey) (Letter) (Bernhard) (Editor's note). 2007;56:705-6 (Notes & comments)

Morphea, *en coup de sabre*

En coup de sabre morphea and Parry-Romberg syndrome: a retrospective review of 54 patients (Tollefson and Witman). 2007;56:257-63 (Report)

Mucosa

Mycosis fungoides involving the nasal mucosa (Gruson et al). 2007;56:S112-4 (Case letter)

Primary mucosal melanoma (Patrick et al). 2007;56:828-34 (Review)

Multiple endocrine neoplasia

Rapidly growing collagenomas in multiple endocrine neoplasia type I (Xia and Darling). 2007;56:877-80 (Case rep.)

Muscle, smooth

Folliculosebaceous smooth muscle hamartoma (Saadat et al). 2007;56:1021-5 (Dermatopathology)

Mycoplasma pneumoniae

Recurrent erythema multiforme in association with recurrent *Mycoplasma pneumoniae* infections (Grosber et al). 2007;56:S118-9 (Case letter)

Vaginal ulcerations with acute mycoplasma infection (Kos et al). 2007;56:S117-8 (Case letter)

Mycosis fungoides

Immunohistochemical staining for CD45R isoforms in paraffin sections to diagnose mycosis fungoides–type cutaneous T-cell lymphoma (Ismail et al). 2007;56:635-42 (Dermatopathology)

Mycosis fungoides involving the nasal mucosa (Gruson et al). 2007;56:S112-4 (Case letter)

Phase II trial of subcutaneous injections of human recombinant interleukin-2 for the treatment of mycosis fungoides and Sézary syndrome (Querfeld et al). 2007;56:580-3 (Report)

N

Nails

Basal cell carcinoma of the nail unit (Forman et al). 2007;56:811-4 (Derm. surgery)

Diagnosis and management of nail pigmentations (Braun et al). 2007;56:835-47 (Review)

Distribution of toenail dystrophy predicts histologic diagnosis of onychomycosis. 2007;56:945-8 (Report)

Multiple calcified subungual epidermoid inclusions (Teland and Jellinek). 2007;56:336-9 (Case rep.)

Nail matrix biopsy of longitudinal melanonychia: diagnostic algorithm including the matrix shave biopsy (Jellinek). 2007;56:803-10 (Derm. surgery)

Nail toxicity associated with epidermal growth factor receptor inhibitor therapy. 2007;56:460-5 (Review)
Norwegian scabies mimicking onychomycosis and scalp dermatitis in a child with IPEX syndrome (McLucas et al). 2007;56:548-9 (Case letter)
Onychomycosis: diagnosis and definition of cure (Scher et al). 2007;56:939-44 (Report)

Naltrexone

Treatment of pruritus with topically applied opiate receptor antagonist (Bigliardi et al). 2007;56:979-88 (Report)

Nasolabial fold

Technique for calcium hydroxylapatite injection for correction of nasolabial fold depressions (Alam and Yoo). 2007;56:285-9 (Derm. surgery)

Nephrogenic systemic fibrosis

Gadolinium deposition in nephrogenic fibrosing dermopathy (Boyd et al). 2007;56:27-30 (Report)
Gadolinium is detectable within the tissue of patients with nephrogenic systemic fibrosis (High et al). 2007;56:21-6 (Report)
Gadolinium is quantifiable within the tissue of patients with nephrogenic systemic fibrosis (High et al). 2007;56:710-2 (Research letter)
Nephrogenic fibrosing dermopathy with recurrence after allograft failure (Goddard et al). 2007;56:S109-11 (Case letter)

Neurofibroma, plexiform

Pigmented plexiform neurofibroma: distinction from a large congenital melanocytic nevus (Schaffer et al). 2007;56:862-8 (Case rep.)

Neuromas

Multiple cutaneous neuromas and macular amyloidosis associated with medullary thyroid carcinoma (Baykal et al). 2007;56:S33-7 (Case rep.)

Nevi

Age distribution of biopsied junctional nevi (Westhafer et al). 2007;56:825-7 (Dermatopathology)
Bilateral symmetric facial epidermal nevus (Shah et al). 2007;56:S51-3 (Case letter)
Cell cycle and apoptosis regulators in Spitz nevi: comparison with melanomas and common nevi (Stefanaki et al). 2007;56:815-24 (Dermatopathology)
Desmoplastic giant congenital nevus with progressive depigmentation (Martin et al). 2007;56:S10-4 (Case rep.)
Is apoptosis involved in the development of balloon cell nevus? suggestion from a case report (Kim et al). 2007;56:1069-70 (Case letter)
Keratoacanthoma developing on nevus sebaceous in a child (Ujiie et al). 2007;56:S57-8 (Case letter)
Nevus lipomatosus cutaneous superficialis with folliculosebaceous cystic hamartoma (Kang et al). 2007;56:S55-7 (Case letter)
From sporadic atypical nevi to familial melanoma: risk analysis for melanoma in sporadic atypical nevus patients (de Snoo et al). 2007;56:748-52 (Report)

Nevi, epithelioid and spindle cell

Spitz nevus versus malignant melanoma: Spitz nevi predominate on the thighs in patients younger than 40 years of age, melanomas on the trunk in patients 40 years of age or older (Schmoeckel et al). 2007;56:753-8 (Report)

Nevi, melanocytic

Melanocytic nevus with focal atypical epithelioid components (clonal nevus) is a combined nevus (Murali et al). 2007;56:889-90 (Notes & comments)
Pigmented plexiform neurofibroma: distinction from a large congenital melanocytic nevus (Schaffer et al). 2007;56:862-8 (Case rep.)
Schwannoma coexisting with giant congenital melanocytic nevus: is it coincidence? (Bae et al). 2007;56:S111-2 (Case letter)
Sensitivity, specificity, and diagnostic accuracy of three dermoscopic algorithmic methods in the diagnosis of doubtful melanocytic lesions: the importance of light brown structureless areas in differentiating atypical melanocytic nevi from thin melanomas (Annessi et al). 2007;56:759-67 (Report)

Nicorandil

Perianal ulceration and other cutaneous ulcerations complicating nicorandil therapy (Williams et al). 2007;56:S116-7 (Case letter)

Nose

Mycosis fungoides involving the nasal mucosa (Gruson et al). 2007;56:S112-4 (Case letter)

Nosocomial infections

Community-acquired methicillin-resistant *Staphylococcus aureus* (Elston). 2007;56:1-16 (CME article)

Notes & comments

Acne, breast cancer, and androgens (Danby). 2007;56:894-5
Acne and iodine: reply (Danby). 2007;56:164-5
Acral acanthosis nigricans (acral acanthotic anomaly) (Schwartz). 2007;56:349-50
Appointment wait times for patients with changing moles (Weingold and Lack) (Letter) (Resneck) (Reply). 2007;56:706-7
Bazex or amyopathic dermatomyositis? (Rudolph). 2007;56:1065
Burden of skin disease (Smith). 2007;56:706
Congenital melanocytic nevus is a disease with two clinicopathologic forms of presentation (Magaña and Magaña). 2007;56:521-2
Cosmetic versus medical dermatology patients (Heymann). 2007;56:161-2
Current strategies to address the ongoing shortage of academic dermatologists (Wu). 2007;56:1065-6
Cutaneous T-cell lymphoma in non-blood-related family members: report of an additional case (Lozano and Duvic). 2007;56:521
Extracorporeal photopheresis in systemic sclerosis: effects on organ involvement? (Reich et al). 2007;56:348-9
Head-to-head studies of botulinum toxin A in aesthetic medicine: which evidence is good enough? (Rzany and Nast). 2007;56:1066-7
Institutional review board among dermatology researchers (Adams and Gloster). 2007;56:346
Iron and hair loss in women: what is deficiency? This is the real question! (Rushton et al) (Letter) (Trost and Bergfeld) (Reply). 2007;56:518-9
Keratin 17/interferon-γ autoimmune loop as a vicious circle driving psoriasis pathogenesis (Bonnekoh and Böckelmann) (Letter) (Shen et al) (Reply). 2007;56:162-4
Keratin intermediate filament retraction is linked to plakoglobin-dependent signaling in pemphigus vulgaris (Müller et al) (Letter) (Bystryn and Grando) (Reply). 2007;56:890-2
[Latin] dermatology as she is spoke[n] (Capella). 2007;56:520-1
Melanocytic nevus with focal atypical epithelioid components (clonal nevus) is a combined nevus (Murali et al). 2007;56:889-90
The merits of adding toluidine blue–stained slides in Mohs surgery in the treatment of microcystic adnexal carcinoma (Wang et al). 2007;56:1067-9
Morgellons disease (Harvey) (Letter) (Bernhard) (Editor's note). 2007;56:705-6
Not just sunscreen: caps. (Adams). 2007;56:161
Patient adherence with treatment (Rothstein). 2007;56:892
Pruritic dermatoses of pregnancy: to lump or to split? (Cohen and Kroumpouzos). 2007;56:708-9

Reconsidering liver biopsies during methotrexate therapy (Henning et al). 2007;56:893-4
Reply: tattoos and body piercing (Laumann and Derick). 2007;56:349
Reply (Bowers and Morgan). 2007;56:892-3
Sentinel lymph node biopsy for melanoma is still controversial (Garcia and Poletti). 2007;56:347-8
Tacrolimus is not a preventive agent for occupational skin diseases (Jungbauer and Coenraads) (Letter) (Belsito) (Reply). 2007;56:519-20
Yes, let's abandon race—it does not accurately correlate with hair form (Khumalo). 2007;56:709-10

Nuclear factor-κB essential modulator
Clinical diagnosis of incontinentia pigmenti in a cohort of male patients (Fusco et al). 2007;56:264-7 (Report)

O

Obesity
Obesity and the skin: skin physiology and skin manifestation of obesity (Yosipovitch et al). 2007;56:901-16 (CME article)
Subcutaneous fat in normal and diseased states. 3. Adipogenesis: from stem cell to fat cell (Avram et al). 2007;56:472-92 (On fat)

Occupational diseases
Tacrolimus is not a preventive agent for occupational skin diseases (Jungbauer and Coenraads) (Letter) (Belsito) (Reply). 2007;56:519-20 (Notes & comments)

Omalizumab
Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)

On fat
On fat. 2007;56:472-92

Onychodystrophy
Multiple calcified subungual epidermoid inclusions (Teland and Jellinek). 2007;56:336-9 (Case rep.)

Onychomycosis
Costs of pulse versus continuous terbinafine for onychomycosis (Schram and Warshaw). 2007;56:525-7 (Research letter)
Distribution of toenail dystrophy predicts histologic diagnosis of onychomycosis. 2007;56:945-8 (Report)
Onychomycosis: diagnosis and definition of cure (Scher et al). 2007;56:939-44 (Report)

Oral cavity
Divided café-au-lait macule of the mouth (Sergay and Silverberg). 2007;56:S98-9 (Case rep.)
Oral findings in 58 adults with tuberous sclerosis complex (Sparling et al). 2007;56:786-90 (Report)
Oral histoplasmosis after radiation therapy for laryngeal squamous cell carcinoma (Ezzedine et al). 2007;56:871-3 (Case rep.)

Osteolysis
Cutaneous lymphatic malformations in disappearing bone (Gorham-Stout) disease: a novel clue to the pathogenesis of a rare syndrome (Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)

Osteopathic dermatologists
Practice patterns among osteopathic dermatologists in the United States (Yoo et al). 2007;56:524-5 (Research letter)

Ovarian fibroma
Benign lymphangiomatous papules of the skin associated with ovarian fibroma (Bodet et al). 2007;56:S41-4 (Case rep.)

P

Palpation
A literally blinded trial of palpation in dermatologic diagnosis (Cox). 2007;56:949-51 (Report)

Panitumumab
Epidermal growth factor receptor inhibitors: a new era of drug reactions in a new era of cancer therapy (Cowen). 2007;56:514-7 (Commentary)

Panniculitis
Cutaneous γ/δ T-cell lymphoma: a histopathologic mimicker of lupus erythematosus profundus (lupus panniculitis) (Aguilera et al). 2007;56:643-7 (Dermatopathology)
CXCR3-mediated recruitment of cytotoxic lymphocytes in lupus erythematosus profundus (Wenzel et al). 2007;56:648-50 (Dermatopathology)
Sweet's syndrome–like neutrophilic lobular panniculitis associated with all-*trans*-retinoic acid chemotherapy in a patient with acute promyelocytic leukemia (Jagdeo et al). 2007;56:690-3 (Case rep.)

Parasitic diseases
Parasitic infestations (Jacobson and Abel). 2007;56:1026-43 (Periodic synopsis)

Parry-Romberg syndrome
En coup de sabre morphea and Parry-Romberg syndrome: a retrospective review of 54 patients (Tollefson and Witman). 2007;56:257-63 (Report)

Parvovirus B19
Wells' syndrome after primoinfection by parvovirus B19 in a child (Toulon et al). 2007;56:S50-1 (Case letter)

Patch tests
Medical pearl: the evaluation of perioral dermatitis: use of an extended patch test series (Nedorost). 2007;56:S100-2 (Pearls)
Patients' perceptions of the usefulness and outcomes of patch testing (Scalf et al). 2007;56:928-32 (Report)
Results of patch testing to a corticosteroid series: a retrospective review of 1188 patients during 6 years at Mayo Clinic (Davis et al). 2007;56:921-7 (Report)
Role of contact sensitization in chronic urticaria (Guerra et al). 2007;56:88-90 (Report)

Patients
An educational brochure helps improve patients' understanding of residents' role and level of training (Doshi et al). 2007;56:165-9 (Research letter)
Appointment wait times for patients with changing moles (Weingold and Lack) (Letter) (Resneck) (Reply). 2007;56:706-7 (Notes & comments)
Cosmetic versus medical dermatology patients (Heymann). 2007;56:161-2 (Notes & comments)
Drug companies, dermatologists, and the patient (Rapaport and Franzblau). 2007;56:333-4 (Current issues and opinion)
Language disparities between patients and dermatologists in describing acne lesions (Lucero et al). 2007;56:268-73 (Report)
Patient adherence with treatment (Rothstein). 2007;56:892 (Notes & comments)
Patients' perceptions of the usefulness and outcomes of patch testing (Scalf et al). 2007;56:928-32 (Report)
Psychologic distress in polymorphous light eruption and its relationship to patients' belief about their condition (Richards et al). 2007;56:426-31 (Report)

Pearls
Medical. 2007;56:S100-2, S104-5
Surgical. 2007;56:146, S103-4, S105-6

Pediculosis capitis
In vitro pediculicidal and ovicidal activity of an extract and oil from fruits of *Melia azedarach* L. (Carpinella et al). 2007;56:250-6 (Report)

Peer review
Reviewers for volumes 54 and 55. 2007;56:1059-62

Ten or twelve ways to abuse the peer review process: we saw what you did and we know who you are (Bernhard). 2007;56:887-8 (The Blue Journal)

Pemphigoid, bullous

Bullous pemphigoid associated with hypereosinophilic syndrome: simultaneous response to imatinib (Hofmann et al). 2007;56:S68-72 (Case rep.)

Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease (Izumi et al). 2007;56:S94-7 (Case rep.)

Pemphigus

Lichenoid paraneoplastic pemphigus in the absence of detectable antibodies (Cummins et al). 2007;56:153-9 (Case rep.)

A novel case of IgA paraneoplastic pemphigus associated with chronic lymphocytic leukemia (Taintor et al). 2007;56:S73-6 (Case rep.)

Pemphigus vulgaris

Keratin intermediate filament retraction is linked to plakoglobin-dependent signaling in pemphigus vulgaris (Müller et al) (Letter) (Bystryn and Grando) (Reply). 2007;56:890-2 (Notes & comments)

Pemphigus vulgaris presenting in a radiation portal (Robbins et al). 2007;56:S82-5 (Case rep.)

People of color

A survey of skin disease and skin-related issues in Arab Americans (El-Essawi). 2007;56:933-8 (Report)

Periodic synopsis

Periodic synopsis. 2007;56:1026-43

Pharmaceutical companies

Drug companies, dermatologists, and the patient (Rapaport and Franzblau). 2007;56:333-4 (Current issues and opinion)

Photodynamic therapy

Combination of topical 5-aminolevulinic acid–photodynamic therapy with carbon dioxide laser for sebaceous hyperplasia (Kim et al). 2007;56:523-4 (Research letter)

Guidelines on the use of photodynamic therapy for nonmelanoma skin cancer: an international consensus (Braathen et al). 2007;56:125-43 (Special article)

Photopheresis, extracorporeal

Extracorporeal photopheresis in systemic sclerosis: effects on organ involvement? (Reich et al). 2007;56:348-9 (Notes & comments)

Phototherapy

Intense pulsed light (Heymann et al). 2007;56:466-7 (Dialogues in dermatology)

Pigmentation disorders

Acral acanthosis nigricans (acral acanthotic anomaly) (Schwartz). 2007;56:349-50 (Notes & comments)

The CASH (color, architecture, symmetry, and homogeneity) algorithm for dermoscopy (Henning et al). 2007;56:45-52 (Report)

Desmoplastic giant congenital nevus with progressive depigmentation (Martin et al). 2007;56:S10-4 (Case rep.)

Diagnosis and management of nail pigmentations (Braun et al). 2007;56:835-47 (Review)

Digitocutaneous dysplasia (Izadpanah et al). 2007;56:S6-9 (Case rep.)

Divided café-au-lait macule of the mouth (Sergay and Silverberg). 2007;56:S98-9 (Case rep.)

Efficacy, predictors of response, and long-term follow-up with vitiligo treated with narrowband UVB phototherapy (Nicolaidou et al). 2007;56:274-8 (Report)

The expanding spectrum of Galli–Galli disease (El Shabrawi-Caelen et al). 2007;56:S86-91 (Case rep.)

Intense pulsed light (Heymann et al). 2007;56:466-7 (Dialogues in dermatology)

Vascular malformations, part II: associated syndromes (Garzon et al). 2007;56:541-64 (CME article)

Pimecrolimus

Allergic contact dermatitis from pimecrolimus in a patient with tacrolimus allergy (Shaw et al). 2007;56:342-5 (Case rep.)

Treatment of perioral dermatitis with topical pimecrolimus (Rodríguez-Martín et al). 2007;56:529-30 (Case letter)

Pityriasis lichenoides

Pityriasis lichenoides in childhood: a retrospective of 124 patients (Ersoy-Evans). 2007;56:205-10 (Report)

Plakoglobin

Keratin intermediate filament retraction is linked to plakoglobin-dependent signaling in pemphigus vulgaris (Müller et al) (Letter) (Bystryn and Grando) (Reply). 2007;56:890-2 (Notes & comments)

Plasmacytosis

Cutaneous and systemic plasmacytosis (Leonard et al). 2007;56:S38-40 (Case rep.)

Polymorphous light eruption

Psychologic distress in polymorphous light eruption and its relationship to patients' belief about their condition (Richards et al). 2007;56:426-31 (Report)

Porphyria cutanea tarda

Cutaneous vascular deposition of C5b-9 and its role as a diagnostic adjunct in the setting of diabetes mellitus and porphyria cutanea tarda (Vasil and Magro). 2007;56:96-104 (Dermatopathology)

Potassium hydroxide

Medical pearl: confirming the diagnosis of molluscum contagiosum using 10% potassium hydroxide (Bauer et al). 2007;56:S104-5 (Pearls)

Pregnancy

Pruritic dermatoses of pregnancy: to lump or to split? (Cohen and Kroumpouzos). 2007;56:708-9 (Notes & comments)

Third-trimester impetigo herpetiformis treated with cyclosporine (Brightman et al). 2007;56:S62-4 (Case letter)

Preventive measures

New opportunities in preventive dermatology: how far should we go? (Zhang et al). 2007;56:675-6 (Above the surface)

Prostate cancer

Acquired hypertrichosis lanuginosa as a presenting sign of metastatic prostate cancer with rapid resolution after treatment (Wyatt et al). 2007;56:S45-7 (Case rep.)

Protozoan infections

Parasitic infestations (Jacobson and Abel). 2007;56:1026-43 (Periodic synopsis)

Pruritus

Clinical and molecular dilemmas in the diagnosis of familial epidermolysis bullosa pruriginosa (Ee et al). 2007;56:S77-81 (Case rep.)

Pruritic dermatoses of pregnancy: to lump or to split? (Cohen and Kroumpouzos). 2007;56:708-9 (Notes & comments)

Treatment of pruritus with topically applied opiate receptor antagonist (Bigliardi et al). 2007;56:979-88 (Report)

Pseudocysts

Pseudocysts of the auricle in a young adult with facial and ear atopic dermatitis (Ng et al). 2007;56:858-61 (Case & review)

Pseudoxanthoma elasticum

Classic pseudoxanthoma elasticum in a patient with sickle cell disease (van Meurs et al). 2007;56:170-1 (Case letter)

Psoriasis

Acitretin induces capillary leak syndrome in a patient with pustular psoriasis (Vos et al). 2007;56:339-42 (Case rep.)

Acute myelogenous leukemia in a patient receiving etanercept for psoriasis (Bachmeyer et al). 2007;56:169-70 (Case letter)
The association between psoriasis, diabetes mellitus, and atherosclerosis in Israel: a case-control study. 2007;56:629-34 (Report)
Etanercept in a 7-year-old boy with severe and recalcitrant psoriasis (Safa et al). 2007;56:S19-20 (Case rep.)
Keratin 17/interferon-γ autoimmune loop as a vicious circle driving psoriasis pathogenesis (Bonnekoh and Böckelmann) (Letter) (Shen et al) (Reply). 2007;56:162 (Notes & comments)
A literally blinded trial of palpation in dermatologic diagnosis (Cox). 2007;56:949-51 (Report)
Psoriasis, innate immunity, and gene pools (Bos). 2007;56:468-71 (Ideas)
A randomized, open-label trial of continuous versus interrupted etanercept therapy in the treatment of psoriasis (Moore et al). 2007;56:598-603 (Report)
A randomized comparison of continuous vs. intermittent infliximab maintenance regimens over 1 year in the treatment of moderate-to-severe plaque psoriasis (Menter et al). 2007;56:31-44 (Report)
Tumor necrosis factor inhibitor–induced pustular psoriasis? (Heymann et al). 2007;56:327-9 (Dialogues in dermatology)

Psychological factors

Psychologic distress in polymorphous light eruption and its relationship to patients' belief about their condition (Richards et al). 2007;56:426-31 (Report)

Psychometrics

Measuring the stringency of states' indoor tanning regulations: instrument development and outcomes (Woodruff et al). 2007;56:774-80 (Report)

Pulsed light

Intense pulsed light (Heymann et al). 2007;56:466-7 (Dialogues in dermatology)

Purpura

Prolonged urticaria with purpura: the spectrum of clinical and histopathologic features in a prospective series of 22 patients exhibiting the clinical features of urticarial vasculitis (Lee et al). 2007;56:994-1005 (Dermatopathology)

Pyoderma gangrenosum

Cavitary pyoderma gangrenosum treated with local infusion of corticosteroid (Tallon et al). 2007;56:696-9 (Case rep.)

Q

Quality of life

Burden of skin disease (Smith). 2007;56:706 (Notes & comments)
Quality of life impairment in hidradenitis suppurativa: a study of 61 cases (Wolkenstein et al). 2007;56:621-3 (Report)

Questionnaires

Quality of life impairment in hidradenitis suppurativa: a study of 61 cases (Wolkenstein et al). 2007;56:621-3 (Report)

R

Race

Yes, let's abandon race—it does not accurately correlate with hair form (Khumalo). 2007;56:709-10 (Notes & comments)

Radiation therapy

Eosinophilic, polymorphic, and pruritic eruption associated with radiotherapy in a patient with breast cancer (Lee and Kim). 2007;56:S60-1 (Case letter)
Pemphigus vulgaris presenting in a radiation portal (Robbins et al). 2007;56:S82-5 (Case rep.)

Reports

Reports. 2007;56:21-90, 205-84, 375-457, 565-634, 739-802, 921-88

Research letters

An educational brochure helps improve patients' understanding of residents' role and level of training (Doshi et al). 2007;56:165-9
Combination of topical 5-aminolevulinic acid–photodynamic therapy with carbon dioxide laser for sebaceous hyperplasia (Kim et al). 2007;56:523-4
Costs of pulse versus continuous terbinafine for onychomycosis (Schram and Warshaw). 2007;56:525-7
Gadolinium is quantifiable within the tissue of patients with nephrogenic systemic fibrosis (High et al). 2007;56:710-2
Practice patterns among osteopathic dermatologists in the United States (Yoo et al). 2007;56:524-5
Sorafenib-induced erythema multiforme (MacGregor et al). 2007;56:527-8

Retrospective studies

En coup de sabre morphea and Parry-Romberg syndrome: a retrospective review of 54 patients (Tollefson and Witman). 2007;56:257-63 (Report)
Intralesional methotrexate treatment for keratoacanthoma tumors: a retrospective study and review of the literature (Annest et al). 2007;56:989-93 (Derm. surgery)
Pityriasis lichenoides in childhood: a retrospective of 124 patients (Ersoy-Evans). 2007;56:205-10 (Report)

Reviewers for volumes 54 and 55

Reviewers for volumes 54 and 55. 2007;56:1059-62

Reviews

Reviews. 2007;56:116-24, 295-326, 460-5, 664-71, 828-53, 1044-55

Rheumatoid arthritis

Methotrexate-associated lymphoproliferative disorder in a patient with rheumatoid arthritis presenting in the skin (Clarke et al). 2007;56:686-90 (Case rep.)

Risk assessment

Evidence-based dermatology: number needed to treat and its relation to other risk measures. 2007;56:664-71 (Review)

Rituximab

Off-label uses of biologics in dermatology: rituximab, omalizumab, infliximab, etanercept, adalimumab, efalizumab, and alefacept (Part 2 of 2) (Graves et al). 2007;56:e55-79 (eBlueprints)
Rituximab for the treatment of the skin manifestations of dermatomyositis: a report of 3 case (Dinh et al). 2007;56:148-53 (Case rep.)

Rosacea

Systematic review of rosacea treatments (van Zuuren et al). 2007;56:107-15 (From the Cochrane Library)
Two randomized phase III clinical trials evaluating anti-inflammatory dose doxycycline (40-mg doxycycline, USP capsules) administered once daily for treatment of rosacea (Del Rosso et al). 2007;56:791-802 (Report)

Rosiglitazone

Open-label pilot study of combination therapy with rosiglitazone and bexarotene in the treatment of cutaneous T-cell lymphoma (Sepmeyer et al). 2007;56:584-7 (Report)

S

Sarcoidosis

Cutaneous sarcoidosis therapy updated (Badgwell and Rosen). 2007;56:69-83 (Report)

Scabies

Accuracy of standard dermoscopy for diagnosing scabies (Dupuy et al). 2007;56:53-62 (Report)
Norwegian scabies mimicking onychomycosis and scalp dermatitis in a child with IPEX syndrome (McLucas et al). 2007;56:S48-9 (Case rep.)
Parasitic infestations (Jacobson and Abel). 2007;56:1026-43 (Periodic synopsis)

Scalp

Cholangiocarcinoma with skin metastases (Yanagi et al). 2007;56:S58-60 (Case letter)

Malignant cutaneous tumors of the scalp: a study of demographic characteristics and histologic distributions of 398 Taiwanese patients (Chiu et al). 2007;56:448-52 (Report)
Norwegian scabies mimicking onychomycosis and scalp dermatitis in a child with IPEX syndrome (McLucas et al). 2007;56: S48-9 (Case letter)
Verrucous carcinoma of the scalp (Pattee et al). 2007;56:506-7 (Case rep.)

Scars

Reply (Bowers and Morgan). 2007;56:892-3 (Notes & comments)

Schizophrenia

Self-induced paraffinoma in a schizophrenic patient (Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)

Schnitzler syndrome

Prompt response of refractory Schnitzler syndrome to treatment with anakinra (Schneider et al). 2007;56:S120-2 (Case letter)

Schwannoma

Schwannoma coexisting with giant congenital melanocytic nevus: is it coincidence? (Bae et al). 2007;56:S111-2 (Case letter)

Scleroderma

Differential expression of decorin in localized scleroderma following ultraviolet-A1 irradiation (Gambichler et al). 2007;56: 956-9 (Report)

Sclerosis

Extracorporeal photopheresis in systemic sclerosis: effects on organ involvement? (Reich et al). 2007;56:348-9 (Notes & comments)

Self-assessment

Self-assessment. 2007;56:176-80, 534-40, 896-900

Self-induced illness

Self-induced paraffinoma in a schizophrenic patient (Rodríguez-Martín et al). 2007;56:S127-8 (Case letter)

Sentinel lymph node biopsy

Sentinel lymph node biopsy for melanoma is still controversial (Garcia and Poletti). 2007;56:347-8 (Notes & comments)

Serology

Prevalence of stratified epithelium-specific antinuclear antibodies in 138 patients with lichen planus (Parodi et al). 2007;56:974-8 (Report)

Serotonin reuptake inhibitors

Cutaneous effects of the most commonly used antidepressant medication, the selective serotonin reuptake inhibitors (Krasowska et al). 2007;56:848-53 (Review)

Sex factors

Association between the anatomic distribution of melanoma and sex (Clark et al). 2007;56:768-73 (Report)

Sézary syndrome

Phase II trial of subcutaneous injections of human recombinant interleukin-2 for the treatment of mycosis fungoides and Sézary syndrome (Querfeld et al). 2007;56:580-3 (Report)

Sickle cell disease

Classic pseudoxanthoma elasticum in a patient with sickle cell disease (van Meurs et al). 2007;56:170-1 (Case letter)

Skin aging

Imiquimod as an antiaging agent (Metcalf et al). 2007;56:422-5 (Report)

Skin diseases

Aggressive histiocytic disorders that can involve the skin (Newman et al). 2007;56:302-16 (Review)
Burden of skin disease (Smith). 2007;56:706 (Notes & comments)
Camp Discovery: fifteen magical years (Reddy and Reddy). 2007; 56:677-8 (Beneath the surface)
Gadolinium deposition in nephrogenic fibrosing dermopathy (Boyd et al). 2007;56:27-30 (Report)
Gadolinium is detectable within the tissue of patients with nephrogenic systemic fibrosis (High et al). 2007;56:21-6 (Report)
High-dose intravenous immunoglobulins for the treatment of autoimmune mucocutaneous blistering diseases: evaluation of its use in 19 cases (Segura et al). 2007;56:960-7 (Report)
Mast cell distribution, activation, and phenotype in xanthoma (Matsumoto et al). 2007;56:1006-12 (Dermatopathology)
New opportunities in preventive dermatology: how far should we go? (Zhang et al). 2007;56:675-6 (Above the surface)
Obesity and the skin: skin physiology and skin manifestation of obesity (Yosipovitch et al). 2007;56:901-16 (CME article)
A survey of skin disease and skin-related issues in Arab Americans (El-Essawi). 2007;56:933-8 (Report)
Tacrolimus is not a preventive agent for occupational skin diseases (Jungbauer and Coenraads) (Letter) (Belsito) (Reply). 2007;56: 519-20 (Notes & comments)

Skin manifestations

Obesity and the skin: skin physiology and skin manifestation of obesity (Yosipovitch et al). 2007;56:901-16 (CME article)

Skin neoplasms

Age distribution of biopsied junctional nevi (Westhafer et al). 2007; 56:825-7 (Dermatopathology)
Appointment wait times for patients with changing moles (Weingold and Lack) (Letter) (Resneck) (Reply). 2007;56:706-7 (Notes & comments)
Benign lymphangiomatous papules of the skin associated with ovarian fibroma (Bodet et al). 2007;56:S41-4 (Case rep.)
Cutaneous ciliated cyst in a 16-year-old girl (Chong et al). 2007;56: 159-60 (Case rep.)
Cutaneous lupus erythematosus simulating squamous neoplasia: the clinicopathologic conundrum and histopathologic pitfalls (Zedek et al). 2007;56:1013-20 (Dermatopathology)
Cutaneous T-cell lymphoma in non-blood-related family members: report of an additional case (Lozano and Duvic). 2007;56: 521 (Notes & comments)
Descriptive epidemiology of dermatofibrosarcoma protuberans in the United States, 1973 to 2002 (Criscione and Weinstock). 2007; 56:968-73 (Report)
Evaluation of digital dermoscopy in a pigmented lesion clinic: clinician versus computer assessment of malignancy risk (Boldrick et al). 2007;56:417-21 (Report)
Examination of mediating variables in a partner assistance intervention designed to increase performance on skin self-examination (Robinson et al). 2007;56:391-7 (Report)
Folliculosebaceous smooth muscle hamartoma (Saadat et al). 2007;56:1021-5 (Dermatopathology)
Forehead lipoma resection via a small remote incision using a surgical raspatory (Funayama et al). 2007;56:458-9 (Derm. surgery)
Guidelines on the use of photodynamic therapy for nonmelanoma skin cancer: an international consensus (Braathen et al). 2007; 56:125-43 (Special article)
Infantile acne as a the initial sign of an adrenocortical tumor (Mann et al). 2007;56:S15-8 (Case rep.)
Intralesional methotrexate treatment for keratoacanthoma tumors: a retrospective study and review of the literature (Annest et al). 2007;56:989-93 (Derm. surgery)
Lymphangiosarcoma presenting as asymptomatic swelling of the cheek (Hancox et al). 2007;56:530-1 (Case letter)
Malignant cutaneous tumors of the scalp: a study of demographic characteristics and histologic distributions of 398 Taiwanese patients (Chiu et al). 2007;56:448-52 (Report)
Melanocytic nevus with focal atypical epithelioid components (clonal nevus) is a combined nevus (Murali et al). 2007;56: 889-90 (Notes & comments)

The merits of adding toluidine blue–stained slides in Mohs surgery in the treatment of microcystic adnexal carcinoma (Wang et al). 2007;56:1067-9 (Notes & comments)

Multiple verrucous carcinomas treated with acitretin (Kuan et al). 2007;56:S29-32 (Case rep.)

Pigmented plexiform neurofibroma: distinction from a large congenital melanocytic nevus (Schaffer et al). 2007;56:862-8 (Case rep.)

Primary mucosal melanoma (Patrick et al). 2007;56:828-34 (Review)

Rapidly growing collagenomas in multiple endocrine neoplasia type 1 (Xia and Darling). 2007;56:877-80 (Case rep.)

Verrucous carcinoma of the scalp (Pattee et al). 2007;56:506-7 (Case rep.)

Skin self-examination

Examination of mediating variables in a partner assistance intervention designed to increase performance on skin self-examination (Robinson et al). 2007;56:391-7 (Report)

Screening for melanoma (Heymann et al). 2007;56:144-5 (Dialogues in dermatology)

Sodium stibogluconate

Liposomal amphotericin B in comparison to sodium stibogluconate for cutaneous infection due to *Leishmania braziliensis* (Solomon et al). 2007;56:612-6 (Report)

Sorafenib

Keratoacanthomas associated with sorafenib therapy (Kong et al). 2007;56:171-2 (Case letter)

Sorafenib-induced erythema multiforme (MacGregor et al). 2007;56:527-8 (Research letter)

Special articles

Special articles. 2007;56:125-43

Spider bite

Of spiders and zebras: publication of inadequately documented loxoscelism case reports (Vetter and Swanson). 2007;56:1063-4 (Commentary)

Spitz nevus

Cell cycle and apoptosis regulators in Spitz nevi: comparison with melanomas and common nevi (Stefanaki et al). 2007;56:815-24 (Dermatopathology)

Spitz nevus versus malignant melanoma: Spitz nevi predominate on the thighs in patients younger than 40 years of age, melanomas on the trunk in patients 40 years of age or older (Schmoeckel et al). 2007;56:753-8 (Report)

Squamous cell carcinoma

Evaluation of prospectively collected presenting signs/symptoms of biopsy-proven melanoma, basal cell carcinoma, squamous cell carcinoma, and seborrheic keratitis in an elderly male population (Askari et al). 2007;56:739-47 (Report)

Guidelines on the use of photodynamic therapy for nonmelanoma skin cancer: an international consensus (Braathen et al). 2007;56:125-43 (Special article)

Oral histoplasmosis after radiation therapy for laryngeal squamous cell carcinoma (Ezzedine et al). 2007;56:871-3 (Case rep.)

Squamous cell carcinoma over tattoos (Pitarch et al). 2007;56:1072-3 (Case letter)

Tea consumption and basal cell and squamous cell skin cancer: results of a case-control study (Rees et al). 2007;56:781-5 (Report)

Staphylococcus aureus

Community-acquired methicillin-resistant *Staphylococcus aureus* (Elston). 2007;56:1-16 (CME article)

Statistics

Evidence-based dermatology: number needed to treat and its relation to other risk measures. 2007;56:664-71 (Review)

Stevens–Johnson syndrome

Toxic epidermal necrolysis (Pereira et al). 2007;56:181-200 (CME article)

Sturge-Weber syndrome

Vascular malformations, part II: associated syndromes (Garzon et al). 2007;56:541-64 (CME article)

Sunlight

Association between the anatomic distribution of melanoma and sex (Clark et al). 2007;56:768-73 (Report)

Basal cell carcinoma on the trunk is associated with excessive sun exposure (Neale et al). 2007;56:380-6 (Report)

Not just sunscreen: caps. (Adams). 2007;56:161 (Notes & comments)

Skin sun-acne tutorial evaluation among middle- and high-school students in central New Jersey (Irwin et al). 2007;56:407-12 (Report)

Surgical equipment

Forehead lipoma resection via a small remote incision using a surgical raspatory (Funayama et al). 2007;56:458-9 (Derm. surgery)

Surgical pearl: alternate method of loading needle to facilitate subcuticular suturing (Ahmed and Orengo). 2007;56:S105-6 (Pearls)

Surgical pearl: obtaining a clean histopathologic specimen using a ring curette (Madan and Dawn). 2007;56:S103-4 (Pearls)

Sutures

Surgical pearl: alternate method of loading needle to facilitate subcuticular suturing (Ahmed and Orengo). 2007;56:S105-6 (Pearls)

Sweet's syndrome

Sweet's panniculitis associated with metastatic breast cancer (Teng et al). 2007;56:S61-2 (Case letter)

Sweet's syndrome–like neutrophilic lobular panniculitis associated with all-*trans*-retinoic acid chemotherapy in a patient with acute promyelocytic leukemia (Jagdeo et al). 2007;56:690-3 (Case rep.)

T

T cells

Lichenoid paraneoplastic pemphigus in the absence of detectable antibodies (Cummins et al). 2007;56:153-9 (Case rep.)

Tacrolimus

Allergic contact dermatitis from pimecrolimus in a patient with tacrolimus allergy (Shaw et al). 2007;56:342-5 (Case rep.)

Tacrolimus is not a preventive agent for occupational skin diseases (Junghauer and Coenraads) (Letter) (Belsito) (Reply). 2007;56:519-20 (Notes & comments)

Taiwanese

Malignant cutaneous tumors of the scalp: a study of demographic characteristics and histologic distributions of 398 Taiwanese patients (Chiu et al). 2007;56:448-52 (Report)

Tanning

Measuring the stringency of states' indoor tanning regulations: instrument development and outcomes (Woodruff et al). 2007;56:774-80 (Report)

Prevalence of sunless tanning product use and related behaviors among adults in the United States: results from a national survey (Stryker et al). 2007;56:387-90 (Report)

Tanning in body dysmorphic disorder (Hunter-Yates et al). 2007;56:S107-9 (Case letter)

UV light abuse and high-risk tanning behavior among undergraduate college students (Poorsattar and Hornung). 2007;56:375-9 (Report)

Tattoos

Reply: tattoos and body piercing (Laumann and Derick). 2007;56:349 (Notes & comments)

Squamous cell carcinoma over tattoos (Pitarch et al). 2007;56:1072-3 (Case letter)

Tea

Tea consumption and basal cell and squamous cell skin cancer: results of a case-control study (Rees et al). 2007;56:781-5 (Report)

Terbinafine

Costs of pulse versus continuous terbinafine for onychomycosis (Schram and Warshaw). 2007;56:525-7 (Research letter)

3-dimensional magnetic resonance imaging

New techniques for the evaluation and therapeutic planning of patients with Klippel–Trénaunay syndrome (Bastarrika et al). 2007;56:242-9 (Report)

Thyroid carcinoma

Multiple cutaneous neuromas and macular amyloidosis associated with medullary thyroid carcinoma (Baykal et al). 2007;56:S33-7 (Case rep.)

Tinea capitis

Acne keloidalis: a novel presentation for tinea capitis (Sterling et al). 2007;56:699-701 (Case rep.)

Toenails

Distribution of toenail dystrophy predicts histologic diagnosis of onychomycosis. 2007;56:945-8 (Report)

Toluidine blue

The merits of adding toluidine blue–stained slides in Mohs surgery in the treatment of microcystic adnexal carcinoma (Wang et al). 2007;56:1067-9 (Notes & comments)

Topical drug medication

Death of a dog caused by calcipotriene toxicity (Saedi et al). 2007;56:712-3 (Case letter)

Guidelines of care for acne vulgaris management (Strauss et al). 2007;56:651-63 (From the Academy)

Imiquimod as an antiaging agent (Metcalf et al). 2007;56:422-5 (Report)

Patient adherence with treatment (Rothstein). 2007;56:892 (Notes & comments)

Stealth monitoring of adherence to topical medication: adherence is very poor in children with atopic dermatitis (Krejci-Manwaring et al). 2007;56:211-6 (Report)

Topical therapy of atopic dermatitis: controversies from Hippocrates to topical immunomodulators (Tilles et al). 2007;56:295-301 (Review)

Treatment of perioral dermatitis with topical pimecrolimus (Rodríguez-Martín et al). 2007;56:529-30 (Case letter)

Treatment of pruritus with topically applied opiate receptor antagonist (Bigliardi et al). 2007;56:979-88 (Report)

Total cutaneous examination

Factors influencing participation in cutaneous screening among individuals with a family history of melanoma (Azzarello and Jacobsen). 2007;56:398-406 (Report)

Toxic epidermal necrolysis

Toxic epidermal necrolysis (Pereira et al). 2007;56:181-200 (CME article)

Triamcinolone acetonide

Comparison of the effect of glycerol and triamcinolone acetonide on cumulative skin irritation in a randomized trial (Andersen et al). 2007;56:228-35 (Report)

Tryptase

Tryptase detection in bone-marrow blood: a new diagnostic tool in systemic mastocytosis (Proelss et al). 2007;56:453-7 (Report)

Tuberous sclerosis

Oral findings in 58 adults with tuberous sclerosis complex (Sparling et al). 2007;56:786-90 (Report)

Tumor necrosis factor inhibitors

Eruptive latent metastatic melanomas after initiation of antitumor necrosis factor therapies (Fulchiero et al). 2007;56:S65-7 (Case rep.)

Infliximab for severe hidradenitis suppurativa: transient clinical efficacy in 7 consecutive patients (Fardet et al). 2007;56:624-8 (Report)

A randomized comparison of continuous vs. intermittent infliximab maintenance regimens over 1 year in the treatment of moderate-to-severe plaque psoriasis (Menter et al). 2007;56:31-44 (Report)

Tumor necrosis factor inhibitor–induced pustular psoriasis? (Heymann et al). 2007;56:327-9 (Dialogues in dermatology)

Tyrosine kinase inhibitors

Cutaneous side effects of epidermal growth factor receptor inhibitors: clinical presentation, pathogenesis, and management (Hu et al). 2007;56:317-26 (Review)

U

Ulcers

Calciphylaxis: natural history, risk factor analysis, and outcome (Weenig et al). 2007;56:565-79 (Report)

Perianal ulceration and other cutaneous ulcerations complicating nicorandil therapy (Williams et al). 2007;56:S116-7 (Case letter)

Vaginal ulcerations with acute mycoplasma infection (Kos et al). 2007;56:S117-8 (Case letter)

Ultrasound

Acquired digital arteriovenous malformation: ultrasound imaging and response to long-pulsed neodymium:yttrium-aluminum-garnet treatment (Bekhor and Ditchfield). 2007;56:S122-4 (Case letter)

Ultraviolet radiation

Basal cell carcinoma on the trunk is associated with excessive sun exposure (Neale et al). 2007;56:380-6 (Report)

Differential expression of decorin in localized scleroderma following ultraviolet-A1 irradiation (Gambichler et al). 2007;56:956-9 (Report)

Measuring the stringency of states' indoor tanning regulations: instrument development and outcomes (Woodruff et al). 2007;56:774-80 (Report)

Not just sunscreen: caps. (Adams). 2007;56:161 (Notes & comments)

Prevalence of sunless tanning product use and related behaviors among adults in the United States: results from a national survey (Stryker et al). 2007;56:387-90 (Report)

UV light abuse and high-risk tanning behavior among undergraduate college students (Poorsattar and Hornung). 2007;56:375-9 (Report)

Ultraviolet recall reaction

Ultraviolet recall reaction after total body irradiation, etoposide, and methotrexate therapy (Goldfeder et al). 2007;56:494-9 (Case & review)

Ultraviolet therapy

Can dietary furanocoumarin ingestion enhance the erythemal response during high-dose UVA1 therapy? (Beattie et al). 2007;56:84-7 (Report)

Efficacy, predictors of response, and long-term follow-up with vitiligo treated with narrowband UVB phototherapy (Nicolaidou et al). 2007;56:274-8 (Report)

United States

Descriptive epidemiology of dermatofibrosarcoma protuberans in the United States, 1973 to 2002 (Criscione and Weinstock). 2007;56:968-73 (Report)

Urticaria

Outbreak of lepidopterism at a Boy Scout camp (Redd et al). 2007;56:952-5 (Report)

Prolonged urticaria with purpura: the spectrum of clinical and histopathologic features in a prospective series of 22 patients

exhibiting the clinical features of urticarial vasculitis (Lee et al). 2007;56:994-1005 (Dermatopathology)

Role of contact sensitization in chronic urticaria (Guerra et al). 2007;56:88-90 (Report)

V

Vagina

Vaginal ulcerations with acute mycoplasma infection (Kos et al). 2007;56:S117-8 (Case letter)

Vascular malformations

Cutaneous lymphatic malformations in disappearing bone (Gorham-Stout) disease: a novel clue to the pathogenesis of a rare syndrome (Bruch-Gerharz et al). 2007;56:S21-5 (Case rep.)

Vascular malformations, part I (Garzon et al). 2007;56:353-70 (CME article)

Vascular malformations, part II: associated syndromes (Garzon et al). 2007;56:541-64 (CME article)

Vasculitis

Cutaneous vasculitis in two patients taking an herbal supplement containing black cohosh (Ingraffea et al). 2007;56:S124-6 (Case letter)

Prolonged urticaria with purpura: the spectrum of clinical and histopathologic features in a prospective series of 22 patients exhibiting the clinical features of urticarial vasculitis (Lee et al). 2007;56:994-1005 (Dermatopathology)

Vernier calipers

Surgical pearl: use of digital Vernier calipers for measurement of lesional and excisional dimensions (Connelly and Dixon). 2007;56:146 (Pearls)

Vitiligo

Efficacy, predictors of response, and long-term follow-up with vitiligo treated with narrowband UVB phototherapy (Nicolaidou et al). 2007;56:274-8 (Report)

High-potency steroid use in children with vitiligo: a retrospective study (Kwinter et al). 2007;56:236-41 (Report)

Vulva

Infantile pyramidal protrusion localized at the vulva as a manifestation of lichen sclerosus et atrophicus (Hernandez-Machin et al). 2007;56:S49-50 (Case letter)

Lichen sclerosus (Heymann et al). 2007;56:683-4 (Dialogues in dermatology)

W

Wells' syndrome

Wells' syndrome after primoinfection by parvovirus B19 in a child (Toulon et al). 2007;56:S50-1 (Case letter)

Women

Iron and hair loss in women: what is deficiency? This is the real question! (Rushton et al) (Letter) (Trost and Bergfeld) (Reply). 2007;56:518-9 (Notes & comments)

World Wide Web

World Wide Web resources of open access, educational dermatology clinical image quizzes and databases (Papadavid and Falagas). 2007;56:e81-5 (eBlueprints)

Worms, parasitic

Parasitic infestations (Jacobson and Abel). 2007;56:1026-43 (Periodic synopsis)

X

Xanthogranuloma

An infant with extensive cutaneous nodular juvenile xanthogranuloma and hyperlipidemia (Hu et al). 2007;56:S54-5 (Case letter)

Xanthoma

Mast cell distribution, activation, and phenotype in xanthoma (Matsumoto et al). 2007;56:1006-12 (Dermatopathology)

Z

Zinc

Acrodermatitis enteropathica and an overview of zinc metabolism (Maverakis et al). 2007;56:116-24 (Review)